

Randie R Little

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/694024/randie-r-little-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	4,804 citations	33 h-index	68 g-index
92 ext. papers	5,341 ext. citations	6.3 avg, IF	5.28 L-index

#	Paper	IF	Citations
89	Comments on Deng, et al: The potential for Isotope dilution-LC-MS/MS to improve laboratory measurement of c-peptide; reasons and critical determinants.. <i>Journal of Mass Spectrometry and Advances in the Clinical Lab</i> , 2021 , 22, 79-80		
88	Quantitation of glycated albumin by isotope dilution mass spectrometry. <i>Clinica Chimica Acta</i> , 2021 , 521, 215-222	6.2	3
87	Evaluation of interference from hemoglobin C, D, E and S traits on measurements of hemoglobin A1c by fifteen methods. <i>Clinica Chimica Acta</i> , 2021 , 522, 31-35	6.2	5
86	Continuous Glucose Monitoring and Use of Alternative Markers To Assess Glycemia in Chronic Kidney Disease. <i>Diabetes Care</i> , 2020 , 43, 2379-2387	14.6	12
85	Accuracy and Precision of a Point-of-Care HbA1c Test. <i>Journal of Diabetes Science and Technology</i> , 2020 , 14, 883-889	4.1	7
84	Hypoglycemia in People with Type 2 Diabetes and CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 844-853	6.9	20
83	The National Glycohemoglobin Standardization Program: Over 20 Years of Improving Hemoglobin A Measurement. <i>Clinical Chemistry</i> , 2019 , 65, 839-848	5.5	41
82	EurA1c: The European HbA1c Trial to Investigate the Performance of HbA1c Assays in 2166 Laboratories across 17 Countries and 24 Manufacturers by Use of the IFCC Model for Quality Targets. <i>Clinical Chemistry</i> , 2018 , 64, 1183-1192	5.5	32
81	Recognition of rare hemoglobin variants by hemoglobin A measurement procedures. <i>Clinica Chimica Acta</i> , 2018 , 476, 67-74	6.2	12
80	Multicenter assessment of a hemoglobin A1c point-of-care device for diagnosis of diabetes mellitus. <i>Clinical Biochemistry</i> , 2018 , 61, 18-22	3.5	5
79	Validation of the Use of Trinity Biotech ultra2 as a Comparative Method for Hemoglobin A1c Measurements in the Presence of HbE and HbD-Punjab Traits. <i>Clinical Chemistry</i> , 2017 , 63, 608-610	5.5	6
78	Measurement of Hemoglobin A1c in Patients With Sickle Cell Trait. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 2237	27.4	11
77	Implementing a Reference Measurement System for C-Peptide: An Addendum. <i>Clinical Chemistry</i> , 2017 , 63, 1904-1905	5.5	5
76	Prevalence of Rare Hemoglobin Variants Identified During Measurements of Hb A by Capillary Electrophoresis. <i>Clinical Chemistry</i> , 2017 , 63, 1901-1902	5.5	6
75	Comment on Lewis et al. Management of Hemoglobin Variants Detected Incidentally in HbA Testing: A Common Problem Currently Lacking a Standard Approach. <i>Diabetes Care</i> 2017;40:e8-e9. <i>Diabetes Care</i> , 2017 , 40, e149	14.6	2
74	Implementing a Reference Measurement System for C-Peptide: Successes and Lessons Learned. <i>Clinical Chemistry</i> , 2017 , 63, 1447-1456	5.5	24
73	Quality of HbA1c Measurement in Trinidad and Tobago. <i>Journal of Diabetes Science and Technology</i> , 2016 , 10, 768-71	4.1	1

72	Assessing quality from an accuracy-based HbA1c proficiency survey. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, e75-6	5.9	3
71	Effects of hemoglobin C, D, E and S traits on measurements of hemoglobin A1c by twelve methods. <i>Clinica Chimica Acta</i> , 2016 , 455, 80-3	6.2	33
70	Two-step ion-exchange chromatographic purification combined with reversed-phase chromatography to isolate C-peptide for mass spectrometric analysis. <i>Journal of Separation Science</i> , 2016 , 39, 676-81	3.4	10
69	Higher degree of glycation of hemoglobin S compared to hemoglobin A measured by mass spectrometry: Potential impact on HbA1c testing. <i>Clinica Chimica Acta</i> , 2016 , 458, 40-3	6.2	10
68	Development of the Diabetes Technology Society Blood Glucose Monitor System Surveillance Protocol. <i>Journal of Diabetes Science and Technology</i> , 2016 , 10, 697-707	4.1	19
67	Effects of 49 Different Rare Hb Variants on HbA1c Measurement in Eight Methods. <i>Journal of Diabetes Science and Technology</i> , 2015 , 9, 849-56	4.1	42
66	Evaluation of hemoglobin A1c measurement by Capillarys 2 electrophoresis for detection of abnormal glucose tolerance in African immigrants to the United States. <i>Clinica Chimica Acta</i> , 2015 , 446, 54-60	6.2	5
65	Investigation of 2 models to set and evaluate quality targets for hb a1c: biological variation and sigma-metrics. <i>Clinical Chemistry</i> , 2015 , 61, 752-9	5.5	52
64	Multicentre evaluation of the Premier Hb9210 HbA1c analyser. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 319-27	5.9	12
63	Comparing analytic performance criteria: evaluation of HbA1c certification criteria as an example. <i>Clinica Chimica Acta</i> , 2014 , 433, 259-63	6.2	13
62	Isotope dilution assay in peptide quantification: the challenge of microheterogeneity of internal standard. <i>Proteomics - Clinical Applications</i> , 2013 , 7, 825-8	3.1	3
61	Measurement of Hba(1C) in patients with chronic renal failure. <i>Clinica Chimica Acta</i> , 2013 , 418, 73-6	6.2	37
60	The long and winding road to optimal HbA1c measurement. <i>Clinica Chimica Acta</i> , 2013 , 418, 63-71	6.2	71
59	Human C-peptide Quantitation by LC-MS Isotope-Dilution Assay in Serum or Urine Samples. <i>Journal of Chromatography & Separation Techniques</i> , 2013 , 4,		11
58	Effects of whole blood storage on hemoglobin a1c measurements with five current assay methods. <i>Diabetes Technology and Therapeutics</i> , 2012 , 14, 271-5	8.1	13
57	Effects of hemoglobin C, D, E, and S traits on measurements of HbA1c by six methods. <i>Clinica Chimica Acta</i> , 2012 , 413, 819-21	6.2	59
56	Comparison of hemoglobin A1c measurements of samples with elevated fetal hemoglobin by three commercial assays. <i>Clinica Chimica Acta</i> , 2012 , 413, 1712-3	6.2	7
55	Analysis of the accuracy and precision of the Axis-Shield Afinion hemoglobin A1c measurement device. <i>Journal of Diabetes Science and Technology</i> , 2012 , 6, 387-8	4.1	5

54	The effect of increased fetal hemoglobin on 7 common Hb A1c assay methods. <i>Clinical Chemistry</i> , 2012 , 58, 945-7	5.5	16
53	HbA(1c): what do the numbers really mean?. <i>Lancet, The</i> , 2011 , 378, 1068-9; author reply 1069-70	4.0	2
52	Analytical goals for HbA1c: are HbA1c results good enough for optimal use?. <i>Journal of Diabetes</i> , 2011 , 3, 3-6	3.8	4
51	Use of cation exchange chromatography for human C-peptide isotope dilution - mass spectrometric assay. <i>Journal of Chromatography A</i> , 2011 , 1218, 9244-9	4.5	18
50	Status of hemoglobin A1c measurement and goals for improvement: from chaos to order for improving diabetes care. <i>Clinical Chemistry</i> , 2011 , 57, 205-14	5.5	212
49	Commentary. <i>Clinical Chemistry</i> , 2011 , 57, 156	5.5	
48	Point-of-care assays for hemoglobin A(1c): is performance adequate?. <i>Clinical Chemistry</i> , 2011 , 57, 1333-4	4.5	19
47	Usefulness of glycated albumin assay for diabetes monitoring. <i>Journal of Diabetes Science and Technology</i> , 2011 , 5, 1463-5	4.1	11
46	Analysis of point-of-care and over-the-counter testing methods for hemoglobin A1c: how good do they need to be?. <i>Journal of Diabetes Science and Technology</i> , 2010 , 4, 1504-6	4.1	2
45	Effects of hemoglobin C and S traits on Tosoh G8 and Siemens Advia HbA1c assays. <i>Clinica Chimica Acta</i> , 2010 , 411, 779-80	6.2	5
44	HbA1c Standardization: Background, Progress and Current Issues. <i>Laboratory Medicine</i> , 2009 , 40, 368-373	3.6	9
43	A review of variant hemoglobins interfering with hemoglobin A1c measurement. <i>Journal of Diabetes Science and Technology</i> , 2009 , 3, 446-51	4.1	165
42	Challenges in developing endpoints for type 1 diabetes intervention studies. <i>Diabetes/Metabolism Research and Reviews</i> , 2009 , 25, 694-704	7.5	12
41	HbA1c: how do we measure it and what does it mean?. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2009 , 16, 113-8	4	80
40	The effect of elevated fetal hemoglobin on hemoglobin A1c results: five common hemoglobin A1c methods compared with the IFCC reference method. <i>American Journal of Clinical Pathology</i> , 2008 , 129, 811-4	1.9	65
39	Effects of hemoglobin (Hb) E and HbD traits on measurements of glycated Hb (HbA1c) by 23 methods. <i>Clinical Chemistry</i> , 2008 , 54, 1277-82	5.5	106
38	Standardization of C-peptide measurements. <i>Clinical Chemistry</i> , 2008 , 54, 1023-6	5.5	66
37	The IFCC Reference Measurement System for HbA1c: a 6-year progress report. <i>Clinical Chemistry</i> , 2008 , 54, 240-8	5.5	146

36	Statistical methods for monitoring the relationship between the IFCC reference measurement procedure for hemoglobin A1c and the designated comparison methods in the United States, Japan, and Sweden. <i>Clinical Chemistry</i> , 2008 , 54, 1379-85	5.5	66
35	Effects of hemoglobin C and S traits on the results of 14 commercial glycated hemoglobin assays. <i>American Journal of Clinical Pathology</i> , 2008 , 130, 136-40	1.9	47
34	Trends in A1C concentrations among U.S. adults with diagnosed diabetes from 1999 to 2004. <i>Diabetes Care</i> , 2008 , 31, 102-4	14.6	77
33	Effects of sample storage conditions on glycated hemoglobin measurement: evaluation of five different high performance liquid chromatography methods. <i>Diabetes Technology and Therapeutics</i> , 2007 , 9, 36-42	8.1	41
32	International comparison of C-peptide measurements. <i>Clinical Chemistry</i> , 2007 , 53, 784-7	5.5	26
31	Global standardization of glycated hemoglobin measurement: the position of the IFCC Working Group. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1077-80	5.9	80
30	Trends in hyperinsulinemia among nondiabetic adults in the U.S. <i>Diabetes Care</i> , 2006 , 29, 2396-402	14.6	89
29	Hemoglobin A1c measurements over nearly two decades: sustaining comparable values throughout the Diabetes Control and Complications Trial and the Epidemiology of Diabetes Interventions and Complications study. <i>Clinical Chemistry</i> , 2005 , 51, 753-8	5.5	91
28	Analysis: point-of-care testing for glycated hemoglobin (GHB). <i>Diabetes Technology and Therapeutics</i> , 2005 , 7, 913-5	8.1	4
27	Effects of hemoglobin C and S traits on glycohemoglobin measurements by eleven methods. <i>Clinical Chemistry</i> , 2005 , 51, 776-8	5.5	76
26	Validation by a mass spectrometric reference method of use of boronate affinity chromatography to measure glycohemoglobin in the presence of hemoglobin S and C traits. <i>Clinical Chemistry</i> , 2005 , 51, 264-5	5.5	51
25	Tests of glycemia in diabetes. <i>Diabetes Care</i> , 2004 , 27 Suppl 1, S91-3	14.6	161
24	Clinical Laboratory Reference Networks. <i>Accreditation and Quality Assurance</i> , 2004 , 9, 18-23	0.7	
23	Determination of glycated hemoglobin in clinically silent hemoglobin variants. <i>Diabetes/Metabolism Research and Reviews</i> , 2004 , 20, 460-5	7.5	19
22	Tests of glycemia in diabetes. <i>Diabetes Care</i> , 2004 , 27, 1761-73	14.6	432
21	Effects of beta thalassemia minor on results of six glycated hemoglobin methods. <i>Clinica Chimica Acta</i> , 2004 , 350, 123-8	6.2	8
20	IFCC reference system for measurement of hemoglobin A1c in human blood and the national standardization schemes in the United States, Japan, and Sweden: a method-comparison study. <i>Clinical Chemistry</i> , 2004 , 50, 166-74	5.5	504
19	Determination of glycated hemoglobin in patients with advanced liver disease. <i>World Journal of Gastroenterology</i> , 2004 , 10, 2284-6	5.6	35

18	Tests of glycemia in diabetes. <i>Diabetes Care</i> , 2003 , 26 Suppl 1, S106-8	14.6	95
17	Clinical Laboratory Reference Networks 2003 , 160-165		
16	Testing for microalbuminuria in 2002: barriers to implementing current guidelines. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 245-8	7.4	13
15	The importance of precision for hemoglobin A1c measurement. <i>Diabetes Technology and Therapeutics</i> , 2003 , 5, 979-81	8.1	5
14	Glycated hemoglobin standardization--National Glycohemoglobin Standardization Program (NGSP) perspective. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003 , 41, 1191-8	5.9	121
13	Laboratory testing for glycated hemoglobin in the general community: are we following the clinical recommendations?. <i>Diabetes Technology and Therapeutics</i> , 2002 , 4, 859-61	8.1	
12	Defining the relationship between plasma glucose and HbA(1c): analysis of glucose profiles and HbA(1c) in the Diabetes Control and Complications Trial. <i>Diabetes Care</i> , 2002 , 25, 275-8	14.6	750
11	Biological Variation of Glycohemoglobin. <i>Clinical Chemistry</i> , 2002 , 48, 1116-1118	5.5	130
10	Effects of Hemoglobin C and S Traits on Eight Glycohemoglobin Methods. <i>Clinical Chemistry</i> , 2002 , 48, 383-385	5.5	41
9	Can Glycohemoglobin Be Used to Assess Glycemic Control in Patients with Chronic Renal Failure?. <i>Clinical Chemistry</i> , 2002 , 48, 784-786	5.5	34
8	Effects of hemoglobin C and S traits on eight glycohemoglobin methods. <i>Clinical Chemistry</i> , 2002 , 48, 383-5	5.5	14
7	Can glycohemoglobin be used to assess glycemic control in patients with chronic renal failure?. <i>Clinical Chemistry</i> , 2002 , 48, 784-6	5.5	9
6	Effects of Hemoglobin C and S Traits on Seven Glycohemoglobin Methods. <i>Clinical Chemistry</i> , 2000 , 46, 864-867	5.5	28
5	What is hemoglobin A1c? An analysis of glycated hemoglobins by electrospray ionization mass spectrometry. <i>Clinical Chemistry</i> , 1998 , 44, 1951-1958	5.5	144
4	Monitoring glycemia in diabetes. Short-term assessment. <i>Endocrinology and Metabolism Clinics of North America</i> , 1997 , 26, 475-86	5.5	12
3	Endocrine (standardization of glycohemoglobin measurement). <i>Analytical Chemistry</i> , 1995 , 67, 393R-397R	5.5	16
2	Long-term Glucose Monitoring With Glycated Proteins. <i>Laboratory Medicine</i> , 1992 , 23, 533-538	1.6	7
1	Recent advances in glycosylated hemoglobin measurements. <i>CRC Critical Reviews in Clinical Laboratory Sciences</i> , 1984 , 21, 187-228		19

