

Joerg F Schlaak

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6940636/joerg-f-schlaak-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

5,788
citations

37
h-index

74
g-index

104
ext. papers

6,436
ext. citations

6.4
avg, IF

4.91
L-index

#	Paper	IF	Citations
102	Hepatitis B Virus Particles Activate Toll-Like Receptor 2 Signaling Initially Upon Infection of Primary Human Hepatocytes. <i>Hepatology</i> , 2020 , 72, 829-844	11.2	19
101	Nucleic acid-based polymers effective against hepatitis B Virus infection in patients donR harbor immunostimulatory properties in primary isolated liver cells. <i>Scientific Reports</i> , 2017 , 7, 43838	4.9	19
100	Hepatitis B virus genome replication triggers toll-like receptor 3-dependent interferon responses in the absence of hepatitis B surface antigen. <i>Scientific Reports</i> , 2016 , 6, 24865	4.9	11
99	Novel immunohistochemical markers differentiate intrahepatic cholangiocarcinoma from benign bile duct lesions. <i>Journal of Clinical Pathology</i> , 2016 , 69, 619-26	3.9	12
98	Role of the GALAD and BALAD-2 Serologic Models in Diagnosis of Hepatocellular Carcinoma and Prediction of Survival in Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 875-886.e6	6.9	141
97	Nuclear receptors control pro-viral and antiviral metabolic responses to hepatitis C virus infection. <i>Nature Chemical Biology</i> , 2016 , 12, 1037-1045	11.7	32
96	Rapid Regulation of Depression-Associated Genes in a New Mouse Model Mimicking Interferon-Related Depression in Hepatitis C Virus Infection. <i>Molecular Neurobiology</i> , 2015 , 52, 318-29	6.2	23
95	In vitro and in vivo replication of a chemically synthesized consensus genome of hepatitis B virus genotype B. <i>Journal of Virological Methods</i> , 2015 , 213, 57-64	2.6	10
94	All-In-One: Advanced preparation of Human Parenchymal and Non-Parenchymal Liver Cells. <i>PLoS ONE</i> , 2015 , 10, e0138655	3.7	50
93	In intermediate stage hepatocellular carcinoma: radioembolization with yttrium 90 or chemoembolization?. <i>Liver International</i> , 2015 , 35, 627-35	7.9	66
92	Therapeutic Antiviral Effect of the Nucleic Acid Polymer REP 2055 against Persistent Duck Hepatitis B Virus Infection. <i>PLoS ONE</i> , 2015 , 10, e0140909	3.7	51
91	Analysis of U2 small nuclear RNA fragments in the bile differentiates cholangiocarcinoma from primary sclerosing cholangitis and other benign biliary disorders. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 1436-41	4	14
90	Insights from interferon-Related depression for the pathogenesis of depression associated with inflammation. <i>Brain, Behavior, and Immunity</i> , 2014 , 42, 222-31	16.6	74
89	Role of circulating tumor cells and cancer stem cells in hepatocellular carcinoma. <i>Hepatology International</i> , 2014 , 8, 321-9	8.8	16
88	Hepatic volume changes after lobar selective internal radiation therapy (SIRT) of hepatocellular carcinoma. <i>Clinical Radiology</i> , 2014 , 69, 172-8	2.9	54
87	MicroRNA-155 controls Toll-like receptor 3- and hepatitis C virus-induced immune responses in the liver. <i>Journal of Viral Hepatitis</i> , 2014 , 21, 99-110	3.4	31
86	Poly(I:C) treatment leads to interferon-dependent clearance of hepatitis B virus in a hydrodynamic injection mouse model. <i>Journal of Virology</i> , 2014 , 88, 10421-31	6.6	59

85	Chemical modifications on siRNAs avoid Toll-like-receptor-mediated activation of the hepatic immune system in vivo and in vitro. <i>International Immunology</i> , 2014 , 26, 35-46	4.9	40
84	IGFBP1 in epithelial circulating tumor cells as a potential response marker to selective internal radiation therapy in hepatocellular carcinoma. <i>Biomarkers in Medicine</i> , 2014 , 8, 687-98	2.3	10
83	Interferon stimulated exonuclease gene 20 kDa links psychiatric events to distinct hepatitis C virus responses in human immunodeficiency virus positive patients. <i>Journal of Medical Virology</i> , 2014 , 86, 1323-31	19.7	3
82	Intrahepatic B-cell follicles of chronically hepatitis C virus-infected individuals lack signs of an ectopic germinal center reaction. <i>European Journal of Immunology</i> , 2014 , 44, 1842-50	6.1	5
81	Interferon-induced proteins with tetratricopeptide repeats 1 and 2 are cellular factors that limit hepatitis B virus replication. <i>Journal of Innate Immunity</i> , 2014 , 6, 182-91	6.9	26
80	Selective internal radiotherapy (SIRT) of hepatic tumors: how to deal with the cystic artery. <i>CardioVascular and Interventional Radiology</i> , 2013 , 36, 1015-22	2.7	21
79	Individual profiling of circulating tumor cell composition and therapeutic outcome in patients with hepatocellular carcinoma. <i>Translational Oncology</i> , 2013 , 6, 420-8	4.9	48
78	TLR1/2 ligand-stimulated mouse liver endothelial cells secrete IL-12 and trigger CD8+ T cell immunity in vitro. <i>Journal of Immunology</i> , 2013 , 191, 6178-90	5.3	55
77	A combination of Ectoprotein and des-Ecarboxy prothrombin is superior in detection of hepatocellular carcinoma. <i>Digestion</i> , 2013 , 87, 121-31	3.6	76
76	Vascular endothelial growth factor improves liver regeneration and survival after 90% hepatectomy in a rat model of diet-induced steatosis. <i>Digestion</i> , 2013 , 88, 235-42	3.6	8
75	Identification of proteins that mediate the pro-viral functions of the interferon stimulated gene 15 in hepatitis C virus replication. <i>Antiviral Research</i> , 2013 , 100, 654-61	10.8	18
74	No beneficial effect of all-trans retinoic acid in previous non-responder patients with chronic hepatitis C: the ATRACTION study, a phase II randomised trial. <i>Digestive and Liver Disease</i> , 2013 , 45, 323-33	9.3	5
73	IFN- β subtypes: distinct biological activities in anti-viral therapy. <i>British Journal of Pharmacology</i> , 2013 , 168, 1048-58	8.6	101
72	High interferon-stimulated gene ISG-15 expression affects HCV treatment outcome in patients co-infected with HIV and HCV. <i>Journal of Medical Virology</i> , 2013 , 85, 959-63	19.7	12
71	Choi criteria are superior in evaluating tumor response in patients treated with transarterial radioembolization for hepatocellular carcinoma. <i>Oncology Letters</i> , 2013 , 6, 1707-1712	2.6	33
70	Proteomic differences between hepatocellular carcinoma and nontumorous liver tissue investigated by a combined gel-based and label-free quantitative proteomics study. <i>Molecular and Cellular Proteomics</i> , 2013 , 12, 2006-20	7.6	92
69	B cells in chronically hepatitis C virus-infected individuals lack a virus-induced mutation signature in the TP53, CTNNB1, and BCL6 genes. <i>Journal of Virology</i> , 2013 , 87, 2956-62	6.6	19
68	Concomitant interferon alpha stimulation and TLR3 activation induces neuronal expression of depression-related genes that are elevated in the brain of suicidal persons. <i>PLoS ONE</i> , 2013 , 8, e83149	3.7	30

67	A new model to estimate prognosis in patients with hepatocellular carcinoma after Yttrium-90 radioembolization. <i>PLoS ONE</i> , 2013 , 8, e82225	3.7	19
66	Lokalablativ Therapien zur Behandlung des hepatozellulären Karzinoms. <i>Gastroenterologe</i> , 2012 , 7, 407-412	0.1	
65	Selective internal radiation therapy of hepatocellular carcinoma: potential hepatopulmonary shunt reduction after sorafenib administration. <i>Journal of Vascular and Interventional Radiology</i> , 2012 , 23, 949-954	3.4	33
64	Role of Toll-like receptor 2 in the immune response against hepatitis B virus infection. <i>Journal of Hepatology</i> , 2012 , 57, 522-8	13.4	57
63	Cytokine/chemokine patterns connect host and viral characteristics with clinical outcomes during chronic hepatitis C. <i>European Journal of Medical Research</i> , 2012 , 17, 9	4.8	4
62	Preclinical development of TLR ligands as drugs for the treatment of chronic viral infections. <i>Expert Opinion on Drug Discovery</i> , 2012 , 7, 597-611	6.2	31
61	Radioembolisation bei fortgeschrittenem hepatozellulärem Karzinom. <i>Viszeralmedizin</i> , 2012 , 28, 311-316		1
60	ITPA gene polymorphisms significantly affect hemoglobin decline and treatment outcomes in patients coinfected with HIV and HCV. <i>Journal of Medical Virology</i> , 2012 , 84, 1106-14	19.7	13
59	Dysregulation of innate immunity in hepatitis C virus genotype 1 IL28B-unfavorable genotype patients: impaired viral kinetics and therapeutic response. <i>Hepatology</i> , 2012 , 56, 444-54	11.2	59
58	CCL5 mRNA is a marker for early fibrosis in chronic hepatitis C and is regulated by interferon- α therapy and toll-like receptor 3 signalling. <i>Journal of Viral Hepatitis</i> , 2012 , 19, 128-37	3.4	10
57	Interleukin 21 augments the hepatitis B virus-specific CD8+ T-cell response in vitro in patients coinfected with HIV-1. <i>Aids</i> , 2012 , 26, 2145-53	3.5	9
56	Selective hyper-responsiveness of the interferon system in major depressive disorders and depression induced by interferon therapy. <i>PLoS ONE</i> , 2012 , 7, e38668	3.7	20
55	Corticosteroids shift the Toll-like receptor response pattern of primary-isolated murine liver cells from an inflammatory to an anti-inflammatory state. <i>International Immunology</i> , 2011 , 23, 537-44	4.9	24
54	CCL5: a double-edged sword in host defense against the hepatitis C virus. <i>International Reviews of Immunology</i> , 2011 , 30, 366-78	4.6	27
53	Modulation of hepatitis B virus replication and hepatocyte differentiation by MicroRNA-1. <i>Hepatology</i> , 2011 , 53, 1476-85	11.2	156
52	Non-alcoholic fatty liver disease progresses to hepatocellular carcinoma in the absence of apparent cirrhosis. <i>International Journal of Cancer</i> , 2011 , 128, 2436-43	7.5	325
51	Altered expression of SHIP, a Toll-like receptor pathway inhibitor, is associated with the severity of liver fibrosis in chronic hepatitis C virus infection. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1181-5	7	7
50	Role of Toll-like receptors in liver health and disease. <i>Clinical Science</i> , 2011 , 121, 415-26	6.5	66

49	Toll-like receptor-induced innate immune responses in non-parenchymal liver cells are cell type-specific. <i>Immunology</i> , 2010 , 129, 363-74	7.8	145
48	Glycine pretreatment ameliorates liver injury after partial hepatectomy in the rat. <i>Journal of Investigative Surgery</i> , 2010 , 23, 12-20	1.2	6
47	The interferon stimulated gene 15 functions as a proviral factor for the hepatitis C virus and as a regulator of the IFN response. <i>Gut</i> , 2010 , 59, 1111-9	19.2	77
46	Proteome-wide anti-hepatitis C virus (HCV) and anti-HIV antibody profiling for predicting and monitoring the response to HCV therapy in HIV-coinfected patients. <i>Journal of Infectious Diseases</i> , 2010 , 202, 894-8	7	16
45	Depression and protective factors of mental health in people with hepatitis C: a questionnaire survey. <i>International Journal of Nursing Studies</i> , 2010 , 47, 342-9	5.8	27
44	Toll-like receptor-induced innate immune responses in non-parenchymal liver cells are cell type-specific 2010 , 129, 363		1
43	Hepatitis B virus suppresses toll-like receptor-mediated innate immune responses in murine parenchymal and nonparenchymal liver cells. <i>Hepatology</i> , 2009 , 49, 1132-40	11.2	247
42	Lipopolysaccharide-induced innate immune responses in primary hepatocytes downregulates woodchuck hepatitis virus replication via interferon-independent pathways. <i>Cellular Microbiology</i> , 2009 , 11, 1624-37	3.9	46
41	Heterogeneous, longitudinally stable molecular signatures in response to interferon-beta. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1182, 58-68	6.5	14
40	Toll-like receptor activated human and murine hepatic stellate cells are potent regulators of hepatitis C virus replication. <i>Journal of Hepatology</i> , 2009 , 51, 1037-45	13.4	73
39	Toll-like receptor-stimulated non-parenchymal liver cells can regulate hepatitis C virus replication. <i>Journal of Hepatology</i> , 2008 , 48, 914-22	13.4	76
38	Selection of donors for adult living-donor liver donation: results of the assessment of the first 205 donor candidates. <i>Psychosomatics</i> , 2008 , 49, 143-51	2.6	24
37	Erythropoietin treatment improves liver regeneration and survival in rat models of extended liver resection and living donor liver transplantation. <i>Transplantation</i> , 2008 , 86, 1578-85	1.8	24
36	The role of the innate immune system of the liver in the control of HBV and HCV. <i>Virologica Sinica</i> , 2008 , 23, 116-123	6.4	
35	Impact of hepatic vein deprivation on liver regeneration and function after major hepatectomy. <i>Langenbeck's Archives of Surgery</i> , 2008 , 393, 527-33	3.4	5
34	Extent of liver resection modulates the activation of transcription factors and the production of cytokines involved in liver regeneration. <i>World Journal of Gastroenterology</i> , 2008 , 14, 7093-100	5.6	19
33	Toll-like receptor-mediated control of HBV replication by nonparenchymal liver cells in mice. <i>Hepatology</i> , 2007 , 46, 1769-78	11.2	219
32	Tri-iodothyronine as a stimulator of liver regeneration after partial and subtotal hepatectomy. <i>European Surgical Research</i> , 2007 , 39, 58-63	1.1	24

31	VEGF is important for early liver regeneration after partial hepatectomy. <i>Journal of Surgical Research</i> , 2007 , 138, 291-9	2.5	87
30	Vascular endothelial growth factor does not improve liver regeneration and survival after 90% subtotal liver resection. <i>Hepatology Research</i> , 2007 , 37, 353-9	5.1	7
29	Quality of life and psychiatric complications after adult living donor liver transplantation. <i>Liver Transplantation</i> , 2006 , 12, 1782-90	4.5	60
28	Endoscopic therapy of posttransplant biliary stenoses after right-sided adult living donor liver transplantation. <i>Clinical Gastroenterology and Hepatology</i> , 2005 , 3, 1144-9	6.9	34
27	Dengue virus inhibits alpha interferon signaling by reducing STAT2 expression. <i>Journal of Virology</i> , 2005 , 79, 5414-20	6.6	203
26	Arterioportal fistula complicating endoscopic retrograde cholangiography. <i>Endoscopy</i> , 2005 , 37, 93-4	3.4	2
25	Diagnosis of biliary strictures after liver transplantation: which is the best tool?. <i>World Journal of Gastroenterology</i> , 2005 , 11, 2945-8	5.6	52
24	Interleukin-2 has no additional therapeutic efficacy in the retreatment of patients with chronic hepatitis C that had not responded to interferon-alpha plus ribavirin. <i>European Journal of Clinical Investigation</i> , 2003 , 33, 628-9	4.6	3
23	Sendai virus targets inflammatory responses, as well as the interferon-induced antiviral state, in a multifaceted manner. <i>Journal of Virology</i> , 2003 , 77, 7903-13	6.6	27
22	Cell-type and donor-specific transcriptional responses to interferon-alpha. Use of customized gene arrays. <i>Journal of Biological Chemistry</i> , 2002 , 277, 49428-37	5.4	68
21	Mutational switch of an IL-6 response to an interferon-gamma-like response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 8043-7	11.5	219
20	Oral supplementation with whey proteins increases plasma glutathione levels of HIV-infected patients. <i>European Journal of Clinical Investigation</i> , 2001 , 31, 171-8	4.6	81
19	Antisense phosphorothioate oligonucleotides to the p65 subunit of NF-kappaB abrogate fulminant septic shock induced by <i>S. typhimurium</i> in mice. <i>Scandinavian Journal of Immunology</i> , 2001 , 54, 396-403	3.4	19
18	A completely foreign receptor can mediate an interferon-gamma-like response. <i>EMBO Journal</i> , 2001 , 20, 5431-42	13	27
17	Analysis of gene expression using high-density and IFN-gamma-specific low-density cDNA arrays. <i>Genomics</i> , 2001 , 77, 50-7	4.3	24
16	Blockade of interleukin 6 trans signaling suppresses T-cell resistance against apoptosis in chronic intestinal inflammation: evidence in crohn disease and experimental colitis in vivo. <i>Nature Medicine</i> , 2000 , 6, 583-8	50.5	1055
15	Rapid development of Epstein-Barr virus-associated Hodgkin's disease after cessation of foscarnet therapy in an HIV-infected patient. <i>International Journal of STD and AIDS</i> , 2000 , 11, 609-10	1.4	3
14	How long to treat chronic hepatitis B virus infection with lamivudine?. <i>Journal of Hepatology</i> , 2000 , 33, 343	13.4	

13	Methotrexate specifically modulates cytokine production by T cells and macrophages in murine collagen-induced arthritis (CIA): a mechanism for methotrexate-mediated immunosuppression. <i>Clinical and Experimental Immunology</i> , 1999 , 115, 42-55	6.2	78
12	HBV-specific immune defect in chronic hepatitis B (CHB) is correlated with a dysregulation of pro- and anti-inflammatory cytokines. <i>Clinical and Experimental Immunology</i> , 1999 , 115, 508-14	6.2	37
11	Tumour necrosis factor (TNF) production by T cell receptor-primed T lymphocytes is a target for low dose methotrexate in rheumatoid arthritis. <i>Clinical and Experimental Immunology</i> , 1999 , 118, 137-46	6.2	23
10	Anti-PR-3 antibodies induce endothelial IL-8 release. <i>European Journal of Clinical Investigation</i> , 1999 , 29, 973-9	4.6	14
9	Kinetics of hepatitis B surface antigen-specific immune responses in acute and chronic hepatitis B or after HBs vaccination: stimulation of the in vitro antibody response by interferon gamma. <i>Hepatology</i> , 1999 , 29, 238-44	11.2	58
8	The presence of high amounts of HBV-DNA in serum is associated with suppressed costimulatory effects of interleukin 12 on HBV-induced immune response. <i>Journal of Hepatology</i> , 1999 , 30, 353-8	13.4	27
7	Azathioprine, mycophenolate mofetil, and methotrexate specifically modulate cytokine production by T cells. <i>Annals of the New York Academy of Sciences</i> , 1998 , 859, 204-7	6.5	23
6	Mycophenolate mofetil for treatment of active inflammatory bowel disease. Clinical and immunological studies. <i>Annals of the New York Academy of Sciences</i> , 1998 , 859, 315-8	6.5	5
5	Interleukin 12 enhances deficient HCV-antigen-induced Th1-type immune response of peripheral blood mononuclear cells. <i>Journal of Medical Virology</i> , 1998 , 56, 112-7	19.7	15
4	Chronic hepatitis C: the viral load per liver cell before treatment as a new marker to predict long-term response to IFN-alpha therapy. <i>Journal of Hepatology</i> , 1997 , 27, 917-21	13.4	12
3	Human Kupffer cells secrete IL-10 in response to lipopolysaccharide (LPS) challenge. <i>Journal of Hepatology</i> , 1995 , 22, 226-9	13.4	296
2	Sustained elimination of hepatitis B virus from serum induced in a patient with chronic hepatitis B and advanced human immunodeficiency virus infection. <i>The Clinical Investigator</i> , 1994 , 72, 1030-6		2
1	A sensitive and specific bioassay for the detection of human interleukin-10. <i>Journal of Immunological Methods</i> , 1994 , 168, 49-54	2.5	19