List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6943255/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Global observing for phytoplankton? A perspective. Journal of Plankton Research, 2023, 45, 221-234.	1.8	3
2	Dynamic change in an ocean desert: Microbial diversity and trophic transfer along the 110 °E meridional in the Indian Ocean. Deep-Sea Research Part II: Topical Studies in Oceanography, 2022, 201, 105097.	1.4	6
3	Future HAB science: Directions and challenges in a changing climate. Harmful Algae, 2020, 91, 101632.	4.8	223
4	Quantitative Foresighting as a Means of Improving Anticipatory Scientific Capacity and Strategic Planning. One Earth, 2020, 3, 631-644.	6.8	8
5	Production and ecosystem structure in coldâ€core vs. warmâ€core eddies: Implications for the zooplankton isoscape and rock lobster larvae. Limnology and Oceanography, 2019, 64, 2405-2423.	3.1	19
6	Bio-optical variability in multiple water masses across a tropical shelf: Implications for ocean colour remote sensing models. Estuarine, Coastal and Shelf Science, 2019, 219, 223-230.	2.1	8
7	Proactive, Reactive, and Inactive Pathways for Scientists in a Changing World. Earth's Future, 2019, 7, 60-73.	6.3	21
8	A database of chlorophyll a in Australian waters. Scientific Data, 2018, 5, 180018.	5.3	14
9	Interdisciplinary knowledge exchange across scales in a globally changing marine environment. Global Change Biology, 2018, 24, 3039-3054.	9.5	18
10	Observed and predicted impacts of climate change on the estuaries of south-western Australia, a Mediterranean climate region. Regional Environmental Change, 2018, 18, 1357-1373.	2.9	94
11	Global patterns of change and variation in sea surface temperature and chlorophyll a. Scientific Reports, 2018, 8, 14624.	3.3	88
12	Baseline biogeochemical data from Australia's continental margin links seabed sediments to water column characteristics. Marine and Freshwater Research, 2017, 68, 1593.	1.3	13
13	Cross-shelf transport, oxygen depletion, and nitrate release within a forming mesoscale eddy in the eastern Indian Ocean. Limnology and Oceanography, 2016, 61, 103-121.	3.1	15
14	The wineglass effect shapes particle export to the deep ocean in mesoscale eddies. Geophysical Research Letters, 2016, 43, 9791-9800.	4.0	34
15	Decadal-Scale Forecasting of Climate Drivers for Marine Applications. Advances in Marine Biology, 2016, 74, 1-68.	1.4	34
16	A database of marine phytoplankton abundance, biomass and species composition in Australian waters. Scientific Data, 2016, 3, 160043.	5.3	22
17	Reduction of the Powerful Greenhouse Gas N2O in the South-Eastern Indian Ocean. PLoS ONE, 2016, 11, e0145996.	2.5	16
18	Nutrient uplift in a cyclonic eddy increases diversity, primary productivity and iron demand of microbial communities relative to a western boundary current. PeerJ, 2016, 4, e1973.	2.0	35

#	Article	IF	CITATIONS
19	Sources of new nitrogen in the Indian Ocean. Global Biogeochemical Cycles, 2015, 29, 1283-1297.	4.9	16
20	Condition of larvae of western rock lobster (Panulirus cygnus) in cyclonic and anticyclonic eddies of the Leeuwin Current off Western Australia. Marine and Freshwater Research, 2015, 66, 1158.	1.3	9
21	Species traits and climate velocity explain geographic range shifts in an oceanâ€warming hotspot. Ecology Letters, 2015, 18, 944-953.	6.4	334
22	Comparison of the cross-shelf phytoplankton distribution of two oceanographically distinct regions off Australia. Journal of Marine Systems, 2015, 148, 26-38.	2.1	14
23	Identifying indicators and essential variables for marine ecosystems. Ecological Indicators, 2015, 57, 409-419.	6.3	60
24	Precipitation as a driver of phytoplankton ecology in coastal waters: A climatic perspective. Estuarine, Coastal and Shelf Science, 2015, 162, 119-129.	2.1	47
25	Climate variability drives plankton community composition changes: the 2010–2011 El Niño to La Niña transition around Australia. Journal of Plankton Research, 2015, 37, 966-984.	1.8	20
26	Phyllosomata associated with large gelatinous zooplankton: hitching rides and stealing bites. ICES Journal of Marine Science, 2015, 72, i124-i127.	2.5	10
27	Defining and observing stages of climate-mediated range shifts in marine systems. Global Environmental Change, 2014, 26, 27-38.	7.8	207
28	The zooplankton prey field for rock lobster phyllosoma larvae in relation to oceanographic features of the south-eastern Indian Ocean. Journal of Plankton Research, 2014, 36, 1003-1016.	1.8	19
29	Resilience and signatures of tropicalization in protected reef fish communities. Nature Climate Change, 2014, 4, 62-67.	18.8	123
30	The contributions of nitrate uptake and efflux to isotope fractionation during algal nitrate assimilation. Geochimica Et Cosmochimica Acta, 2014, 132, 391-412.	3.9	36
31	Fatty acid profiles of phyllosoma larvae of western rock lobster (Panulirus cygnus) in cyclonic and anticyclonic eddies of the Leeuwin Current off Western Australia. Progress in Oceanography, 2014, 122, 153-162.	3.2	21
32	IMOS National Reference Stations: A Continental-Wide Physical, Chemical and Biological Coastal Observing System. PLoS ONE, 2014, 9, e113652.	2.5	81
33	Changes in latitude and dominant diazotrophic community alter N2 fixation. Marine Ecology - Progress Series, 2014, 516, 85-102.	1.9	23
34	Primary production and phytoplankton community structure during a winter shelf-scale phytoplankton bloom off Western Australia. Marine Biology, 2013, 160, 355-369.	1.5	19
35	Formation and maintenance of high-nitrate, low pH layers in the eastern Indian Ocean and the role of nitrogen fixation. Biogeosciences, 2013, 10, 5691-5702.	3.3	10
36	Larval fish assemblages and particle back-tracking define latitudinal and cross-shelf variability in an eastern Indian Ocean boundary current. Marine Ecology - Progress Series, 2012, 460, 127-144.	1.9	34

#	Article	IF	CITATIONS
37	Fussy Feeders: Phyllosoma Larvae of the Western Rocklobster (Panulirus cygnus) Demonstrate Prey Preference. PLoS ONE, 2012, 7, e36580.	2.5	36
38	Effects of shelter and enrichment on the ecology and nutrient cycling of microbial communities of subtidal carbonate sediments. FEMS Microbiology Ecology, 2012, 80, 64-76.	2.7	5
39	The role of the Leeuwin Current and mixed layer depth on the autumn phytoplankton bloom off Ningaloo Reef, Western Australia. Continental Shelf Research, 2012, 32, 22-35.	1.8	36
40	Determining the Diet of Larvae of Western Rock Lobster (Panulirus cygnus) Using High-Throughput DNA Sequencing Techniques. PLoS ONE, 2012, 7, e42757.	2.5	79
41	A continental shelf scale examination of the Leeuwin Current off Western Australia during the austral autumn–winter. Continental Shelf Research, 2011, 31, 1858-1868.	1.8	23
42	Characterisation of water masses and phytoplankton nutrient limitation in the East Australian Current separation zone during spring 2008. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 664-677.	1.4	28
43	Contrasting oceanographic conditions and phytoplankton communities on the east and west coasts of Australia. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 645-663.	1.4	51
44	Review of fluorescent standards for calibration of in situ fluorometers: Recommendations applied in coastal and ocean observing programs. Optics Express, 2011, 19, 26768.	3.4	36
45	Use of a coastal biogeochemical model to select environmental monitoring sites. Journal of Marine Systems, 2011, 88, 120-127.	2.1	13
46	Nutrients in an oligotrophic boundary current: Evidence of a new role for the Leeuwin Current. Progress in Oceanography, 2011, 91, 345-359.	3.2	42
47	Applied coastal biogeochemical modelling to quantify the environmental impact of fish farm nutrients and inform managers. Journal of Marine Systems, 2010, 81, 134-147.	2.1	67
48	Diurnal changes of photoadaptive pigments in microphytobenthos. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 1025-1032.	0.8	9
49	Microbial communities of subtidal shallow sandy sediments change with depth and wave disturbance, but nutrient exchanges remain similar. Marine Ecology - Progress Series, 2010, 414, 11-26.	1.9	14
50	The influence of light quality on akinete formation and germination in the toxic cyanobacterium Anabaena circinalis. Harmful Algae, 2009, 8, 504-512.	4.8	23
51	Long-term changes in temperate Australian coastal waters: implications for phytoplankton. Marine Ecology - Progress Series, 2009, 394, 1-19.	1.9	102
52	Physical and chemical signatures of a developing anticyclonic eddy in the Leeuwin Current, eastern Indian Ocean. Journal of Geophysical Research, 2008, 113, .	3.3	36
53	Phytoplankton blooms in the Huon Estuary, Tasmania: top-down or bottom-up control?. Journal of Plankton Research, 2008, 30, 735-753.	1.8	40
54	A National Reference Station infrastructure for Australia - Using telemetry and central processing to report multi-disciplinary data streams for monitoring marine ecosystem response to climate change. , 2008, , .		6

#	Article	IF	CITATIONS
55	Changes in growth, internode distance and nutrient concentrations of the seagrass Halophila ovalis with exposure to sediment sulphide. Marine Ecology - Progress Series, 2008, 361, 83-91.	1.9	19
56	Genotype×environment interactions for weight in Pacific oysters (Crassostrea gigas) on five Australian farms. Aquaculture, 2007, 265, 91-101.	3.5	29
57	Phytoplankton community structure and nitrogen nutrition in Leeuwin Current and coastal waters off the Gascoyne region of Western Australia. Deep-Sea Research Part II: Topical Studies in Oceanography, 2007, 54, 902-924.	1.4	28
58	The Leeuwin Current and its eddies: An introductory overview. Deep-Sea Research Part II: Topical Studies in Oceanography, 2007, 54, 789-796.	1.4	118
59	Contrasting the vertical differences in the phytoplankton biology of a dipole pair of eddies in the south-eastern Indian Ocean. Deep-Sea Research Part II: Topical Studies in Oceanography, 2007, 54, 1003-1028.	1.4	70
60	Food web structure in two counter-rotating eddies based on δ15N and δ13C isotopic analyses. Deep-Sea Research Part II: Topical Studies in Oceanography, 2007, 54, 1055-1075.	1.4	86
61	Unicellular diazotrophy as a source of nitrogen to Leeuwin Current coastal eddies. Deep-Sea Research Part II: Topical Studies in Oceanography, 2007, 54, 1045-1054.	1.4	39
62	Oceanography, primary production and dissolved inorganic nitrogen uptake in two Leeuwin Current eddies. Deep-Sea Research Part II: Topical Studies in Oceanography, 2007, 54, 981-1002.	1.4	71
63	Vertical migration of the toxic dinoflagellate Gymnodinium catenatum under different concentrations of nutrients and humic substances in culture. Harmful Algae, 2006, 5, 665-677.	4.8	46
64	Limited nutritional benefit to the seagrass Halophila ovalis, in culture, following sediment organic matter enrichment. Estuarine, Coastal and Shelf Science, 2006, 68, 675-685.	2.1	12
65	Ecophysiological influence of light and mixing onAnabaena circinalis(Nostocales, Cyanobacteria). European Journal of Phycology, 2005, 40, 9-20.	2.0	15
66	Studies on triploid oysters in Australia. Aquaculture, 2004, 233, 93-107.	3.5	40
67	Effects of starvation and feeding on the fatty acid profiles of Stage I phyllosoma of the spiny lobster, Jasus edwardsii. Aquaculture Research, 2003, 34, 419-426.	1.8	32
68	Dynamics of a cyanobacterial bloom in a hypereutrophic, stratified weir pool. Marine and Freshwater Research, 2003, 54, 27.	1.3	19
69	Phytoplankton responses to wastewater discharges at two sites in Western Australia. Marine and Freshwater Research, 2003, 54, 721.	1.3	26
70	The effect of embryo incubation temperature on indicators of larval viability in Stage I phyllosoma of the spiny lobster, Jasus edwardsii. Aquaculture, 2002, 209, 157-167.	3.5	23
71	The effect of changes in light availability caused by mixing on the growth of Anabaena circinalis (Nostocales, Cyanobacteria) and Aulacoseira sp. (Centrales, Bacillariophyceae). Phycologia, 2001, 40, 530-541.	1.4	14
72	NUTRIENT LIMITATION OF PHYTOPLANKTON IN A SEASONALLY OPEN BAR-BUILT ESTUARY: WILSON INLET, WESTERN AUSTRALIA. Journal of Phycology, 2001, 37, 16-29.	2.3	42

#	Article	IF	CITATIONS
73	Phytoplankton of the Swan-Canning Estuary: a comparison of nitrogen uptake by different bloom assemblages. Hydrological Processes, 2001, 15, 2579-2594.	2.6	21
74	Temporal variability of phytoplankton in a salt wedge estuary, the Swan-Canning Estuary, Western Australia. Hydrological Processes, 2001, 15, 2617-2630.	2.6	14
75	Genetic improvement of the Pacific oysterCrassostrea gigas(Thunberg) in Australia. Aquaculture Research, 2000, 31, 35-44.	1.8	56
76	THE RESPONSE OF GROWTH AND BIOCHEMICAL COMPOSITION TO VARIATIONS IN DAYLENGTH, TEMPERATURE, AND IRRADIANCE IN THE MARINE DIATOM THALASSIOSIRA PSEUDONANA (BACILLARIOPHYCEAE). Journal of Phycology, 1999, 35, 1215-1223.	2.3	52
77	Stable carbon isotopes as pelagic food web tracers in adjacent shelf and slope regions off British Columbia, Canada. Canadian Journal of Fisheries and Aquatic Sciences, 1999, 56, 2477-2486.	1.4	47
78	Stable carbon isotopes as pelagic food web tracers in adjacent shelf and slope regions off British Columbia, Canada. Canadian Journal of Fisheries and Aquatic Sciences, 1999, 56, 2477-2486.	1.4	6
79	Spatial and Temporal Patterns of Factors Influencing Phytoplankton in a Salt Wedge Estuary, the Swan River, Western Australia. Estuaries and Coasts, 1998, 21, 801.	1.7	42
80	The 1995 mass mortality of pilchard: no role found for physical or biological oceanographic factors in Australia. Marine and Freshwater Research, 1997, 48, 27.	1.3	51
81	Sinking rate versus cell volume relationships illuminate sinking rate control mechanisms in marine diatoms. Marine Ecology - Progress Series, 1997, 157, 97-108.	1.9	107
82	Nutritional value of diets that vary in fatty acid composition for larval Pacific oysters (Crassostrea) Tj ETQq0 0 0	rgBT /Ove 3.5	rlock 10 Tf 50
83	Nutrient limitation of phytoplankton in the upper Swan River estuary, Western Australia. Marine and Freshwater Research, 1996, 47, 659.	1.3	42
84	Carbon isotope fractionation by Emiliania huxleyi. Limnology and Oceanography, 1995, 40, 673-679.	3.1	32
85	Carbon-isotope fractionation by a marine diatom: The influence of irradiance, daylength, pH, and nitrogen source. Limnology and Oceanography, 1994, 39, 1835-1844.	3.1	56
86	Influence of irradiance on the nutritional value of two phytoplankton species fed to larval Japanese scallops (Patinopecten yessoensis). Marine Biology, 1994, 119, 89-97.	1.5	17
87	The influence of three algal filtrates on the grazing rate of larval oysters (Crassostrea gigas), determined by fluorescent microspheres. Aquaculture, 1994, 119, 237-247.	3.5	13
88	Effects of light, temperature and salinity on the growth rate of harmful marine diatoms, Chaetoceros convolutus and C. concavicornis that kill netpen salmon. Journal of Applied Phycology, 1993, 5, 259-265.	2.8	10
89	The influence of irradiance on the biochemical composition of three phytoplankton species and their nutritional value for larvae of the Pacific Oyster (Crassostrea gigas). Marine Biology, 1993, 117, 259-268.	1.5	124
90	PHYSIOLOGICAL ACCLIMATION OF MARINE PHYTOPLANKTON TO DIFFERENT NITROGEN SOURCES1. Journal of Phycology, 1993, 29, 587-595.	2.3	227

#	Article	IF	CITATIONS
91	Does energy control the sinking rates of marine diatoms?. Limnology and Oceanography, 1992, 37, 468-477.	3.1	119
92	Effects of monospecific algal diets of varying biochemical composition on the growth and survival of Pacific oyster (Crassostrea gigas) larvae. Marine Biology, 1992, 113, 645-654.	1.5	94
93	EFFECTS OF VARIATION IN TEMPERATURE. I. ON THE BIOCHEMICAL COMPOSITION OF EIGHT SPECIES OF MARINE PHYTOPLANKTON1. Journal of Phycology, 1992, 28, 481-488.	2.3	239
94	EFFECTS OF VARIATION IN TEMPERATURE. II. ON THE FATTY ACID COMPOSITION OF EIGHT SPECIES OF MARINE PHYTOPLANKTON1. Journal of Phycology, 1992, 28, 488-497.	2.3	198
95	VARIABILITY IN NITRATE UPTAKE KINETICS IN THALASSIOSIRA PSEUDONANA (BACILLARIOPHYCEAE)1. Journal of Phycology, 1991, 27, 35-39.	2.3	32
96	INFLUENCE OF IRRADIANCE ON CELL VOLUME AND CARBON QUOTA FOR TEN SPECIES OF MARINE PHYTOPLANKTON1. Journal of Phycology, 1991, 27, 351-360.	2.3	110
97	Nutrient and plankton dynamics in the Fraser River plume, Strait of Georgia, British Columbia. Marine Ecology - Progress Series, 1991, 70, 291-304.	1.9	55
98	INFLUENCE OF IRRADIANCE ON THE FATTY ACID COMPOSITION OF PHYTOPLANKTON1. Journal of Phycology, 1990, 26, 278-288.	2.3	190
99	Effects of nutrient and light limitation on the biochemical composition of phytoplankton. Journal of Applied Phycology, 1990, 2, 45-56.	2.8	256
100	Phenotypic variation in N uptake by Laminaria groenlandica Rosenvinge (Laminariales, Phaeophyta). Journal of Experimental Marine Biology and Ecology, 1989, 127, 155-164.	1.5	14
101	Lightâ€ŀimited growth on ammonium vs. nitrate: What is the advantage for marine phytoplankton?. Limnology and Oceanography, 1989, 34, 1014-1024.	3.1	113
102	Survey of selenium requirements in marine phytoplankton. Marine Ecology - Progress Series, 1988, 47, 89-96.	1.9	77
103	SELENIUM: AN ESSENTIAL ELEMENT FOR GROWTH OF THE COASTAL MARINE DIATOM <i>THALASSIOSIRA PSEUDONANA</i> (BACILLARIOPHYCEAE) ^{1,} ² . Journal of Phycology, 1987, 23, 1-9.	2.3	68
104	SELENIUM: AN ESSENTIAL ELEMENT FOR GROWTH OF THE COASTAL MARINE DIATOM <i>THALASSIOSIRA PSEUDONANA</i> (BACILLARIOPHYCEAE) ^{1,} ² . Journal of Phycology, 1987, 23, 1-9.	2.3	72
105	The effects of crude oil and Corexit 9527 on marine phytoplankton in an experimental enclosure. Marine Environmental Research, 1986, 18, 93-109.	2.5	55
106	Preliminary observations of the summer production of three British Columbian coastal inlets. Sarsia, 1986, 71, 161-168.	0.5	2
107	Nitrogen uptake kinetics in three year-classes of Laminaria groenlandica (Laminariales: Phaeophyta). Marine Biology, 1986, 93, 29-35.	1.5	88
108	POLYMERIZATION OF SILICA IN ACIDIC SOLUTIONS: A NOTE OF CAUTION TO PHYCOLOGISTS. Journal of Phycology, 1986, 22, 234-237.	2.3	8

#	Article	IF	CITATION
109	POLYMERIZATION OF SILICA IN ACIDIC SOLUTIONS: A NOTE OF CAUTION TO PHYCOLOGISTS. Journal of Phycology, 1986, 22, 234-237.	2.3	7
110	Ammonium uptake by phytoplankton cells on a filter: a new high-resolution technique. Marine Ecology - Progress Series, 1985, 25, 121-129.	1.9	10
111	Development of rapid ammonium uptake during starvation of batch and chemostat cultures of the marine diatom Thalassiosira pseudonana. Marine Biology, 1984, 83, 43-50.	1.5	24
112	Saturated uptake kinetics: transient response of the marine diatom Thalassiosira pseudonana to ammonium, nitrate, silicate or phosphate starvation. Marine Biology, 1984, 83, 51-59.	1.5	61
113	Use of a Self-Cleaning, In-line Filter to Continuously Monitor Phytoplankton Nutrient Uptake Rates. Canadian Journal of Fisheries and Aquatic Sciences, 1984, 41, 540-544.	1.4	7
114	An experimental marine ecosystem response to crude oil and Corexit 9527: Part 2—Biological effects. Marine Environmental Research, 1984, 13, 265-275.	2.5	28
115	Feeding territoriality in migrant rufous hummingbirds: defense of yellow-bellied sapsucker (Sphyrapicus varius) feeding sites. Canadian Journal of Zoology, 1982, 60, 2046-2050.	1.0	23