

Ewa Ąukaszewicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6943483/publications.pdf>

Version: 2024-02-01

31
papers

492
citations

933447

10
h-index

713466

21
g-index

31
all docs

31
docs citations

31
times ranked

450
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Semen characteristics of ganders kept as genetic resources conservation programme. <i>Reproduction in Domestic Animals</i> , 2022, 57, 815-828. | 1.4 | 1 |
| 2 | Use of native chicken breeds (<i>Gallus gallus domesticus</i>) for the development of suitable methods of Cantabrian capercaillie (<i>Tetrao urogallus cantabricus</i>) semen cryopreservation. <i>Veterinary Medicine and Science</i> , 2022, 8, 1311-1318. | 1.6 | 3 |
| 3 | Effects of Selected Prebiotics or Synbiotics Administered in ovo on Lymphocyte Subsets in Bursa of the Fabricius, Thymus, and Spleen in Non-Immunized and Immunized Chicken Broilers. <i>Animals</i> , 2021, 11, 476. | 2.3 | 8 |
| 4 | Characteristics of semen collected from gander included in the genetic resources conservation program. <i>Poultry Science</i> , 2021, 100, 101314. | 3.4 | 6 |
| 5 | Variation in Bird Eggsâ€”Does Female Factor, Season, and Laying Order Impact the Egg Size, Pigmentation, and Eggshell Thickness of the Eggs of Capercaillie?. <i>Animals</i> , 2021, 11, 3454. | 2.3 | 3 |
| 6 | Reproductive season and male effect on quantitative and qualitative traits of individually collected Muscovy duck (<i>Cairina moschata</i>) semen. <i>Reproduction in Domestic Animals</i> , 2020, 55, 1735-1746. | 1.4 | 7 |
| 7 | Characteristics of capercaillie (<i>Tetrao urogallus</i>) semen analysed with flow cytometry combined with fertility results. <i>Reproduction in Domestic Animals</i> , 2020, 55, 984-991. | 1.4 | 1 |
| 8 | Effect of semen extenders on viability of ISA Brown and Hubbard Flex roosters' sperm stored for 24h. <i>Poultry Science</i> , 2020, 99, 2766-2774. | 3.4 | 7 |
| 9 | Impact of Prebiotics and Synbiotics Administered in ovo on the Immune Response against Experimental Antigens in Chicken Broilers. <i>Animals</i> , 2020, 10, 643. | 2.3 | 22 |
| 10 | Female-Male and Female-Female Social Interactions of Captive Kept Capercaillie (<i>Tetrao Urogallus</i>) and Its Consequences in Planning Breeding Programs. <i>Animals</i> , 2020, 10, 583. | 2.3 | 4 |
| 11 | Effect of semen extenders and storage time on quality of Muscovy duck (<i>Cairina moschata</i>) drake semen during the entire reproductive season. <i>Reproduction in Domestic Animals</i> , 2020, 55, 943-950. | 1.4 | 7 |
| 12 | Hissing of geese: caller identity encoded in a non-vocal acoustic signal. <i>PeerJ</i> , 2020, 8, e10197. | 2.0 | 3 |
| 13 | Supporting dataset and methods for egg sizes, eggshell thicknesses and metal concentrations measured in the shells and contents of eggs of Capercaillies <i>Tetrao urogallus</i> . <i>Data in Brief</i> , 2019, 24, 103903. | 1.0 | 2 |
| 14 | Eggshell resorption, and embryonic mobilization and accumulation of calcium and metals in eggs of wild and captive Capercaillies <i>Tetrao urogallus</i> . <i>Environmental Pollution</i> , 2019, 249, 152-162. | 7.5 | 8 |
| 15 | Selected prebiotics and synbiotics administered in ovo can modify innate immunity in chicken broilers. <i>BMC Veterinary Research</i> , 2019, 15, 105. | 1.9 | 34 |
| 16 | The differences in the eyelids microstructure and the conjunctiva-associated lymphoid tissue between selected ornamental and wild birds as a result of adaptation to their habitat. <i>Acta Zoologica</i> , 2018, 99, 367-394. | 0.8 | 5 |
| 17 | Protective effects of levamisole, acetylsalicylic acid, and Î±-tocopherol against dioxin toxicity measured as the expression of AhR and COX-2 in a chicken embryo model. <i>Histochemistry and Cell Biology</i> , 2017, 147, 523-536. | 1.7 | 14 |
| 18 | Speckled and plain regions of avian eggshells differ in maternal deposition of calcium and metals: A hitherto overlooked chemical aspect of egg maculation. <i>Auk</i> , 2017, 134, 721-731. | 1.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Changes of Eggshell Characteristics during Embryo Development in Western Capercaillie (<i>Tetrao tetrix</i>) Tj ETQq1 1 0.784314 rgBT /Overlo | 0.9 | 5 |
| 20 | Light and electron microscopic study of the eyelids, conjunctiva-associated lymphoid tissue and lacrimal gland in Bilgorajska Goose (<i>Anser anser</i>). Anatomical Science International, 2016, 91, 74-88. | 1.0 | 7 |
| 21 | Histological, histochemical and ultrastructural studies on Harderian and lacrimal glands of the Capercaillie (<i>Tetrao urogallus major</i> L.). Acta Biologica Hungarica, 2016, 67, 27-41. | 0.7 | 4 |
| 22 | Simple and Effective Methods of Freezing Capercaillie (<i>Tetrao urogallus</i> L.) Semen. PLoS ONE, 2015, 10, e0116797. | 2.5 | 22 |
| 23 | Reintroduction of the European Capercaillie from the Capercaillie Breeding Centre in WisÅ,a Forest District: Genetic Assessments of Captive and Reintroduced Populations. PLoS ONE, 2015, 10, e0145433. | 2.5 | 10 |
| 24 | The possibility of obtaining intergeneric hybrids via White KoÅ,uda (<i>Anser anser</i> L.) goose insemination with fresh and frozen-thawed Canada goose (<i>Branta canadensis</i> L.) gander semen. Theriogenology, 2012, 77, 507-513. | 2.1 | 10 |
| 25 | Successful preservation of capercaillie (<i>Tetrao urogallus</i> L.) semen in liquid and frozen states. Theriogenology, 2012, 77, 899-907. | 2.1 | 21 |
| 26 | Effect of cryopreservation on sperm parameters, lipid peroxidation and antioxidant enzymes activity in fowl semen. Theriogenology, 2012, 77, 1497-1504. | 2.1 | 113 |
| 27 | Flow cytometric assessment of fresh and frozen-thawed Canada goose (<i>Branta canadensis</i>) semen. Theriogenology, 2011, 76, 843-850. | 2.1 | 21 |
| 28 | Characteristics of fresh semen of captive-bred capercaillie <i>Tetrao urogallus</i> L.. Zoo Biology, 2011, 30, 672-680. | 1.2 | 16 |
| 29 | Evaluation of fresh and frozen-thawed fowl semen by flow cytometry. Theriogenology, 2010, 74, 1019-1027. | 2.1 | 80 |
| 30 | The effect of DMA level on morphology and fertilising ability of Japanese quail (<i>Coturnix japonica</i>) spermatozoa. Theriogenology, 2006, 65, 451-458. | 2.1 | 7 |
| 31 | Evaluation of fresh and frozen-thawed semen of individual ganders by assessment of spermatozoa motility and morphology. Theriogenology, 2003, 59, 1627-1640. | 2.1 | 32 |