

Ellen I Closs

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6943595/ellen-i-closs-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

8,168

citations

40

h-index

87

g-index

87

ext. papers

8,817

ext. citations

6

avg, IF

5.52

L-index

#	Paper	IF	Citations
82	Human cationic amino acid transporters are not affected by direct nitros(yl)ation. <i>Amino Acids</i> , 2020 , 52, 499-503	3.5	3
81	Inhibition of antigen-specific immune responses by co-application of an indoleamine 2,3-dioxygenase (IDO)-encoding vector requires antigen transgene expression focused on dendritic cells. <i>Amino Acids</i> , 2020 , 52, 411-424	3.5	1
80	Cationic Amino Acid Transporter-1-Mediated Arginine Uptake Is Essential for Chronic Lymphocytic Leukemia Cell Proliferation and Viability. <i>Frontiers in Oncology</i> , 2019 , 9, 1268	5.3	13
79	Reconstitution of T Cell Proliferation under Arginine Limitation: Activated Human T Cells Take Up Citrulline L-Type Amino Acid Transporter 1 and Use It to Regenerate Arginine after Induction of Argininosuccinate Synthase Expression. <i>Frontiers in Immunology</i> , 2017 , 8, 864	8.4	27
78	Loss of organic cation transporter 3 (Oct3) leads to enhanced proliferation and hepatocarcinogenesis. <i>Oncotarget</i> , 2017 , 8, 115667-115680	3.3	12
77	Induced arginine transport via cationic amino acid transporter-1 is necessary for human T-cell proliferation. <i>European Journal of Immunology</i> , 2016 , 46, 92-103	6.1	30
76	Uncoupling of Endothelial Nitric Oxide Synthase in Perivascular Adipose Tissue of Diet-Induced Obese Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 78-85	9.4	124
75	Asymmetric dimethylarginine is transported by the mitochondrial carrier SLC25A2. <i>Amino Acids</i> , 2016 , 48, 427-36	3.5	14
74	System L amino acid transporter LAT1 accumulates O-(2-fluoroethyl)-L-tyrosine (FET). <i>Amino Acids</i> , 2015 , 47, 335-44	3.5	86
73	Hypomorphic variants of cationic amino acid transporter 3 in males with autism spectrum disorders. <i>Amino Acids</i> , 2015 , 47, 2647-58	3.5	10
72	Putative role of cationic amino acid transporter-3 in murine liver metabolism. <i>Hepatology</i> , 2015 , 62, 1326-7.2	7.2	10
71	Granulocyte functions are independent of arginine availability. <i>Journal of Leukocyte Biology</i> , 2014 , 96, 1047-53	6.5	13
70	Metabolism via Arginase or Nitric Oxide Synthase: Two Competing Arginine Pathways in Macrophages. <i>Frontiers in Immunology</i> , 2014 , 5, 532	8.4	567
69	Differential cystine and dibasic amino acid handling after loss of function of the amino acid transporter b0,+AT (Slc7a9) in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 305, F1645-55	4.3	10
68	Arginase activity - a marker of disease status in patients with visceral leishmaniasis in ethiopia. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2134	4.8	48
67	Identification of cysteine residues in human cationic amino acid transporter hCAT-2A that are targets for inhibition by N-ethylmaleimide. <i>Journal of Biological Chemistry</i> , 2013 , 288, 30411-30419	5.4	12
66	Decoding the substrate supply to human neuronal nitric oxide synthase. <i>PLoS ONE</i> , 2013 , 8, e67707	3.7	7

65	Biopterin metabolism and eNOS expression during hypoxic pulmonary hypertension in mice. <i>PLoS ONE</i> , 2013 , 8, e82594	3.7	17
64	Impairment of the extrusion transporter for asymmetric dimethyl-L-arginine: a novel mechanism underlying vasospastic angina. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 423, 218-23	3.4	21
63	A chimera carrying the functional domain of the orphan protein SLC7A14 in the backbone of SLC7A2 mediates trans-stimulated arginine transport. <i>Journal of Biological Chemistry</i> , 2012 , 287, 30853-60	5.4	6
62	Relative contribution of different l-arginine sources to the substrate supply of endothelial nitric oxide synthase. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 51, 855-61	5.8	13
61	Protein kinase C-dependent ubiquitination and clathrin-mediated endocytosis of the cationic amino acid transporter CAT-1. <i>Journal of Biological Chemistry</i> , 2011 , 286, 8697-8706	5.4	51
60	Resveratrol reverses endothelial nitric-oxide synthase uncoupling in apolipoprotein E knockout mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 335, 149-54	4.7	133
59	Neuronal nitric oxide synthase modulates maturation of human dendritic cells. <i>Journal of Immunology</i> , 2010 , 184, 6025-34	5.3	24
58	Polyamines Impair Immunity to Helicobacter pylori by Inhibiting L-Arginine Uptake Required for Nitric Oxide Production. <i>Gastroenterology</i> , 2010 , 139, 1686-98, 1698.e1-6	13.3	63
57	Arginine transport in human erythroid cells: discrimination of CAT1 and 4F2hc/y+LAT2 roles. <i>Pflügers Archiv European Journal of Physiology</i> , 2009 , 458, 1163-73	4.6	21
56	Paradoxical effect of L-arginine: acceleration of endothelial cell senescence. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 386, 650-5	3.4	33
55	Mechanisms underlying recoupling of eNOS by HMG-CoA reductase inhibition in a rat model of streptozotocin-induced diabetes mellitus. <i>Atherosclerosis</i> , 2008 , 198, 65-76	3.1	106
54	Antiatherosclerotic effects of small-molecular-weight compounds enhancing endothelial nitric-oxide synthase (eNOS) expression and preventing eNOS uncoupling. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008 , 325, 370-9	4.7	71
53	In human endothelial cells rapamycin causes mTORC2 inhibition and impairs cell viability and function. <i>Cardiovascular Research</i> , 2008 , 78, 563-71	9.9	88
52	6-mercaptopurine and 9-(2-phosphonyl-methoxyethyl) adenine (PMEA) transport altered by two missense mutations in the drug transporter gene ABCC4. <i>Human Mutation</i> , 2008 , 29, 659-69	4.7	42
51	OCTN2-mediated carnitine uptake in a newly discovered human proximal tubule cell line (Caki-1). <i>Molecular Pharmaceutics</i> , 2007 , 4, 160-8	5.6	26
50	Activation of classical protein kinase C decreases transport via systems y+ and y+L. <i>American Journal of Physiology - Cell Physiology</i> , 2007 , 292, C2259-68	5.4	17
49	Inhibition of folic acid uptake by catechins and tea extracts in Caco-2 cells. <i>Planta Medica</i> , 2007 , 73, 27-33	3.1	30
48	Rapamycin stimulates arginine influx through CAT2 transporters in human endothelial cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 1479-87	3.8	20

47	Structure and function of cationic amino acid transporters (CATs). <i>Journal of Membrane Biology</i> , 2006 , 213, 67-77	2.3	167
46	Granulocyte-macrophage colony-stimulating factor increases L-arginine transport through the induction of CAT2 in bone marrow-derived macrophages. <i>American Journal of Physiology - Cell Physiology</i> , 2006 , 290, C1364-72	5.4	31
45	Reversal of endothelial nitric oxide synthase uncoupling and up-regulation of endothelial nitric oxide synthase expression lowers blood pressure in hypertensive rats. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2536-44	15.1	147
44	Relief of microRNA-mediated translational repression in human cells subjected to stress. <i>Cell</i> , 2006 , 125, 1111-24	56.2	1071
43	Identification and characterisation of the dopamine receptor II from the cat flea <i>Ctenocephalides felis</i> (CFDopRII). <i>Insect Biochemistry and Molecular Biology</i> , 2006 , 36, 749-58	4.5	13
42	Activation of classical protein kinase C reduces the expression of human cationic amino acid transporter 3 (hCAT-3) in the plasma membrane. <i>Biochemical Journal</i> , 2006 , 395, 117-23	3.8	13
41	Stress-induced reversal of microRNA repression and mRNA P-body localization in human cells. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2006 , 71, 513-21	3.9	133
40	Monovalent cation conductance in <i>Xenopus laevis</i> oocytes expressing hCAT-3. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2005 , 1668, 234-9	3.8	2
39	Dexamethasone suppresses eNOS and CAT-1 and induces oxidative stress in mouse resistance arterioles. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H436-44	5.2	66
38	Protein kinase C activation promotes the internalization of the human cationic amino acid transporter hCAT-1. A new regulatory mechanism for hCAT-1 activity. <i>Journal of Biological Chemistry</i> , 2004 , 279, 54185-92	5.4	36
37	Regulation of intestinal phosphate cotransporter NaPi IIb by ubiquitin ligase Nedd4-2 and by serum- and glucocorticoid-dependent kinase 1. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 287, G143-50	5.1	47
36	CATs and HATs: the SLC7 family of amino acid transporters. <i>Pflugers Archiv European Journal of Physiology</i> , 2004 , 447, 532-42	4.6	509
35	Regulation of cationic amino acid transport: the story of the CAT-1 transporter. <i>Annual Review of Nutrition</i> , 2004 , 24, 377-99	9.9	161
34	Intracellular accumulation of L-Arg, kinetics of transport, and potassium leak conductance in oocytes from <i>Xenopus laevis</i> expressing hCAT-1, hCAT-2A, and hCAT-2B. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2004 , 1660, 138-43	3.8	13
33	Plasma membrane transporters for arginine. <i>Journal of Nutrition</i> , 2004 , 134, 2752S-2759S; discussion 2765S-2767S	4.1	191
32	Two amino acid residues determine the low substrate affinity of human cationic amino acid transporter-2A. <i>Journal of Biological Chemistry</i> , 2003 , 278, 19492-9	5.4	20
31	Stimulation of endothelial nitric oxide synthase by proinsulin C-peptide. <i>Nitric Oxide - Biology and Chemistry</i> , 2003 , 9, 95-102	5	101
30	Role of neutral amino acid transport and protein breakdown for substrate supply of nitric oxide synthase in human endothelial cells. <i>Circulation Research</i> , 2003 , 93, 813-20	15.7	81

29	Expression, regulation and function of carrier proteins for cationic amino acids. <i>Current Opinion in Nephrology and Hypertension</i> , 2002 , 11, 99-107	3.5	82
28	Expression of solute carrier 7A4 (SLC7A4) in the plasma membrane is not sufficient to mediate amino acid transport activity. <i>Biochemical Journal</i> , 2002 , 364, 767-75	3.8	45
27	The transport activity of the human cationic amino acid transporter hCAT-1 is downregulated by activation of protein kinase C. <i>British Journal of Pharmacology</i> , 2001 , 132, 1193-200	8.6	49
26	Inhibition of nitric oxide synthase abrogates lipopolysaccharides-induced up-regulation of L-arginine uptake in rat alveolar macrophages. <i>British Journal of Pharmacology</i> , 2001 , 133, 379-86	8.6	12
25	Human cationic amino acid transporter hCAT-3 is preferentially expressed in peripheral tissues. <i>Biochemistry</i> , 2001 , 40, 12387-94	3.2	71
24	Failure of 1H-[1,2,4]oxadiazolo[4,3-a]quinoxalin-1-one (ODQ) to inhibit soluble guanylyl cyclase in rat ventricular cardiomyocytes. <i>British Journal of Pharmacology</i> , 1999 , 127, 693-700	8.6	20
23	Transmembrane signalling mechanisms regulating expression of cationic amino acid transporters and inducible nitric oxide synthase in rat vascular smooth muscle cells. <i>Biochemical Journal</i> , 1999 , 344, 265	3.8	18
22	Identification of carrier systems in plasma membranes of mammalian cells involved in transport of L-arginine. <i>Methods in Enzymology</i> , 1999 , 301, 78-91	1.7	17
21	Coexpression of inducible NO synthase and soluble guanylyl cyclase in colonic enterocytes: a pathophysiologic signaling pathway for the initiation of diarrhea by gram-negative bacteria?. <i>FASEB Journal</i> , 1998 , 12, 1643-9	0.9	17
20	Human cationic amino acid transporters hCAT-1, hCAT-2A, and hCAT-2B: three related carriers with distinct transport properties. <i>Biochemistry</i> , 1997 , 36, 6462-8	3.2	127
19	Interference of L-arginine analogues with L-arginine transport mediated by the γ^+ carrier hCAT-2B. <i>Nitric Oxide - Biology and Chemistry</i> , 1997 , 1, 65-73	5	329
18	Human cationic amino acid transporter gene hCAT-2 is assigned to 8p22 but is not the causative gene in lysinuric protein intolerance. <i>Human Genetics</i> , 1997 , 100, 80-3	6.3	8
17	Inducible NO synthase II and neuronal NO synthase I are constitutively expressed in different structures of guinea pig skeletal muscle: implications for contractile function. <i>FASEB Journal</i> , 1996 , 10, 1614-20	0.9	123
16	Cytokines and insulin induce cationic amino acid transporter (CAT) expression in cardiac myocytes. Regulation of L-arginine transport and no production by CAT-1, CAT-2A, and CAT-2B. <i>Journal of Biological Chemistry</i> , 1996 , 271, 11694-702	5.4	133
15	CATs, a family of three distinct mammalian cationic amino acid transporters. <i>Amino Acids</i> , 1996 , 11, 193-208	3.9	50
14	Expression and expressional control of nitric oxide synthases in various cell types. <i>Advances in Pharmacology</i> , 1995 , 34, 171-86	5.7	74
13	Isoforms of nitric oxide synthase. Properties, cellular distribution and expressional control. <i>Biochemical Pharmacology</i> , 1995 , 50, 1321-32	6	302
12	A human amphotropic retrovirus receptor is a second member of the gibbon ape leukemia virus receptor family. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 1168-72	11.5	236

11	Nitric oxide synthase isozymes. Characterization, purification, molecular cloning, and functions. <i>Hypertension</i> , 1994 , 23, 1121-31	8.5	903
10	Retroviral infection and expression of cationic amino acid transporters in rodent hepatocytes. <i>Journal of Virology</i> , 1993 , 67, 2097-102	6.6	39
9	A stable long-term hepatocyte culture system for studies of physiologic processes: cytokine stimulation of the acute phase response in rat and human hepatocytes. <i>Biotechnology Progress</i> , 1992 , 8, 219-25	2.8	73
8	Transport of cationic amino acids by the mouse ecotropic retrovirus receptor. <i>Nature</i> , 1991 , 352, 725-8	50.4	506
7	Isolation of a cathepsin B-encoding cDNA from murine osteogenic cells. <i>Gene</i> , 1991 , 103, 259-61	3.8	6
6	Characterization of fos-induced osteogenic tumours and tumour-derived murine cell lines. <i>Differentiation</i> , 1990 , 44, 122-31	3.5	21
5	Bone formation by osteoblast-like cells in a three-dimensional cell culture. <i>Calcified Tissue International</i> , 1990 , 46, 46-56	3.9	104
4	c-fos expression precedes osteogenic differentiation of cartilage cells in vitro. <i>Journal of Cell Biology</i> , 1990 , 111, 1313-23	7.3	58
3	Gene expression during osteogenic differentiation in mandibular condyles in vitro. <i>Journal of Cell Biology</i> , 1990 , 110, 1369-78	7.3	159
2	Biochemical characterization of a virus-induced osteosarcoma-like osseous lesion in vitro. <i>Calcified Tissue International</i> , 1989 , 45, 232-42	3.9	8
1	Effects of leukemogenic retroviruses on condylar cartilage in vitro: an ultrastructural study. <i>Calcified Tissue International</i> , 1989 , 44, 25-35	3.9	8