Maggie Larche

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6944004/publications.pdf

Version: 2024-02-01

		758635	552369	
30	735	12	26	
papers	citations	h-index	g-index	
33	33	33	1063	
all docs	docs citations	times ranked	citing authors	

#	Article	IF	CITATIONS
1	The outcomes of juvenile idiopathic arthritis in children managed with contemporary treatments: results from the ReACCh-Out cohort. Annals of the Rheumatic Diseases, 2015, 74, 1854-1860.	0.5	192
2	The risk and nature of flares in juvenile idiopathic arthritis: results from the ReACCh-Out cohort. Annals of the Rheumatic Diseases, 2016, 75, 1092-1098.	0.5	72
3	2013 American College of Rheumatology/European League Against Rheumatism Classification Criteria for Systemic Sclerosis Outperform the 1980 Criteria: Data From the Canadian Scleroderma Research Group. Arthritis Care and Research, 2015, 67, 582-587.	1.5	60
4	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. Rheumatology, 2018, 57, 1623-1631.	0.9	53
5	Calcinosis is associated with digital ischaemia in systemic sclerosis—a longitudinal study. Rheumatology, 2016, 55, 2148-2155.	0.9	52
6	Treatment of small intestinal bacterial overgrowth in systemic sclerosis: a systematic review. Rheumatology, 2018, 57, 1802-1811.	0.9	46
7	Growth and weight gain in children with juvenile idiopathic arthritis: results from the ReACCh-Out cohort. Pediatric Rheumatology, 2017, 15, 68.	0.9	39
8	Trajectories of pain severity in juvenile idiopathic arthritis: results from the Research in Arthritis in Canadian Children Emphasizing Outcomes cohort. Pain, 2018, 159, 57-66.	2.0	29
9	Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. Journal of Psychosomatic Research, 2020, 139, 110262.	1.2	25
10	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. Journal of Psychosomatic Research, 2020, 135, 110132.	1,2	21
11	Infliximab therapy in refractory sarcoidosis: a multicenter real-world analysis. Respiratory Research, 2022, 23, 54.	1.4	20
12	Glucocorticoidâ€related changes in body mass index among children and adolescents with rheumatic diseases. Arthritis Care and Research, 2013, 65, 113-121.	1.5	18
13	Realâ€World Effectiveness of Common Treatment Strategies for Juvenile Idiopathic Arthritis: Results From a Canadian Cohort. Arthritis Care and Research, 2020, 72, 897-906.	1.5	14
14	Clinical correlates of faecal incontinence in systemic sclerosis: identifying therapeutic avenues. Rheumatology, 2016, 56, kew441.	0.9	13
15	Lasting Changes to Circulating Leukocytes in People with Mild SARS-CoV-2 Infections. Viruses, 2021, 13, 2239.	1.5	10
16	Factors associated with development of gastrointestinal problems in patients with scleroderma: a systematic review. Systematic Reviews, 2015, 4, 188.	2.5	9
17	Factors associated with fears due to COVID-19: A Scleroderma Patient-centered Intervention Network (SPIN) COVID-19 cohort study. Journal of Psychosomatic Research, 2021, 140, 110314.	1.2	9
18	Pain levels and associated factors in the Scleroderma Patient-centered Intervention Network (SPIN) cohort: a multicentre cross-sectional study. Lancet Rheumatology, The, 2021, 3, e844-e854.	2.2	9

#	Article	IF	CITATIONS
19	Fecal microbiome differs between patients with systemic sclerosis with and without small intestinal bacterial overgrowth. Journal of Scleroderma and Related Disorders, 2021, 6, 290-298.	1.0	8
20	The Scleroderma Patient-Centered Intervention Network Self-Management Program: Protocol for a Randomized Feasibility Trial. JMIR Research Protocols, 2020, 9, e16799.	0.5	7
21	Discontinuation of biologic therapy due to lack/loss of response and adverse events is similar between TNFi and non-TNFi class: Results from a real-world rheumatoid arthritis cohort. Seminars in Arthritis and Rheumatism, 2020, 50, 915-922.	1.6	6
22	A154: Glucocorticoid Therapy and the Risk of Incident Vertebral Fracture in Children with Rheumatic Disorders. Arthritis and Rheumatology, 2014, 66, S199-S200.	2.9	5
23	Barriers and Facilitators to Physical Activity for People With Scleroderma: A Scleroderma Patientâ€Centered Intervention Network Cohort Study. Arthritis Care and Research, 2022, 74, 1300-1310.	1.5	4
24	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. Trials, 2021, 22, 856.	0.7	4
25	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program. Pilot and Feasibility Studies, 2022, 8, 45.	0.5	3
26	Prevalence and trajectory of erosions, synovitis, and bone marrow edema in feet of patients with early rheumatoid arthritis. Clinical Rheumatology, 2021, 40, 3575-3579.	1.0	2
27	Relationship between calcium channel blockers and skin fibrosis in patients with systemic sclerosis. Clinical and Experimental Rheumatology, 2017, 35 Suppl 106, 56-60.	0.4	2
28	Assessing the Reliability of a Semiautomated Segmentation Algorithm for Quantifying Erosions in the Metacarpophalangeal Joints of Patients with Rheumatoid Arthritis. Journal of Rheumatology, 2015, 42, 1582-1586.	1.0	1
29	Small intestinal bacterial overgrowth in patients with systemic sclerosis. Indian Journal of Rheumatology, 2017, 12, 167.	0.2	1
30	Effect of pregnancy on scleroderma progression. Journal of Scleroderma and Related Disorders, 0, , 239719832211013.	1.0	0