

You Hwan Jo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6944777/publications.pdf>

Version: 2024-02-01

131
papers

2,601
citations

218381

26
h-index

253896

43
g-index

136
all docs

136
docs citations

136
times ranked

3553
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomarker Analysis for Combination Therapy of Vitamin C and Thiamine in Septic Shock: A Post-Hoc Study of the ATESS Trial. <i>Shock</i> , 2022, 57, 81-87.	1.0	3
2	Prognostic factors for late death in septic shock survivors: a multi-center, prospective, registry-based observational study. <i>Internal and Emergency Medicine</i> , 2022, 17, 865-871.	1.0	4
3	Relationship between time of emergency department admission and adherence to the Surviving Sepsis Campaign bundle in patients with septic shock. <i>Critical Care</i> , 2022, 26, 43.	2.5	9
4	Development and Validation of Simple Age-Adjusted Objectified Korean Triage and Acuity Scale for Adult Patients Visiting the Emergency Department. <i>Yonsei Medical Journal</i> , 2022, 63, 272.	0.9	2
5	Development of an Extended Reality Simulator for Basic Life Support Training. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2022, 10, 1-7.	2.2	1
6	Risk factors for overcorrection of severe hyponatremia: a post hoc analysis of the SALSA trial. <i>Kidney Research and Clinical Practice</i> , 2022, 41, 298-309.	0.9	7
7	Trends in In-Hospital Cardiopulmonary Resuscitation from 2010 through 2019: A Nationwide Cohort Study in South Korea. <i>Journal of Personalized Medicine</i> , 2022, 12, 377.	1.1	1
8	Association between Paramedic Workforce and Survival Rate in Prehospital Advanced Life Support in Out-of-Hospital Cardiac Arrest Patients. <i>Emergency Medicine International</i> , 2022, 2022, 1-6.	0.3	3
9	Impacts of symptomatic HIV infection on In-Hospital Cardiopulmonary Resuscitation Outcomes: A Population-Based Cohort Study in South Korea. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofac144.	0.4	0
10	A new variant position of head-up CPR may be associated with improvement in the measurements of cranial near-infrared spectroscopy suggestive of an increase in cerebral blood flow in non-traumatic out-of-hospital cardiac arrest patients: A prospective interventional pilot study. <i>Resuscitation</i> , 2022, 175, 159-166.	1.3	5
11	Association between physician turnover and survival outcome after in-hospital cardiopulmonary resuscitation: A nationwide cohort study in South Korea. <i>Resuscitation</i> , 2022, 174, 75-82.	1.3	0
12	Quick Sequential Organ Failure Assessment Score and the Modified Early Warning Score for Predicting Clinical Deterioration in General Ward Patients Regardless of Suspected Infection. <i>Journal of Korean Medical Science</i> , 2022, 37, e122.	1.1	2
13	Deterioration in Quality of Life and Long-term Mortality Among Survivors of In-hospital Cardiopulmonary Arrest: A Population-based Cohort Study in South Korea. <i>Resuscitation</i> , 2022, , .	1.3	0
14	Efficacy and safety of rapid intermittent bolus compared with slow continuous infusion in patients with severe hyponatremia (SALSA II trial): a study protocol for a randomized controlled trial. <i>Kidney Research and Clinical Practice</i> , 2022, , .	0.9	2
15	A quick Sequential Organ Failure Assessment "negative result at triage is associated with low compliance with sepsis bundles: a retrospective analysis of a multicenter prospective registry. <i>Clinical and Experimental Emergency Medicine</i> , 2022, 9, 84-92.	0.5	5
16	Diagnostic accuracy of lactate levels after initial fluid resuscitation as a predictor for 28-day mortality in septic shock. <i>American Journal of Emergency Medicine</i> , 2021, 46, 392-397.	0.7	1
17	Risk of Overcorrection in Rapid Intermittent Bolus vs Slow Continuous Infusion Therapies of Hypertonic Saline for Patients With Symptomatic Hyponatremia. <i>JAMA Internal Medicine</i> , 2021, 181, 81.	2.6	65
18	Hypochloraemia is associated with 28-day mortality in patients with septic shock: a retrospective analysis of a multicentre prospective registry. <i>Emergency Medicine Journal</i> , 2021, 38, 423-429.	0.4	6

#	ARTICLE	IF	CITATIONS
19	Longitudinal Intravital Imaging of Tumor-Infiltrating Lymphocyte Motility in Breast Cancer Models. <i>Journal of Breast Cancer</i> , 2021, 24, 463-473.	0.8	1
20	High cholesterol concentrations as well as low cholesterol concentrations are associated with mortality at 28 days in sepsis: a retrospective cohort study. <i>Annals of Palliative Medicine</i> , 2021, 10, 10338-10348.	0.5	4
21	Impact of 1-Hour Bundle Achievement in Septic Shock. <i>Journal of Clinical Medicine</i> , 2021, 10, 527.	1.0	5
22	A multicentre validation study of the deep learning-based early warning score for predicting in-hospital cardiac arrest in patients admitted to general wards. <i>Resuscitation</i> , 2021, 163, 78-85.	1.3	19
23	The index of oxygenation to respiratory rate as a prognostic factor for mortality in Sepsis. <i>American Journal of Emergency Medicine</i> , 2021, 45, 426-432.	0.7	16
24	Evaluation of the proper chest compression depth for neonatal resuscitation using computed tomography. <i>Medicine (United States)</i> , 2021, 100, e26122.	0.4	0
25	Antibiotic prescription consistent with guidelines in emergency department is associated with 30-day survival in severe community-acquired pneumonia. <i>BMC Emergency Medicine</i> , 2021, 21, 108.	0.7	5
26	Association between copeptin levels and treatment responses to hypertonic saline infusion in patients with symptomatic hyponatremia: a prospective cohort study. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 371-382.	0.9	14
27	Comparison of body water status and its distribution in patients with non-septic infection, patients with sepsis, and healthy controls. <i>Clinical and Experimental Emergency Medicine</i> , 2021, 8, 173-181.	0.5	3
28	Association between length of stay in the emergency department and outcomes in out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2021, 49, 124-129.	0.7	2
29	Association of the duration of on-scene advanced life support with good neurological recovery in out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2021, 50, 486-491.	0.7	7
30	Association between the body mass index and outcomes of patients resuscitated from out-of-hospital cardiac arrest: a prospective multicentre registry study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 24.	1.1	12
31	Comparison of extended reality and conventional methods of basic life support training: protocol for a multinational, pragmatic, noninferiority, randomised clinical trial (XR BLS trial). <i>Trials</i> , 2021, 22, 946.	0.7	6
32	Developing neural network models for early detection of cardiac arrest in emergency department. <i>American Journal of Emergency Medicine</i> , 2020, 38, 43-49.	0.7	37
33	Time to Antibiotics and the Outcome of Patients with Septic Shock: A Propensity Score Analysis. <i>American Journal of Medicine</i> , 2020, 133, 485-491.e4.	0.6	19
34	Assessment of body water distribution in patients with sepsis during fluid resuscitation using multi-frequency direct segmental bioelectrical impedance analysis. <i>Clinical Nutrition</i> , 2020, 39, 1826-1831.	2.3	13
35	Prolonged stay in the emergency department is an independent risk factor for hospital-acquired pressure ulcer. <i>International Wound Journal</i> , 2020, 17, 259-267.	1.3	15
36	Post-operative alarm signs in the rapid response system and hospital mortality after non-cardiac surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1431-1437.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Combination therapy of vitamin C and thiamine for septic shock: a multi-centre, double-blinded randomized, controlled study. <i>Intensive Care Medicine</i> , 2020, 46, 2015-2025.	3.9	105
38	Refractory Ventricular Fibrillation Treated with Double Simultaneous Defibrillation: Pilot Study. <i>Emergency Medicine International</i> , 2020, 2020, 1-6.	0.3	5
39	The Association of Extreme Tachycardia and Sustained Return of Spontaneous Circulation after Nontraumatic Out-of-Hospital Cardiac Arrest. <i>Emergency Medicine International</i> , 2020, 2020, 1-7.	0.3	2
40	A membrane-tethering pepducin derived from formyl peptide receptor 3 shows strong therapeutic effects against sepsis. <i>Biochemical and Biophysical Research Communications</i> , 2020, 524, 156-162.	1.0	6
41	Two-dimensional echocardiography after return of spontaneous circulation and its association with in-hospital survival after in-hospital cardiopulmonary resuscitation. <i>Scientific Reports</i> , 2020, 10, 11.	1.6	23
42	Moderate to severe hyperphosphataemia as an independent prognostic factor for 28-day mortality in adult patients with sepsis. <i>Emergency Medicine Journal</i> , 2020, 37, 355-361.	0.4	14
43	Serum total carbon dioxide as a prognostic factor for 28-day mortality in patients with sepsis. <i>American Journal of Emergency Medicine</i> , 2020, 44, 277-283.	0.7	5
44	The change in age distribution of CAP population in Korea with an estimation of clinical implications of increasing age threshold of current CURB65 and CRB65 scoring system. <i>PLoS ONE</i> , 2019, 14, e0219367.	1.1	1
45	Combination therapy of vitamin C and thiamine for septic shock in a multicentre, double-blind, randomized, controlled study (ATESS): study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 420.	0.7	18
46	Characterization of Fecal Peritonitisâ€“Induced Sepsis in a Porcine Model. <i>Journal of Surgical Research</i> , 2019, 244, 492-501.	0.8	15
47	Lactate normalization within 6 hours of bundle therapy and 24 hours of delayed achievement were associated with 28-day mortality in septic shock patients. <i>PLoS ONE</i> , 2019, 14, e0217857.	1.1	8
48	Fluctuations in Serum Chloride and Acute Kidney Injury among Critically Ill Patients: A Retrospective Association Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 447.	1.0	5
49	Preadmission chronic opioid usage and its association with 90-day mortality in critically ill patients: a retrospective cohort study. <i>British Journal of Anaesthesia</i> , 2019, 122, e189-e197.	1.5	17
50	The usefulness of C-reactive protein and procalcitonin to predict prognosis in septic shock patients: A multicenter prospective registry-based observational study. <i>Scientific Reports</i> , 2019, 9, 6579.	1.6	49
51	Effect of preadmission glucocorticoid therapy on 30-day mortality in critically ill patients: a retrospective study of a mixed ICU population in a tertiary hospital. <i>Annals of Intensive Care</i> , 2019, 9, 8.	2.2	3
52	Circulating Monocyte Counts and its Impact on Outcomes in Patients With Severe Sepsis Including Septic Shock. <i>Shock</i> , 2019, 51, 423-429.	1.0	40
53	Usefulness of hyperintense acute reperfusion marker sign in patients with transient neurologic symptom. <i>Medicine (United States)</i> , 2019, 98, e15494.	0.4	4
54	The Korean Triage and Acuity Scale: associations with admission, disposition, mortality and length of stay in the emergency department. <i>International Journal for Quality in Health Care</i> , 2019, 31, 449-455.	0.9	41

#	ARTICLE	IF	CITATIONS
55	Preadmission Statin Therapy Is Associated with a Lower Incidence of Acute Kidney Injury in Critically Ill Patients: A Retrospective Observational Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 25.	1.0	9
56	Neutrophils disturb pulmonary microcirculation in sepsis-induced acute lung injury. <i>European Respiratory Journal</i> , 2019, 53, 1800786.	3.1	160
57	Effect of Electrical Vagus Nerve Stimulation on Cerebral Blood Flow and Neurological Outcome in Asphyxial Cardiac Arrest Model of Rats. <i>Neurocritical Care</i> , 2019, 30, 572-580.	1.2	8
58	Reoxygenation speed and its implication for cellular injury responses in hypoxic RAW 264.7 cells. <i>Journal of Surgical Research</i> , 2018, 227, 88-94.	0.8	2
59	Prognostic Value of The Lactate/Albumin Ratio for Predicting 28-Day Mortality in Critically Ill Sepsis Patients. <i>Shock</i> , 2018, 50, 545-550.	1.0	53
60	Physician turnover effect for in-hospital cardiopulmonary resuscitation: a 10-year experience in a tertiary academic hospital. <i>Journal of Anesthesia</i> , 2018, 32, 198-203.	0.7	6
61	Risk of Pneumonia After Vertebral Compression Fracture in Women With Low Bone Density. <i>Spine</i> , 2018, 43, E830-E835.	1.0	14
62	Prognosis of patients excluded by the definition of septic shock based on their lactate levels after initial fluid resuscitation: a prospective multi-center observational study. <i>Critical Care</i> , 2018, 22, 47.	2.5	23
63	Survey of family satisfaction with intensive care units. <i>Medicine (United States)</i> , 2018, 97, e11809.	0.4	19
64	Early Detection of Cerebral Infarction With Middle Cerebral Artery Occlusion With Functional Near-Infrared Spectroscopy: A Pilot Study. <i>Frontiers in Neurology</i> , 2018, 9, 898.	1.1	11
65	Prediction of neurological outcomes following the return of spontaneous circulation in patients with out-of-hospital cardiac arrest: Retrospective fast-and-frugal tree analysis. <i>Resuscitation</i> , 2018, 133, 65-70.	1.3	15
66	Clinical outcome comparison of patients with septic shock defined by the new sepsis-3 criteria and by previous criteria. <i>Journal of Thoracic Disease</i> , 2018, 10, 845-853.	0.6	17
67	Intravital imaging of a pulmonary endothelial surface layer in a murine sepsis model. <i>Biomedical Optics Express</i> , 2018, 9, 2383.	1.5	28
68	Evaluation of the SpO ₂ /FiO ₂ ratio as a predictor of intensive care unit transfers in respiratory ward patients for whom the rapid response system has been activated. <i>PLoS ONE</i> , 2018, 13, e0201632.	1.1	26
69	Prognostic value of pneumococcal urinary antigen test in community-acquired pneumonia. <i>PLoS ONE</i> , 2018, 13, e0200620.	1.1	5
70	Associated factors and costs of avoidable visits to the emergency department among cancer patients: 1-year experience in a tertiary care hospital in South Korea. <i>Supportive Care in Cancer</i> , 2018, 26, 3671-3679.	1.0	19
71	Long-term cardiovascular risk of hypertensive events in emergency department: A population-based 10-year follow-up study. <i>PLoS ONE</i> , 2018, 13, e0191738.	1.1	11
72	Prehospital Supraglottic Airway Was Associated With Good Neurologic Outcome in Cardiac Arrest Victims Especially Those Who Received Prolonged Cardiopulmonary Resuscitation. <i>Academic Emergency Medicine</i> , 2017, 24, 1464-1473.	0.8	6

#	ARTICLE	IF	CITATIONS
73	Efficacy and safety of rapid intermittent correction compared with slow continuous correction with hypertonic saline in patients with moderately severe or severe symptomatic hyponatremia: study protocol for a randomized controlled trial (SALSA trial). <i>Trials</i> , 2017, 18, 147.	0.7	14
74	Dynamic prediction of patient outcomes during ongoing cardiopulmonary resuscitation. <i>Resuscitation</i> , 2017, 111, 127-133.	1.3	7
75	Differences in the Clinical Characteristics of Rapid Response System Activation in Patients Admitted to Medical or Surgical Services. <i>Journal of Korean Medical Science</i> , 2017, 32, 688.	1.1	14
76	Initial blood pH during cardiopulmonary resuscitation in out-of-hospital cardiac arrest patients: a multicenter observational registry-based study. <i>Critical Care</i> , 2017, 21, 322.	2.5	51
77	Korean Shock Society septic shock registry: a preliminary report. <i>Clinical and Experimental Emergency Medicine</i> , 2017, 4, 146-153.	0.5	26
78	Transcultural Adaptation and Validation of the Family Satisfaction in the Intensive Care Unit Questionnaire in a Korean Sample. <i>Korean Journal of Critical Care Medicine</i> , 2017, 32, 60-69.	0.1	4
79	A Randomized Controlled Trial of Compression Rates during Cardiopulmonary Resuscitation. <i>Journal of Korean Medical Science</i> , 2016, 31, 1491.	1.1	11
80	Blood pressure-targeted stepwise resuscitation of hemorrhagic shock in a swine model. <i>Journal of Surgical Research</i> , 2016, 204, 192-199.	0.8	2
81	Dose-dependent mortality and organ injury in a cecal slurry peritonitis model. <i>Journal of Surgical Research</i> , 2016, 206, 427-434.	0.8	19
82	Prognostication of cardiac arrest survivors using low apparent diffusion coefficient cluster volume. <i>Resuscitation</i> , 2016, 100, 18-24.	1.3	11
83	Sodium bicarbonate administration during ongoing resuscitation is associated with increased return of spontaneous circulation. <i>American Journal of Emergency Medicine</i> , 2016, 34, 225-229.	0.7	27
84	Use of resuscitative endovascular balloon occlusion of the aorta in a patient with gastrointestinal bleeding. <i>Clinical and Experimental Emergency Medicine</i> , 2016, 3, 55-58.	0.5	9
85	The clinical significance of changes in red blood cell distribution width in patients with community-acquired pneumonia. <i>Clinical and Experimental Emergency Medicine</i> , 2016, 3, 139-147.	0.5	25
86	The risk factors and prognostic implication of acute pulmonary edema in resuscitated cardiac arrest patients. <i>Clinical and Experimental Emergency Medicine</i> , 2015, 2, 110-116.	0.5	15
87	Effect of pain control in suspected acute appendicitis on the diagnostic accuracy of surgical residents. <i>Canadian Journal of Emergency Medicine</i> , 2015, 17, 54-61.	0.5	6
88	Effect of valproic acid combined with therapeutic hypothermia on neurologic outcome in asphyxial cardiac arrest model of rats. <i>American Journal of Emergency Medicine</i> , 2015, 33, 1773-1779.	0.7	10
89	A new chest compression depth indicator would increase compression depth without increasing overcompression risk. <i>American Journal of Emergency Medicine</i> , 2015, 33, 1755-1759.	0.7	4
90	ED crowding and the outcomes of out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2015, 33, 1659-1664.	0.7	10

#	ARTICLE	IF	CITATIONS
91	Severe thinness is associated with mortality in patients with community-acquired pneumonia: a prospective observational study. <i>American Journal of Emergency Medicine</i> , 2015, 33, 209-213.	0.7	13
92	Change in guardians'™ preference for computed tomography after explanation by emergency physicians in pediatric head injury. <i>Clinical and Experimental Emergency Medicine</i> , 2015, 2, 226-235.	0.5	4
93	Can emergency physicians reliably interpret cardiac CT images? A prospective observational study. <i>Clinical and Experimental Emergency Medicine</i> , 2015, 2, 38-43.	0.5	1
94	Rate of and Risk Factors for Early Recurrence in Patients With Febrile Seizures. <i>Pediatric Emergency Care</i> , 2014, 30, 540-545.	0.5	13
95	Bacteremia prediction model using a common clinical test in patients with community-acquired pneumonia. <i>American Journal of Emergency Medicine</i> , 2014, 32, 700-704.	0.7	28
96	The clinical significance of a failed initial intubation attempt during emergency department resuscitation of out-of-hospital cardiac arrest patients. <i>Resuscitation</i> , 2014, 85, 623-627.	1.3	48
97	Does the quality of chest compressions deteriorate when the chest compression rate is above 120/min?. <i>Emergency Medicine Journal</i> , 2014, 31, 645-648.	0.4	12
98	Blood pressure'€"targeted stepwise resuscitation for hemorrhagic shock in rats. <i>Journal of Trauma and Acute Care Surgery</i> , 2014, 76, 771-778.	1.1	9
99	Awareness and knowledge of sepsis in the general Korean population: comparison with the awareness and knowledge of acute myocardial infarction and stroke. <i>Clinical and Experimental Emergency Medicine</i> , 2014, 1, 41-48.	0.5	13
100	Rapid rewarming after therapeutic hypothermia worsens outcome in sepsis. <i>Clinical and Experimental Emergency Medicine</i> , 2014, 1, 120-125.	0.5	3
101	Prognostic implication of initial coagulopathy in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2013, 84, 48-53.	1.3	56
102	A risk stratification model of acute pyelonephritis to indicate hospital admission from the ED. <i>American Journal of Emergency Medicine</i> , 2013, 31, 1067-1072.	0.7	13
103	Low apparent diffusion coefficient cluster-based analysis of diffusion-weighted MRI for prognostication of out-of-hospital cardiac arrest survivors. <i>Resuscitation</i> , 2013, 84, 1393-1399.	1.3	33
104	Gradual and stepwise increase of blood pressure in hemorrhagic shock: Mimicking ischemic post-conditioning. <i>Medical Hypotheses</i> , 2013, 81, 701-703.	0.8	5
105	Effect of N-acetylcysteine (NAC) on acute lung injury and acute kidney injury in hemorrhagic shock. <i>Resuscitation</i> , 2013, 84, 121-127.	1.3	28
106	Therapeutic hypothermia attenuates liver injury in polymicrobial sepsis model of rats via Akt survival pathway. <i>Journal of Surgical Research</i> , 2013, 181, 114-120.	0.8	15
107	Red cell distribution width is a prognostic factor in severe sepsis and septic shock. <i>American Journal of Emergency Medicine</i> , 2013, 31, 545-548.	0.7	181
108	Red cell distribution width as a prognostic marker in patients with community-acquired pneumonia. <i>American Journal of Emergency Medicine</i> , 2013, 31, 72-79.	0.7	98

#	ARTICLE	IF	CITATIONS
109	Effect of valproic acid on survival and neurologic outcomes in an asphyxial cardiac arrest model of rats. <i>Resuscitation</i> , 2013, 84, 1443-1449.	1.3	13
110	A Randomized Comparison of Nitrous Oxide Versus Intravenous Ketamine for Laceration Repair in Children. <i>Pediatric Emergency Care</i> , 2012, 28, 1297-1301.	0.5	34
111	Feasibility of Continuous Glucose Monitoring in Critically Ill Emergency Department Patients. <i>Journal of Emergency Medicine</i> , 2012, 43, 251-257.	0.3	13
112	Heart-type fatty acid-binding protein as a prognostic factor in patients with severe sepsis and septic shock. <i>American Journal of Emergency Medicine</i> , 2012, 30, 1749-1755.	0.7	23
113	Clinical effects of adjunctive atropine during ketamine sedation in pediatric emergency patients. <i>American Journal of Emergency Medicine</i> , 2012, 30, 1981-1985.	0.7	33
114	Effect of therapeutic hypothermia according to severity of sepsis in a septic rat model. <i>Cytokine</i> , 2012, 60, 755-761.	1.4	23
115	Prognostic Performance of Diffusion-Weighted MRI Combined with NSE in Comatose Cardiac Arrest Survivors Treated with Mild Hypothermia. <i>Neurocritical Care</i> , 2012, 17, 412-420.	1.2	42
116	Red blood cell distribution width as an independent predictor of all-cause mortality in out of hospital cardiac arrest. <i>Resuscitation</i> , 2012, 83, 1248-1252.	1.3	56
117	Risk stratification nomogram for nephropathy after abdominal contrast-enhanced computed tomography. <i>American Journal of Emergency Medicine</i> , 2011, 29, 412-417.	0.7	22
118	Prognostic value of N-terminal pro-brain natriuretic peptide in hospitalised patients with community-acquired pneumonia. <i>Emergency Medicine Journal</i> , 2011, 28, 122-127.	0.4	41
119	Heart-type Fatty Acid Binding Protein as an Adjunct to Cardiac Troponin-I for the Diagnosis of Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2011, 26, 47.	1.1	12
120	Albumin and C-reactive protein have prognostic significance in patients with community-acquired pneumonia. <i>Journal of Critical Care</i> , 2011, 26, 287-294.	1.0	129
121	A simple model to predict bacteremia in women with acute pyelonephritis. <i>Journal of Infection</i> , 2011, 63, 124-130.	1.7	30
122	Therapeutic hypothermia attenuates acute lung injury in paraquat intoxication in rats. <i>Resuscitation</i> , 2011, 82, 487-491.	1.3	30
123	Glutamine attenuates acute lung injury by inhibition of high mobility group box protein-1 expression during sepsis. <i>British Journal of Nutrition</i> , 2010, 103, 890-898.	1.2	44
124	Predicting Change of Hemoglobin After Transfusion in Hemodynamically Stable Anemic Patients in Emergency Department. <i>Journal of Trauma</i> , 2010, 68, 337-341.	2.3	7
125	Induced Hypothermia Attenuates the Acute Lung Injury in Hemorrhagic Shock. <i>Journal of Trauma</i> , 2010, 68, 373-381.	2.3	35
126	Effect of speed of rewarming and administration of anti-inflammatory or anti-oxidant agents on acute lung injury in an intestinal ischemia model treated with therapeutic hypothermia. <i>Resuscitation</i> , 2010, 81, 100-105.	1.3	43

#	ARTICLE	IF	CITATIONS
127	The accuracy of emergency medicine and surgical residents in the diagnosis of acute appendicitis. American Journal of Emergency Medicine, 2010, 28, 766-770.	0.7	26
128	Early Norepinephrine Infusion Delays Cardiac Arrest After Hemorrhagic Shock in Rats. Journal of Emergency Medicine, 2009, 37, 376-382.	0.3	12
129	The effect of ethyl pyruvate on dapsone-induced methemoglobinemia in rats. Clinical Toxicology, 2008, 46, 811-814.	0.8	6
130	Characteristics of Injuries Associated with Electric Personal Mobility Devices: A Nationwide Cross-Sectional Study in South Korea. Journal of Trauma and Injury, 0, , .	0.2	1
131	Changes in Biomarkers and Hemodynamics According to Antibiotic Susceptibility in a Model of Bacteremia. Microbiology Spectrum, 0, , .	1.2	1