Tomohiro Matsuo

List of Publications by Citations

Source: https://exaly.com/author-pdf/6944900/tomohiro-matsuo-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 588 16 21 h-index g-index citations papers 3.85 745 75 3.4 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
61	High expression of HuR in cytoplasm, but not nuclei, is associated with malignant aggressiveness and prognosis in bladder cancer. <i>PLoS ONE</i> , 2013 , 8, e59095	3.7	44
60	A Mini-Review of Reactive Oxygen Species in Urological Cancer: Correlation with NADPH Oxidases, Angiogenesis, and Apoptosis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	37
59	Anticancer Effects of Green Tea and the Underlying Molecular Mechanisms in Bladder Cancer. <i>Medicines (Basel, Switzerland)</i> , 2018 , 5,	4.1	34
58	CD105 is a more appropriate marker for evaluating angiogenesis in urothelial cancer of the upper urinary tract than CD31 or CD34. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 673-9	5.1	31
57	Human antigen R is positively associated with malignant aggressiveness via upregulation of cell proliferation, migration, and vascular endothelial growth factors and cyclooxygenase-2 in prostate cancer. <i>Translational Research</i> , 2016 , 175, 116-28	11	25
56	Daily salt intake is an independent risk factor for pollakiuria and nocturia. <i>International Journal of Urology</i> , 2017 , 24, 384-389	2.3	23
55	Pathological Characteristics of Periodontal Disease in Patients with Chronic Kidney Disease and Kidney Transplantation. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	23
54	Relationship between prostaglandin E2 receptors and clinicopathologic features in human prostate cancer tissue. <i>Urology</i> , 2006 , 68, 1360-5	1.6	21
53	Green Tea Polyphenol Induces Changes in Cancer-Related Factors in an Animal Model of Bladder Cancer. <i>PLoS ONE</i> , 2017 , 12, e0171091	3.7	20
52	High expression of Twist is associated with tumor aggressiveness and poor prognosis in patients with renal cell carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2014 , 7, 3158-65	1.4	20
51	Pathological significance and prognostic implications of heme oxygenase 1 expression in non-muscle-invasive bladder cancer: Correlation with cell proliferation, angiogenesis, lymphangiogenesis and expression of VEGFs and COX-2. <i>Oncology Letters</i> , 2017 , 13, 275-280	2.6	18
50	The efficacy of mirabegron additional therapy for lower urinary tract symptoms after treatment with II-adrenergic receptor blocker monotherapy: prospective analysis of elderly men. <i>BMC Urology</i> , 2016 , 16, 45	2.2	18
49	Tumor-associated stromal cells expressing E-prostanoid 2 or 3 receptors in prostate cancer: correlation with tumor aggressiveness and outcome by angiogenesis and lymphangiogenesis. <i>Urology</i> , 2013 , 81, 136-42	1.6	17
48	Met in urological cancers. <i>Cancers</i> , 2014 , 6, 2387-403	6.6	17
47	Effect of salt intake reduction on nocturia in patients with excessive salt intake. <i>Neurourology and Urodynamics</i> , 2019 , 38, 927-933	2.3	16
46	A Review of Oxidative Stress and Urinary Dysfunction Caused by Bladder Outlet Obstruction and Treatments Using Antioxidants. <i>Antioxidants</i> , 2019 , 8,	7.1	16
45	Pathological significance and predictive value for biochemical recurrence of c-Fes expression in prostate cancer. <i>Prostate</i> , 2012 , 72, 201-8	4.2	13

(2018-2013)

44	Efficacy of prosultiamine treatment in patients with human T lymphotropic virus type I-associated myelopathy/tropical spastic paraparesis: results from an open-label clinical trial. <i>BMC Medicine</i> , 2013 , 11, 182	11.4	13
43	Left atrial metastasis of renal cell carcinoma: a case report and review of the literature. <i>BMC Research Notes</i> , 2014 , 7, 520	2.3	12
42	Periodontal Disease in Patients Receiving Dialysis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
41	A pilot study to assess the safety and usefulness of combined transurethral endoscopic mucosal resection and en-bloc resection for non-muscle invasive bladder cancer. <i>BMC Urology</i> , 2019 , 19, 56	2.2	11
40	High density of tryptase-positive mast cells in patients with renal cell carcinoma on hemodialysis: correlation with expression of stem cell factor and protease activated receptor-2. <i>Human Pathology</i> , 2012 , 43, 888-97	3.7	11
39	Pathological significance and prognostic roles of densities of CD57+ cells, CD68+ cells, and mast cells, and their ratios in clear cell renal cell carcinoma. <i>Human Pathology</i> , 2018 , 79, 102-108	3.7	10
38	The Pathological Significance and Prognostic Roles of Thrombospondin-1, and -2, and 4N1K-peptide in Bladder Cancer. <i>Anticancer Research</i> , 2019 , 39, 2317-2324	2.3	9
37	Safety and efficacy of combination therapy with low-dose gemcitabine, paclitaxel, and sorafenib in patients with cisplatin-resistant urothelial cancer. <i>Medical Oncology</i> , 2015 , 32, 235	3.7	9
36	Oral Intake of Royal Jelly Has Protective Effects Against Tyrosine Kinase Inhibitor-Induced Toxicity in Patients with Renal Cell Carcinoma: A Randomized, Double-Blinded, Placebo-Controlled Trial. <i>Medicines (Basel, Switzerland)</i> , 2018 , 6,	4.1	9
35	Use of low-dose combined therapy with gemcitabine and paclitaxel for advanced urothelial cancer patients with resistance to cisplatin-containing therapy: a retrospective analysis. <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 70, 451-9	3.5	8
34	Pathologic significance and prognostic value of phosphorylated cortactin expression in patients with sarcomatoid renal cell carcinoma. <i>Urology</i> , 2011 , 78, 476.e9-15	1.6	8
33	Efficacy and safety of sunitinib alternate day regimen in patients with metastatic renal cell carcinoma in Japan: Comparison with standard 4/2 schedule. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018 , 14, 153-158	1.9	7
32	Stage-specific embryonic antigen-4 is a histological marker reflecting the malignant behavior of prostate cancer. <i>Glycoconjugate Journal</i> , 2019 , 36, 409-418	3	7
31	Expression of Class III Beta-tubulin Predicts Prognosis in Patients with Cisplatin-resistant Bladder Cancer Receiving Paclitaxel-based Second-line Chemotherapy. <i>Anticancer Research</i> , 2018 , 38, 1629-1635	52.3	7
30	Efficacy of Tadalafil Therapy and Changes in Oxidative Stress Levels in Male Patients with Lower Urinary Tract Symptoms and Overactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2020 , 12, 47-53	1.9	7
29	Neoadjuvant hormonal therapy for low-risk prostate cancer induces biochemical recurrence after radical prostatectomy via increased lymphangiogenesis-related parameters. <i>Prostate</i> , 2017 , 77, 1408-14	1 1 52	6
28	Efficacy of mirabegron for overactive bladder with human T cell lymphotropic virus-1 associated myelopathy. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, O65-O70	1.9	6
27	High Consumption of Green Tea Suppresses Urinary Tract Recurrence of Urothelial Cancer Down-regulation of Human Antigen-R Expression in Never Smokers. <i>In Vivo</i> , 2018 , 32, 721-729	2.3	5

26	Relationship Between Stage-specific Embryonic Antigen-4 and Anti-cancer Effects of Neoadjuvant Hormonal Therapy in Prostate Cancer. <i>Anticancer Research</i> , 2020 , 40, 5567-5575	2.3	4
25	Present Status, Limitations and Future Directions of Treatment Strategies Using Fucoidan-Based Therapies in Bladder Cancer. <i>Cancers</i> , 2020 , 12,	6.6	4
24	Pharmacological Effects and Potential Clinical Usefulness of Polyphenols in Benign Prostatic Hyperplasia. <i>Molecules</i> , 2021 , 26,	4.8	4
23	Pathological and Pharmacological Roles of Mitochondrial Reactive Oxygen Species in Malignant Neoplasms: Therapies Involving Chemical Compounds, Natural Products, and Photosensitizers. <i>Molecules</i> , 2020 , 25,	4.8	3
22	Human antigen R as a predictive marker for response to gemcitabine-based chemotherapy in advanced cisplatin-resistant urothelial cancer. <i>Oncology Letters</i> , 2017 , 13, 811-818	2.6	2
21	Creation and validation of a bladder dysfunction symptom score for HTLV-1-associated myelopathy/tropical spastic paraparesis. <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 175	4.2	2
20	Prosultiamine for treatment of lower urinary tract dysfunction accompanied by human T-lymphotropic virus type 1-associated myelopathy/tropical spastic paraparesis. <i>International Journal of Urology</i> , 2018 , 25, 54-60	2.3	2
19	Four-weekly Low-dose Gemcitabine and Paclitaxel in Patients With Platinum-resistant Urothelial Cancer and Performance Status 2/3. <i>In Vivo</i> , 2019 , 33, 2217-2224	2.3	2
18	Changes in Lymphangiogenesis and Vascular Endothelial Growth Factor Expression by Neo-Adjuvant Hormonal Therapy in Prostate Cancer Patients. <i>Prostate</i> , 2017 , 77, 255-262	4.2	2
17	Recovery from life-threatening pelvic organ prolapse in an 80-year-old Japanese woman: a case report. <i>Clinical Case Reports (discontinued)</i> , 2014 , 2, 118-21	0.7	2
16	Renoprotective effects of telmisartan after unilateral renal ablation in rats. <i>International Journal of Nephrology and Renovascular Disease</i> , 2013 , 6, 207-14	2.5	2
15	Efficacy of salt reduction for managing overactive bladder symptoms: a prospective study in patients with excessive daily salt intake. <i>Scientific Reports</i> , 2021 , 11, 4046	4.9	2
14	Oral administration of E-type prostanoid (EP) 1 receptor antagonist suppresses carcinogenesis and development of prostate cancer via upregulation of apoptosis in an animal model. <i>Scientific Reports</i> , 2021 , 11, 20279	4.9	1
13	Detection of Novel Urine Markers Using Immune Complexome Analysis in Bladder Cancer Patients: A Preliminary Study. <i>In Vivo</i> , 2021 , 35, 2073-2080	2.3	1
12	Pathological Significance and Prognostic Roles of Thrombospondin-3, 4 and 5 in Bladder Cancer. <i>In Vivo</i> , 2021 , 35, 1693-1701	2.3	1
11	Presurgical bladder wall thickness is a useful marker to predict the postsurgical improvement of symptoms in patients with pelvic organ prolapse-related overactive bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021 , 13, 347-355	1.9	1
10	Age-associated bladder and urethral coordination impairment and changes in urethral oxidative stress in rats. <i>Life Sciences</i> , 2021 , 279, 119690	6.8	1
9	Effect of oral intake of royal jelly on endothelium function in hemodialysis patients: study protocol for multicenter, double-blind, randomized control trial <i>Trials</i> , 2021 , 22, 950	2.8	1

LIST OF PUBLICATIONS

8	Pathological roles of c-Met in bladder cancer: Association with cyclooxygenase-2, heme oxygenase-1, vascular endothelial growth factor-A and programmed death ligand 1. <i>Oncology Letters</i> , 2020 , 20, 135-144	2.6	О
7	Excessive accumulation of visceral fat is associated with lower urinary symptoms including overactive bladder in female patients. <i>International Journal of Urology</i> , 2021 , 28, 397-403	2.3	0
6	Editorial Comment to Nutrient intake and urinary incontinence in Korean women: A propensity score-matched analysis from the Korea National Health and Nutrition Examination Survey data. <i>International Journal of Urology</i> , 2017 , 24, 797-798	2.3	
5	Alternative Treatment with Every-Other-Day Dosing of Sunitinib for Metastatic Renal Cell Carcinoma: Extended Follow-Up <i>Urologia Internationalis</i> , 2022 , 1-7	1.9	
4	Intravesical injection of onabotulinumtoxinA in neurogenic overactive bladder patients with human T-cell leukemia virus type 1-associated myelopathy: A single-institution case series. <i>IJU Case Reports</i> , 2021 , 4, 251-254	0.5	
3	Editorial Comment to Green-light laser en bloc resection versus conventional transurethral resection for initial non-muscle-invasive bladder cancer: A randomized controlled trial. <i>International Journal of Urology</i> , 2021 , 28, 860-861	2.3	
2	Editorial Comment to Does cognitive behavioral therapy using a self-check sheet improve night-time frequency in patients with nocturia? Results of a multicenter randomized controlled trial. <i>International Journal of Urology</i> , 2021 , 28, 449	2.3	
1	Pathological significance and prognostic role of LATS2 in prostate cancer. <i>Prostate</i> , 2021 , 81, 1252-126	04.2	