Seyyed Mohammad Reza Kazemi-Bajes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6945712/publications.pdf

Version: 2024-02-01



Seyyed Mohammad Reza

#	Article	IF	CITATIONS
1	Rapid atrophy of cardiac left ventricular mass in patients with nonâ€small cell carcinoma of the lung. Journal of Cachexia, Sarcopenia and Muscle, 2019, 10, 1070-1082.	7.3	21
2	The Effect of Platelet Rich Plasma on Hair Reâ€growth in Patients with Alopecia Areata Totalis: a Clinical Pilot Study. Dermatologic Therapy, 2019, 32, e12989.	1.7	14
3	Undiagnosed cardiac deficits in non-small cell carcinoma patients in the candidate population for anti-cachexia clinical trials. Supportive Care in Cancer, 2019, 27, 1551-1561.	2.2	9
4	High fat mass associates with occurrence of targeted therapy-induced left ventricular ejection fraction reduction in patients with renal cell carcinoma. Clinical Nutrition, 2018, 37, 1070-1072.	5.0	1
5	Adherence to a Dash-style diet in relation to depression and aggression in adolescent girls. Psychiatry Research, 2018, 259, 104-109.	3.3	28
6	Dietary behaviors in relation to prevalence of irritable bowel syndrome in adolescent girls. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 404-410.	2.8	29
7	Depression and anxiety both associate with serum level of hs-CRP: A gender-stratified analysis in a population-based study. Psychoneuroendocrinology, 2017, 81, 63-69.	2.7	95
8	Serum high C reactive protein concentrations are related to the intake of dietary macronutrients and fiber: Findings from a large representative Persian population sample. Clinical Biochemistry, 2017, 50, 750-755.	1.9	19
9	The prevalence of metabolic syndrome increases with serum high sensitivity C-reactive protein concentration in individuals without a history of cardiovascular disease: a report from a large Persian cohort. Annals of Clinical Biochemistry, 2017, 54, 644-648.	1.6	13
10	Rheumatoid Arthritis Disadvantages Younger Patients for Cardiovascular Diseases: A Meta-Analysis. PLoS ONE, 2016, 11, e0157360.	2.5	43
11	Concurrent depletion of skeletal muscle, fat, and left ventricular mass in patients with cirrhosis of the liver. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 97-99.	7.3	13
12	Development of a validated algorithm for the diagnosis of paediatric asthma in electronic medical records. Npj Primary Care Respiratory Medicine, 2016, 26, 16085.	2.6	14
13	Computed tomography-defined muscle and fat wasting are associated with cancer clinical outcomes. Seminars in Cell and Developmental Biology, 2016, 54, 2-10.	5.0	227
14	Obesity Paradox versus Frailty Syndrome in First-Ever Ischemic Stroke Survivors. International Journal of Stroke, 2015, 10, E75-E75.	5.9	2
15	Concurrent evolution of cancer cachexia and heart failure: bilateral effects exist. Journal of Cachexia, Sarcopenia and Muscle, 2014, 5, 95-104.	7.3	62
16	Cardiovascular Risk Factors and Nutritional Intake are not Associated with Ultrasound-defined Increased Carotid Intima Media Thickness in Individuals Without a History of Cardiovascular Events. International Journal of Preventive Medicine, 2014, 5, 1412-21.	0.4	5
17	Clinical outcomes related to muscle mass in humans with cancer and catabolic illnesses. International Journal of Biochemistry and Cell Biology, 2013, 45, 2302-2308.	2.8	120
18	A High Prevalence of Carotid Artery Stenosis in Male Patients Older Than 65 Years, Irrespective of Presenting Clinical Manifestation of Atherosclerotic Diseases. Angiology, 2013, 64, 281-286.	1.8	3

Seyyed Mohammad Reza

#	Article	IF	CITATIONS
19	Concept of atherosclerosis velocity: is it a better measure of cardiovascular risk?. Iranian Journal of Medical Sciences, 2013, 38, 210-20.	0.4	1
20	Lunar phase cycle and psychiatric hospital emergency visits, inpatient admissions and aggressive behavior. Asian Journal of Psychiatry, 2011, 4, 45-50.	2.0	14
21	Changes in pro-oxidant–antioxidant balance after bare metal and drug eluting stent implantation in patients with stable coronary disease. Clinical Biochemistry, 2011, 44, 160-164.	1.9	8
22	Serum Inflammatory and Immune Marker Response After Bare-Metal or Drug-Eluting Stent Implantation Following Percutaneous Coronary Intervention. Angiology, 2011, 62, 184-190.	1.8	10
23	Metabolic Syndrome May Not be a Good Predictor of Coronary Artery Disease in the Iranian Population: Population-Specific Definitions are Required. Scientific World Journal, The, 2009, 9, 86-96.	2.1	23
24	Serum Selenium and Glutathione Peroxidase Concentrations in Iranian Patients with Angiography-Defined Coronary Artery Disease. Angiology, 2009, 60, 186-191.	1.8	17
25	The relationship between established coronary risk factors and serum copper and zinc concentrations in a large Persian Cohort. Journal of Trace Elements in Medicine and Biology, 2009, 23, 167-175.	3.0	65
26	Omega-3 fatty acid supplements improve the cardiovascular risk profile of subjects with metabolic syndrome, including markers of inflammation and auto-immunity. Acta Cardiologica, 2009, 64, 321-327.	0.9	102
27	Prooxidant–antioxidant balance as a new risk factor in patients with angiographically defined coronary artery disease. Clinical Biochemistry, 2008, 41, 375-380.	1.9	110
28	Natural Honey and Cardiovascular Risk Factors; Effects on Blood Glucose, Cholesterol, Triacylglycerole, CRP, and Body Weight Compared with Sucrose. Scientific World Journal, The, 2008, 8, 463-469.	2.1	134
29	Serum zinc and copper status in dyslipidaemic patients with and without established coronary artery disease. Clinical Laboratory, 2008, 54, 321-9.	0.5	18
30	Serum copper and zinc concentrations are lower in Iranian patients with angiographically defined coronary artery disease than in subjects with a normal angiogram. Journal of Trace Elements in Medicine and Biology, 2007, 21, 22-28.	3.0	42
31	C-reactive protein associated with coronary artery disease in Iranian patients with angiographically defined coronary artery disease. Clinical Laboratory, 2007, 53, 49-56.	0.5	21