Stavros Hatzopoulos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6945843/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Vocal Problems Among Teachers: Evaluation of a Preventive Voice Program. Journal of Voice, 2007, 21, 705-722.	1.5	125
2	Autoimmune inner ear disease (AIED): A diagnostic challenge. International Journal of Immunopathology and Pharmacology, 2018, 32, 205873841880868.	2.1	65
3	The relationship between distortion product otoacoustic emissions and extended high-frequency audiometry in tinnitus patients. Part 1: Normally hearing patients with unilateral tinnitus. Medical Science Monitor, 2012, 18, CR765-CR770.	1.1	57
4	Cochlear Repair by Transplantation of Human Cord Blood CD133+ Cells to Nod-Scid Mice Made Deaf with Kanamycin and Noise. Cell Transplantation, 2008, 17, 665-678.	2.5	49
5	SARS-CoV-2 (COVID-19) and audio-vestibular disorders. International Journal of Immunopathology and Pharmacology, 2021, 35, 205873842110273.	2.1	48
6	A Hearing Screening Program for Children in Primary Schools in Tajikistan: A Telemedicine Model. Medical Science Monitor, 2016, 22, 2424-2430.	1.1	46
7	Cochlear implant and inflammation reaction: Safety study of a new steroid-eluting electrode. Hearing Research, 2016, 336, 44-52.	2.0	40
8	Dose-dependent protection on cisplatin-induced ototoxicity – an electrophysiological study on the effect of three antioxidants in the Sprague-Dawley rat animal model. Medical Science Monitor, 2011, 17, BR179-BR186.	1.1	34
9	Evaluation of Cisplatin Ototoxicity in a Rat Animal Model. Annals of the New York Academy of Sciences, 1999, 884, 211-225.	3.8	32
10	Evaluation of anesthesia effects in a rat animal model using otoacoustic emission protocols. Hearing Research, 2002, 170, 12-21.	2.0	29
11	Comparison of transient otoacoustic emission responses from neonatal and adult ears. Journal of Applied Physiology, 2002, 92, 2521-2528.	2.5	26
12	RNA expression induced by cisplatin in an organ of Corti-derived immortalized cell line. Hearing Research, 2004, 196, 8-18.	2.0	25
13	Otoacoustic emissions latency difference between full-term and preterm neonates. Hearing Research, 2007, 231, 54-62.	2.0	24
14	The universal newborn hearing screening program at the University Hospital of Ferrara: Focus on costs and software solutions. International Journal of Pediatric Otorhinolaryngology, 2008, 72, 807-816.	1.0	23
15	Cochlear Implants in Subjects Over Age 65: Quality of Life and Audiological Outcomes. Medical Science Monitor, 2016, 22, 3035-3042.	1.1	22
16	Neonatal hearing screening in Albania: Results from an ongoing universal screening program. International Journal of Audiology, 2007, 46, 176-182.	1.7	21
17	A Soft-Surgery Approach to Minimize Hearing Damage Caused by the Insertion of a Cochlear Implant Electrode. Otology and Neurotology, 2014, 35, 1440-1445.	1.3	21
18	Coenzyme Q10 plus Multivitamin Treatment Prevents Cisplatin Ototoxicity in Rats. PLoS ONE, 2016, 11, e0162106.	2.5	21

STAVROS HATZOPOULOS

#	Article	IF	CITATIONS
19	Different strategies in treating noiseinduced hearing loss with N-acetylcysteine. Medical Science Monitor, 2008, 14, BR159-64.	1.1	21
20	A TEOAE Screening Protocol Based on Linear Click Stimuli: Performance and Scoring Criteria. Acta Oto-Laryngologica, 1999, 119, 135-139.	0.9	19
21	Ototoxic effects of cisplatin in a Sprague–Dawley rat animal model as revealed by ABR and transiently evoked otoacoustic emission measurements. Hearing Research, 2002, 170, 70-82.	2.0	18
22	A connection between the Efferent Auditory System and Noise-Induced Tinnitus Generation. Reduced contralateral suppression of TEOAEs in patients with noise-induced tinnitus. Medical Science Monitor, 2011, 17, MT56-MT62.	1.1	18
23	A new oral otoprotective agent. Part 1: Electrophysiology data from protection against noise-induced hearing loss. Medical Science Monitor, 2012, 18, BR1-BR8.	1.1	17
24	Sensorineural Hearing Loss Post-COVID-19 Infection: An Update. Audiology Research, 2022, 12, 307-315.	1.8	17
25	Efficient Otoacoustic Emission Protocols Employed in a Hospital-based Neonatal Screening Program. Acta Oto-Laryngologica, 2001, 121, 269-273.	0.9	16
26	Time-Frequency Analyses of TEOAE Recordings from Normals and SNHL Patients. International Journal of Audiology, 2000, 39, 1-12.	1.7	15
27	Comparison of Neonatal Transient Evoked Otoacoustic Emission Responses Recorded with Linear and QuickScreen Protocols. International Journal of Audiology, 2000, 39, 70-79.	1.7	15
28	Optimizing Otoacoustic Emission Protocols for a UNHS Program. Audiology and Neuro-Otology, 2009, 14, 7-16.	1.3	15
29	Assessment Tools for Use in Patients with Ménière Disease: An Update. Medical Science Monitor, 2017, 23, 6144-6149.	1.1	15
30	Use of zebrafish larvae lateral line to study protection against cisplatin-induced ototoxicity: A scoping review. International Journal of Immunopathology and Pharmacology, 2020, 34, 205873842095955.	2.1	15
31	Cisplatin Ototoxicity in the Sprague Dawley Rat Evaluated by Distortion Product Otoacoustic Emissions:Ototoxicidad por Cisplatino en la rata Sprague Dawley evaluada mediante productos de distorsión de las emisiones otoacústicas. International Journal of Audiology, 2001, 40, 253-264.	1.7	14
32	A Report of Extended High Frequency Audiometry Thresholds in School-Age Children with No Hearing Complaints. Audiology Research, 2012, 2, e8.	1.8	14
33	Gender differences in audio-vestibular disorders. International Journal of Immunopathology and Pharmacology, 2020, 34, 205873842092917.	2.1	14
34	>Detection of Age-Related Hearing Losses (ARHL) via Transient-Evoked Otoacoustic Emissions. Clinical Interventions in Aging, 2020, Volume 15, 927-935.	2.9	14
35	Estimation of pure-tone thresholds in adults using extrapolated distortion product otoacoustic emission input/output-functions and auditory steady state responses. International Journal of Audiology, 2009, 48, 625-631.	1.7	13
36	Sudden sensorineural hearing loss: Is there a connection with inner ear electrolytic disorders? A literature review. International Journal of Immunopathology and Pharmacology, 2016, 29, 595-602.	2.1	13

#	Article	IF	CITATIONS
37	Speech-evoked brainstem response in normal adolescent and children speakers of Brazilian Portuguese. International Journal of Pediatric Otorhinolaryngology, 2016, 90, 12-19.	1.0	13
38	Optimization of TEOAE recording protocols: A linear protocol derived from parameters of a time-frequency analysis: a pilot study on neonatal subjects. Scandinavian Audiology, 2000, 29, 21-27.	0.5	12
39	Evaluation of the Bonebridge BCI 602 active bone conductive implant in adults: efficacy and stability of audiological, surgical, and functional outcomes. European Archives of Oto-Rhino-Laryngology, 2022, 279, 3525-3534.	1.6	12
40	An Analysis of The Parameters Used In Speech ABR Assessment Protocols. Journal of International Advanced Otology, 2018, 14, 100-105.	1.0	11
41	Otoacoustic emissions in neonates measured with different acquisition protocols. International Journal of Pediatric Otorhinolaryngology, 2012, 76, 382-387.	1.0	9
42	Effect of noise conditioning on cisplatin-induced ototoxicity: a pilot study. Medical Science Monitor, 2009, 15, BR173-7.	1.1	9
43	Hearing threshold prediction with Auditory Steady State Responses and estimation of correction functions to compensate for differences with behavioral data, in adult subjects. Part 1: Audera and CHARTR EP devices. Medical Science Monitor, 2012, 18, MT47-MT53.	1.1	8
44	Clinical Applicability of Transient Evoked Otoacoustic Emissions: Identification and Classification of Hearing Loss. Audiology and Neuro-Otology, 1998, 3, 402-418.	1.3	7
45	Electrophysiological findings in the Sprague–Dawley rat induced by moderate-dose carboplatin. Hearing Research, 2003, 182, 48-55.	2.0	7
46	Alteration of distortion product otoacoustic emission input/output functions in subjects with a previous history of middle ear dysfunction. Medical Science Monitor, 2012, 18, MT27-MT31.	1.1	7
47	Otoacoustic emissions at different click intensities: invariant and subject-dependent features. Journal of Applied Physiology, 2003, 95, 2299-2305.	2.5	6
48	Clinical features of benign paroxysmal positional vertigo of the posterior semicircular canal. SAGE Open Medicine, 2019, 7, 205031211882292.	1.8	6
49	Rehabilitation of Severe to Profound Sensorineural Hearing Loss in Adults: Audiological Outcomes. Ear, Nose and Throat Journal, 2021, 100, 215S-219S.	0.8	5
50	New clinical insights for transiently evoked otoacoustic emission protocols. Medical Science Monitor, 2009, 15, CR403-8.	1.1	5
51	Methylphenidate effects on P300 responses from children and adolescents. International Journal of Pediatric Otorhinolaryngology, 2017, 96, 152-155.	1.0	4
52	Ototoxicity prevention during the SARS-CoV-2 (COVID-19) emergency. Journal of Global Antimicrobial Resistance, 2020, 23, 263-264.	2.2	4
53	Genetic Polymorphisms in Sudden Sensorineural Hearing Loss: An Update. Ear, Nose and Throat Journal, 2021, 100, 337S-342S.	0.8	4
54	A pilot study on assessing hearing threshold using the Cochlea-Scan. Medical Science Monitor, 2008, 14, MT7-11.	1.1	4

#	Article	IF	CITATIONS
55	An Animal Model Based on the Sprague Dawley Rat for the Evaluation of Ototoxicity. Annals of the New York Academy of Sciences, 1999, 884, 85-98.	3.8	3
56	Correlations between risk factors for hearing impairment and TEOAE screening test outcome in neonates at risk for hearing loss. Scandinavian Audiology, 2001, 30, 15-17.	0.5	3
57	Pitfalls in the Detection of Hearing Loss via Otoacoustic Emissions. Applied Sciences (Switzerland), 2021, 11, 2184.	2.5	3
58	Threshold estimation in adult normal- and impaired-hearing subjects using auditory steady-state responses. Medical Science Monitor, 2010, 16, CR21-7.	1.1	3
59	Time-Frequency Properties of Neonatal Transiently Evoked Otoacoustic Emissions Measured in Three Different Acquisition Modes. Journal of International Advanced Otology, 2014, 10, 52-55.	1.0	2
60	Relationship Between Distortion Product – Otoacoustic Emissions (DPOAEs) and High-Frequency Acoustic Immittance Measures. Medical Science Monitor, 2016, 22, 2028-2034.	1.1	2
61	Hearing balance and communication between history and future developments. Hearing, Balance and Communication, 2021, 19, 1-3.	0.4	2
62	TEOAE-Based Estimation of the Auditory Threshold in the Mid-Octave Frequencies. International Journal of Audiology, 1999, 33, 415-422.	0.7	1
63	Pharmacological otoprotection strategies against cisplatin-induced ototoxicity. Audiological Medicine, 2007, 5, 154-159.	0.4	1
64	Contralateral suppression of otoacoustic emissions: Input-Output functions in neonates. Medical Science Monitor, 2011, 17, CR557-CR562.	1.1	1
65	Technological advances in Universal Neonatal Hearing Screening (UNHS). Hearing, Balance and Communication, 2013, 11, 104-109.	0.4	1
66	OAEs and Meniere Disease. , 0, , .		1
67	Differences between Pressurized and Non-Pressurized Transient-Evoked Otoacoustic Emissions in Neonatal Subjects. Audiology and Neuro-Otology, 2021, 26, 346-352.	1.3	1
68	The Pathogenesis of secondary forms of Autoimmune Inner Ear Disease (AIED): advancing beyond the audiogram data. Expert Review of Clinical Immunology, 2021, 17, 233-246.	3.0	1
69	Advances in Pediatric and Adult Cochlear Implant and Middle Ear Prostheses. Journal of Clinical Medicine, 2021, 10, 3152.	2.4	1
70	Protective effects of minocycline and MDL 28170 in gentamicin ototoxicity. Audiological Medicine, 2006, 4, 134-143.	0.4	0
71	Future directions in neonatal hearing screening. Audiological Medicine, 2006, 4, 94-98.	0.4	0

0

#	Article	IF	CITATIONS
73	The International Association of Physicians in Audiology: from the Bulletin to HBC, a history 40 years long. Hearing, Balance and Communication, 2021, 19, 292-293.	0.4	0