Carlos Henrique Castro

List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/6945896/carlos-henrique-castro-publications-by-citations.pdf$

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

1,233
citations

16
h-index

35
g-index

44
ext. papers

4.6
avg, IF

L-index

#	Paper	IF	Citations
40	Angiotensin-(1-7) counterregulates angiotensin II signaling in human endothelial cells. <i>Hypertension</i> , 2007 , 50, 1093-8	8.5	218
39	Impairment of in vitro and in vivo heart function in angiotensin-(1-7) receptor MAS knockout mice. <i>Hypertension</i> , 2006 , 47, 996-1002	8.5	189
38	Evidence for a functional interaction of the angiotensin-(1-7) receptor Mas with AT1 and AT2 receptors in the mouse heart. <i>Hypertension</i> , 2005 , 46, 937-42	8.5	145
37	Genetic deletion of the angiotensin-(1-7) receptor Mas leads to glomerular hyperfiltration and microalbuminuria. <i>Kidney International</i> , 2009 , 75, 1184-1193	9.9	113
36	Angiotensin-converting enzyme 2 activation improves endothelial function. <i>Hypertension</i> , 2013 , 61, 123	338gs	71
35	New cardiovascular and pulmonary therapeutic strategies based on the Angiotensin-converting enzyme 2/angiotensin-(1-7)/mas receptor axis. <i>International Journal of Hypertension</i> , 2012 , 2012, 14782	!5 ^{2.4}	51
34	Isoproterenol-induced impairment of heart function and remodeling are attenuated by the nonpeptide angiotensin-(1-7) analogue AVE 0991. <i>Life Sciences</i> , 2007 , 81, 916-23	6.8	49
33	Effects of genetic deletion of angiotensin-(1-7) receptor Mas on cardiac function during ischemia/reperfusion in the isolated perfused mouse heart. <i>Life Sciences</i> , 2006 , 80, 264-8	6.8	42
32	Attenuation of isoproterenol-induced cardiac fibrosis in transgenic rats harboring an angiotensin-(1-7)-producing fusion protein in the heart. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2010 , 4, 83-96	3.4	41
31	Angiotensin-(1-7) receptor Mas is an essential modulator of extracellular matrix protein expression in the heart. <i>Regulatory Peptides</i> , 2012 , 175, 30-42		34
3 0	Angiotensin II type 1 receptor blockade restores angiotensin-(1-7)-induced coronary vasodilation in hypertrophic rat hearts. <i>Clinical Science</i> , 2013 , 125, 449-59	6.5	34
29	Renal function in transgenic rats expressing an angiotensin-(1-7)-producing fusion protein. <i>Regulatory Peptides</i> , 2006 , 137, 128-33		30
28	PnPP-19, a Synthetic and Nontoxic Peptide Designed from a Phoneutria nigriventer Toxin, Potentiates Erectile Function via NO/cGMP. <i>Journal of Urology</i> , 2015 , 194, 1481-90	2.5	29
27	Abolition of reperfusion-induced arrhythmias in hearts from thiamine-deficient rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H394-401	5.2	24
26	Kinin B1 receptor participates in the control of cardiac function in mice. <i>Life Sciences</i> , 2007 , 81, 814-22	6.8	22
25	Vasodilator Effect of Angiotensin-(1-7) on Vascular Coronary Bed of Rats: Role of Mas, ACE and ACE2. <i>Protein and Peptide Letters</i> , 2017 , 24, 869-875	1.9	17
24	Stimulation of the ACE2/Ang-(1-7)/Mas axis in hypertensive pregnant rats attenuates cardiovascular dysfunction in adult male offspring. <i>Hypertension Research</i> , 2019 , 42, 1883-1893	4.7	16

23	Cardioprotective effects of diminazene aceturate in pressure-overloaded rat hearts. <i>Life Sciences</i> , 2016 , 155, 63-9	6.8	15
22	Manganese ferrite-based nanoparticles induce ex vivo, but not in vivo, cardiovascular effects. <i>International Journal of Nanomedicine</i> , 2014 , 9, 3299-312	7.3	13
21	Investigation of the cardiomyocyte dysfunction in bradykinin type 2 receptor knockout mice. <i>Life Sciences</i> , 2010 , 87, 715-23	6.8	12
20	A1 noradrenergic neurons lesions reduce natriuresis and hypertensive responses to hypernatremia in rats. <i>PLoS ONE</i> , 2013 , 8, e73187	3.7	11
19	Endothelium-Dependent Vasorelaxant Effect of Butanolic Fraction from Caryocar brasiliense Camb. Leaves in Rat Thoracic Aorta. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 9347	142 ³	9
18	The Newly Synthesized Pyrazole Derivative 5-(1-(3 Fluorophenyl)-1-Pyrazol-4-yl)-2-Tetrazole Reduces Blood Pressure of Spontaneously Hypertensive Rats NO/cGMO Pathway. <i>Frontiers in Physiology</i> , 2018 , 9, 1073	4.6	7
17	Blockade of Rostral Ventrolateral Medulla (RVLM) Bombesin Receptor Type 1 Decreases Blood Pressure and Sympathetic Activity in Anesthetized Spontaneously Hypertensive Rats. <i>Frontiers in Physiology</i> , 2016 , 7, 205	4.6	7
16	Induction of apoptosis in Ehrlich ascites tumour cells via p53 activation by a novel small-molecule MDM2 inhibitor - LQFM030. <i>Journal of Pharmacy and Pharmacology</i> , 2016 , 68, 1143-59	4.8	7
15	Cardiovascular effects of small peptides of the renin angiotensin system. <i>Physiological Reports</i> , 2017 , 5, e13505	2.6	5
14	Mas receptor contributes to pregnancy-induced cardiac remodelling. <i>Clinical Science</i> , 2016 , 130, 2305-2	36. G	4
13	Influence of antihypertensive drugs on aortic and coronary effects of Ang-(1-7) in pressure-overloaded rats. <i>Brazilian Journal of Medical and Biological Research</i> , 2017 , 50, e5520	2.8	3
12	High salt intake during puberty leads to cardiac remodelling and baroreflex impairment in lean and obese male Wistar rats. <i>British Journal of Nutrition</i> , 2020 , 123, 642-651	3.6	3
11	Oxidonitrergic and antioxidant effects of a low molecular weight peptide fraction from hardened bean (Phaseolus vulgaris) on endothelium. <i>Brazilian Journal of Medical and Biological Research</i> , 2021 , 54, e10423	2.8	3
10	Novel choline analog 2-(4-((1-phenyl-1H-pyrazol-4-yl)methyl)piperazin-1-yl)ethan-1-ol produces sympathoinhibition, hypotension, and antihypertensive effects. <i>Naunyn-Schmiedebergs Archives of Pharmacology</i> , 2019 , 392, 1071-1083	3.4	2
9	Behavioral effects evoked by the beta globin-derived nonapeptide LVV-H6. <i>Peptides</i> , 2019 , 115, 59-68	3.8	2
8	Effect of angiotensin II and angiotensin-(1-7) on proliferation of stem cells from human dental apical papilla. <i>Journal of Cellular Physiology</i> , 2021 , 236, 366-378	7	1
7	BJ-PRO-7A and BJ-PRO-10C induce vasodilatation and inotropic effects in normotensive and hypertensive rats: Role of nitric oxide and muscarinic receptors. <i>Peptides</i> , 2018 , 110, 1-9	3.8	1
6	Combined oral contraceptives promote androgen receptor and oestrogen receptor alpha upregulation in the female prostate (Skene's paraurethral glands) of adult gerbils (Meriones unguiculatus). <i>Reproduction, Fertility and Development</i> , 2018 , 30, 1286-1297	1.8	1

5	Maternal postnatal early overfeeding induces sex-related cardiac dysfunction and alters sexually hormones levels in young offspring <i>Journal of Nutritional Biochemistry</i> , 2022 , 108969	6.3	1
4	Brain and kidney GHS-R1a underexpression is associated with changes in renal function and hemodynamics during neurogenic hypertension. <i>Molecular and Cellular Endocrinology</i> , 2020 , 518, 11098	34 ^{.4}	O
3	Medullary Noradrenergic Neurons Mediate Hemodynamic Responses to Osmotic and Volume Challenges. <i>Frontiers in Physiology</i> , 2021 , 12, 649535	4.6	O
2	Association of exercise training and angiotensin-converting enzyme 2 activator improves baroreflex sensitivity of spontaneously hypertensive rats. <i>Brazilian Journal of Medical and Biological Research</i> , 2016 , 49, e5349	2.8	Ο
1	Cardioprotective effects of the proline-rich oligopeptide Bj-PRO-7a in spontaneously hypertensive rats. Clinical and Experimental Pharmacology and Physiology, 2021, 48, 1693-1703	3	0