

Valerio Sbordoni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6945935/publications.pdf>

Version: 2024-02-01

103
papers

2,249
citations

201385

27
h-index

264894

42
g-index

110
all docs

110
docs citations

110
times ranked

2467
citing authors

#	ARTICLE	IF	CITATIONS
1	Scientists by chance: reliability of non-structured primary biodiversity data. Insights from Italian Forums of Natural Sciences. <i>Biogeographia</i> , 2021, 36, .	0.3	2
2	Volunteers Recruitment, Retention, and Performance during the CSMON-LIFE (Citizen Science) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70	1.6	2
3	Effects of Holocene climate changes on alpine ecosystems: Nonequilibrium dynamics drive insect species richness on alpine islands. <i>Journal of Biogeography</i> , 2019, 46, 2248-2259.	1.4	8
4	ClimCKmap, a spatially, temporally and climatically explicit distribution database for the Italian fauna. <i>Scientific Data</i> , 2019, 6, 195.	2.4	1
5	Insights into the molecular phylogeny of Rhaphidophoridae, an ancient, worldwide lineage of Orthoptera. <i>Molecular Phylogenetics and Evolution</i> , 2019, 138, 126-138.	1.2	9
6	The first red list of Italian butterflies. <i>Insect Conservation and Diversity</i> , 2018, 11, 506-521.	1.4	36
7	Three new species of <i>Bathysciola</i> Jeannel, 1910 (Leiodidae, Cholevinae, Leptodirini) from caves in Central Italy, comparing morphological taxonomy with molecular phylogeny. <i>Insect Systematics and Evolution</i> , 2018, 49, 409-442.	0.2	3
8	Chemically mediated species recognition in two sympatric Grayling butterflies: <i>Hipparchia fagi</i> and <i>Hipparchia hermione</i> (Lepidoptera: Nymphalidae, Satyrinae). <i>PLoS ONE</i> , 2018, 13, e0199997.	1.1	11
9	Molecular phylogeography of <i>Troglophilus</i> cave crickets (Orthoptera, Rhaphidophoridae): A combination of vicariance and dispersal drove diversification in the East Mediterranean region. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2017, 55, 310-325.	0.6	19
10	New data on Weddell seal (<i>Leptonychotes weddellii</i>) colonies: A genetic analysis of a top predator from the Ross Sea, Antarctica. <i>PLoS ONE</i> , 2017, 12, e0182922.	1.1	8
11	DNA Barcodes of the animal species occurring in Italy under the European "Habitats Directive" (92/43/EEC): a reference library for the Italian National Biodiversity Network. <i>Biogeographia</i> , 2017, 32, .	0.3	1
12	Preliminary molecular phylogeny and biogeography of the monobasic subfamily Calinaginae (Lepidoptera, Nymphalidae). <i>Zoosystematics and Evolution</i> , 2017, 93, 243-254.	0.4	1
13	Deciphering range dynamics: effects of niche stability areas and post-glacial colonization on alpine species distribution. <i>Journal of Biogeography</i> , 2016, 43, 2186-2198.	1.4	5
14	Testing Classical Species Properties with Contemporary Data: How "Bad Species" in the Brassy Ringlets (<i>Erebia tyndarus</i> complex, Lepidoptera) Turned Good. <i>Systematic Biology</i> , 2016, 65, 292-303.	2.7	33
15	Asymmetrical responses of forest and "beyond edge" arthropod communities across a forest-grassland ecotone. <i>Biodiversity and Conservation</i> , 2015, 24, 447-465.	1.2	53
16	Is Radon Emission in Caves Causing Deletions in Satellite DNA Sequences of Cave-Dwelling Crickets?. <i>PLoS ONE</i> , 2015, 10, e0122456.	1.1	5
17	Phylogeography and systematics of the westernmost Italian Dolichopoda species (Orthoptera, Rhaphidophoridae). <i>ZooKeys</i> , 2014, 437, 1-23.	0.5	12
18	Genotoxicity testing for radon exposure: Dolichopoda (Orthoptera, Rhaphidophoridae) as potential bio-indicator of confined environments. <i>Environmental Epigenetics</i> , 2014, 60, 299-307.	0.9	9

#	ARTICLE	IF	CITATIONS
19	High variability in the expression of circadian rhythms in a cave beetle population. <i>Biological Rhythm Research</i> , 2014, 45, 925-939.	0.4	10
20	A taxonomic revision of western <i>Eupholidoptera</i> bush crickets (<scp>O</scp>rthoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 Entomology, 2014, 39, 7-23.	1.7	14
21	The evolutionary jigsaw puzzle of the surviving trout (<i>Salmo trutta</i> L. complex) diversity in the Italian region. A multilocus Bayesian approach. <i>Molecular Phylogenetics and Evolution</i> , 2014, 79, 292-304.	1.2	42
22	Modelling landscape dynamics in a glacial refugium â€“ or the spatial and temporal fluctuations of tree line altitudes. <i>Journal of Biogeography</i> , 2013, 40, 1767-1779.	1.4	8
23	Genetic differentiation and hybridization in two naturally occurring sympatric trout <i>Salmo</i> spp. forms from a small karstic lake. <i>Journal of Fish Biology</i> , 2013, 82, 637-657.	0.7	22
24	Species and mate recognition in two sympatric Grayling butterflies: <i>Hipparchia fagi</i> and <i>H. hermione genava</i> (Lepidoptera). <i>Ethology Ecology and Evolution</i> , 2013, 25, 28-51.	0.6	13
25	Population Structure., 2012, , 608-618.		7
26	Mitochondrial phylogeography of the Holarctic <i>Parnassius phoebus</i> complex supports a recent refugial model for alpine butterflies. <i>Journal of Biogeography</i> , 2012, 39, 1058-1072.	1.4	36
27	Evolutionary geographic relationships among orthocladine chironomid midges from maritime Antarctic and sub-Antarctic islands. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 258-274.	0.7	59
28	Diet of the newt, <i>Triturus carnifex</i> (Laurenti, 1768), in the flooded karst sinkhole Pozzo del Merro, central Italy. <i>Journal of Cave and Karst Studies</i> , 2012, 74, 271-277.	0.3	14
29	Plant sciences and the Italian National Biodiversity Network. <i>Plant Biosystems</i> , 2011, 145, 758-761.	0.8	29
30	A genetic characterization of European Woodcock (<i>Scolopax rusticola</i> , Charadriidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (Cha	0.6	3
31	Phylogeography of an Italian endemic salamander (genus <i>Salamandrina</i>): glacial refugia, postglacial expansions, and secondary contact. <i>Biological Journal of the Linnean Society</i> , 2011, 104, 903-992.	0.7	82
32	Tempo and mode of species diversification in Dolichopoda cave crickets (Orthoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (Rha	1.2	60
33	The underwater exploration of the Merro sinkhole and the associated diving physiological and psychological effects. <i>Underwater Technology</i> , 2010, 29, 125-134.	0.3	4
34	Phylogeography of <i>Helleria brevicornis</i> Ebner 1868 (Crustacea, Oniscidea): Old and recent differentiations of an ancient lineage. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 640-646.	1.2	22
35	Phylogeography of <i>Parnassius apollo</i> : hints on taxonomy and conservation of a vulnerable glacial butterfly invader. <i>Biological Journal of the Linnean Society</i> , 2010, 101, 169-183.	0.7	48
36	Cave Crickets and Cave Weta (Orthoptera, Rhaphidophoridae) from the Southern End of the World: A Molecular Phylogeny Test of Biogeographical Hypotheses. <i>Journal of Orthoptera Research</i> , 2010, 19, 121-130.	0.4	22

#	ARTICLE	IF	CITATIONS
37	An overlooked pink species of land iguana in the GalÃ¡pagos. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 507-511.	3.3	48
38	Mitochondrial DNA variation in roe deer (<i>Capreolus capreolus</i>) from Italy: Evidence of admixture in one of the last <i>C. c. italicus</i> pure populations from central-southern Italy. <i>Italian Journal of Zoology</i> , 2009, 76, 16-27.	0.6	18
39	Unveiling an ancient biological invasion: molecular analysis of an old European alien, the crested porcupine (<i>Hystrix cristata</i>). <i>BMC Evolutionary Biology</i> , 2009, 9, 109.	3.2	27
40	Molecular evolution of the pDo500 satellite DNA family in Dolichopoda cave crickets (Rhaphidophoridae). <i>BMC Evolutionary Biology</i> , 2009, 9, 301.	3.2	11
41	Phosphoglucomutase polymorphism and natural selection in populations of the cave cricket <i>Dolichopoda geniculata</i> . <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2009, 14, 292-299.	0.6	10
42	Genetic differentiation and variability in cave dwelling and brackish water populations of Mysidacea (Crustacea). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2009, 20, 198-208.	0.6	4
43	Isolation of novel microsatellite markers for the clouded Apollo (<i>P. mnemosyne</i> Linnaeus, 1758;) Tj ETQql 1 0.784314 rgBT /Overlock 10	0.8	10
44	Testing phylogenetic hypotheses for reconstructing the evolutionary history of <i>Dolichopoda</i> cave crickets in the eastern Mediterranean. <i>Journal of Biogeography</i> , 2009, 36, 1785-1797.	1.4	45
45	Distribution and morphological characterization of the endemic Italian salamanders <i>Salamandra perspicillata</i> (Savi, 1821) and <i>S. terdigitata</i> (Bonnaterre, 1789) (Caudata: Salamandridae). <i>Italian Journal of Zoology</i> , 2009, 76, 422-432.	0.6	19
46	Pleistocene evolutionary history of the Clouded Apollo (<i>Parnassius mnemosyne</i>): genetic signatures of climate cycles and a time-dependent mitochondrial substitution rate. <i>Molecular Ecology</i> , 2008, 17, 4248-4262.	2.0	79
47	Development of primers to amplify mitochondrial DNA control region of Old World porcupines (subgenus <i>Hystrix</i>). <i>Molecular Ecology Resources</i> , 2008, 8, 1139-1141.	2.2	4
48	Filogeografia comparata di <i>Parnassius apollo</i> e <i>P. mnemosyne</i> . Un contributo genetico-molecolare alla biogeografia dell'Appennino. <i>Biogeographia</i> , 2006, 27, .	0.3	3
49	A molecular phylogeny of antarctic chironomidae and its implications for biogeographical history. <i>Polar Biology</i> , 2006, 29, 320-326.	0.5	104
50	Molecular phylogeography of Dolichopoda cave crickets (Orthoptera, Rhaphidophoridae): A scenario suggested by mitochondrial DNA. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 153-164.	1.2	46
51	Mitochondrial DNA sequence analysis of the spectacled salamander, <i>Salamandra terdigitata</i> (Urodela: Salamandridae), supports the existence of two distinct species. <i>Zootaxa</i> , 2005, 995, 1-19.	0.2	38
52	Allozyme and microsatellite genetic variation in natural samples of zebrafish, <i>Danio rerio</i> . <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2004, 42, 54-62.	0.6	13
53	MOLECULAR BIOGEOGRAPHY OF CAVE LIFE: A STUDY USING MITOCHONDRIAL DNA FROM BATHYSCIINE BEETLES. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 122.	1.1	2
54	Hammerhead-mediated processing of satellite pDo500 family transcripts from Dolichopoda cave crickets. <i>Nucleic Acids Research</i> , 2000, 28, 4037-4043.	6.5	72

#	ARTICLE	IF	CITATIONS
55	Genetic structure of natural populations of <i>Castanea sativa</i> in Turkey: evidence of a hybrid zone. Journal of Evolutionary Biology, 1999, 12, 233-244.	0.8	51
56	Length variation in mtDNA control region in hatchery stocks of European sea bass subjected to acclimation experiments. Genetics Selection Evolution, 1998, 30, 1.	1.2	3
57	Indirect Methods to Estimate Gene Flow in Cave and Surface Populations of <i>Androniscus dentiger</i> (Isopoda: Oniscidea). Evolution; International Journal of Organic Evolution, 1998, 52, 432.	1.1	3
58	INDIRECT METHODS TO ESTIMATE GENE FLOW IN CAVE AND SURFACE POPULATIONS OF ANDRONISCUS DENTIGER (ISOPODA: ONISCIDEA). Evolution; International Journal of Organic Evolution, 1998, 52, 432-442.	1.1	9
59	Genetic Differentiation Within the European Sea Bass (<i>D. labrax</i>) as Revealed by RAPD-PCR Assays. Journal of Heredity, 1997, 88, 316-324.	1.0	60
60	Mitochondrial DNA Rates and Biogeography in European Newts (Genus <i>Euproctus</i>). Systematic Biology, 1997, 46, 126-144.	2.7	114
61	Comparing patterns of geographic variation in cave crickets by combining geostatistic methods and Mantel tests. Journal of Biogeography, 1997, 24, 419-431.	1.4	19
62	Patterns of gene flow and genetic structure in cave-dwelling crickets of the Tuscan endemic, <i>Dolichopoda schiavazzii</i> (Orthoptera, Rhaphidophoridae). Heredity, 1997, 78, 665-673.	1.2	18
63	Genetic structure and allozyme variation of sea bass (<i>Dicentrarchus labrax</i> and <i>D. punctatus</i>) in the Mediterranean Sea. Marine Biology, 1997, 128, 347-358.	0.7	71
64	Tandemly repeated satellite DNA of <i>Dolichopoda schiavazzii</i> : A test for models on the evolution of highly repetitive DNA. Journal of Molecular Evolution, 1996, 43, 135-144.	0.8	18
65	Trophic niche, age structure and seasonality in <i>Dolichopoda</i> cave crickets. Ecography, 1995, 18, 217-224.	2.1	7
66	Acclimation of the European sea bass to freshwater: monitoring genetic changes by RAPD polymerase chain reaction to detect DNA polymorphisms. Marine Biology, 1995, 121, 591-599.	0.7	36
67	Cloning and characterization of the European seabass, <i>Dicentrarchus labrax</i> , mitochondrial genome. Current Genetics, 1994, 26, 139-145.	0.8	5
68	Characterization of a species-specific satellite DNA family of <i>Dolichopoda schiavazzii</i> (Orthoptera, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0.8 23		
69	Molecular biogeography: using the Corsica-Sardinia microplate disjunction to calibrate mitochondrial rDNA evolutionary rates in mountain newts (<i>Euproctus</i>). Journal of Evolutionary Biology, 1994, 7, 227-245.	0.8	64
70	Molecular biogeography: using the Corsica-Sardinia microplate disjunction to calibrate mitochondrial rDNA evolutionary rates in mountain newts (<i>Euproctus</i>). Journal of Evolutionary Biology, 1994, 7, 523-524.	0.8	4
71	Patterns of evolution and multidimensional systematics in graylings (Lepidoptera: Hipparchia). Biological Journal of the Linnean Society, 1994, 52, 101-119.	0.7	27
72	Restriction enzymes induced bands in the cave cricket <i>Dolichopoda schiavazzii</i> (Orthoptera, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td distribution. Bollettino Di Zoologia, 1994, 61, 149-153.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Life-history variation in Dolichopoda cave crickets., 1994, , 205-226.	5	
74	Molecular Phylogenies in Dolichopoda Cave Crickets and mtDNA Rate Calibration. Molecular Phylogenetics and Evolution, 1993, 2, 275-280.	1.2	24
75	Molecular systematics and the multidimensional concept of species. Biochemical Systematics and Ecology, 1993, 21, 39-42.	0.6	13
76	Evolutionary divergence in Dolichopoda cave crickets: A comparison of single copy DNA hybridization data with allozymes and morphometric distances. Journal of Evolutionary Biology, 1992, 5, 121-148.	0.8	16
77	A narrow hybrid zone between two crayfish species from a Mexican cave. Journal of Evolutionary Biology, 1992, 5, 643-659.	0.8	14
78	Morphometric analysis of interspecific and microgeographic variation of crayfish from a Mexican cave. Biological Journal of the Linnean Society, 1992, 47, 455-468.	0.7	14
79	Contrasting age structures in cave cricket populations: patterns and significance. Ecological Entomology, 1991, 16, 305-314.	1.1	8
80	European Society for Evolutionary Biology 2nd Congress Roma, Italy - September 3-7, 1989. Journal of Evolutionary Biology, 1989, 2, 60-60.	0.8	0
81	European Society for Evolutionary Biology 2nd Congress Roma, Italy – September 3–7, 1989. Journal of Evolutionary Biology, 1989, 2, 314-314.	0.8	0
82	Allozymic and morphometric analysis of populations in the <i>Zygaena purpuralis</i> complex (Lepidoptera, Tj ETQq0 0 0 rgBT /Overlock 10 T	0.7	
83	Multivariate Morphometrics in Aquaculture: A Case Study of Six Stocks of the Common Carp (<i>Cyprinus carpio</i>) from Italy. Canadian Journal of Fisheries and Aquatic Sciences, 1988, 45, 1548-1554.	0.7	41
84	Evolutionary genetics and morphometrics of a cave crayfish population from Chiapas (Mexico). International Journal of Speleology, 1988, 17, 65-80.	0.4	4
85	Molecular Evolutionary Divergence Among North American Cave Crickets. I. Allozyme Variation. Evolution; International Journal of Organic Evolution, 1987, 41, 1198.	1.1	12
86	Life cycle and age structure of <i>Dolichopoda</i> populations (Orthoptera, Raphidophoridae) from natural and artificial cave habitats. Bollettino Di Zoologia, 1987, 54, 337-340.	0.3	8
87	MOLECULAR EVOLUTIONARY DIVERGENCE AMONG NORTH AMERICAN CAVE CRICKETS. I. ALLOZYME VARIATION. Evolution; International Journal of Organic Evolution, 1987, 41, 1198-1214.	1.1	46
88	Adaptation and speciation of Dolichopoda cave crickets (Orthoptera, Rhaphidophoridae): geographic variation of morphometric indices and allozyme frequencies. Biological Journal of the Linnean Society, 1987, 31, 151-160.	0.7	31
89	Bottleneck effects and the depression of genetic variability in hatchery stocks of <i>Penaeus japonicus</i> (Crustacea, Decapoda). Aquaculture, 1986, 57, 239-251.	1.7	97
90	Biospeleology. Bollettino Di Zoologia, 1986, 53, 101-107.	0.3	0

#	ARTICLE	IF	CITATIONS
91	Vertebrate ecology and ethology. <i>Bollettino Di Zoologia</i> , 1986, 53, 83-91.	0.3	0
92	Population biology. <i>Bollettino Di Zoologia</i> , 1986, 53, 61-69.	0.3	0
93	Genetic variability and divergence between cave dwelling populations of <i>Typhlocirolana</i> from majorca and sicily. <i>Biochemical Systematics and Ecology</i> , 1986, 14, 215-221.	0.6	11
94	Genetic structure of populations and species of Dolichopodacave crickets: evidence of peripatric divergence. <i>Bollettino Di Zoologia</i> , 1985, 52, 139-156.	0.3	14
95	Natural and experimental interspecific hybridization between populations of Dolichopoda cave crickets. <i>Experientia</i> , 1982, 38, 96-98.	1.2	8
96	Absolute population censuses of cave-dwelling crickets: congruence between mark-recapture and plot density estimates. <i>International Journal of Speleology</i> , 1982, 12, 29-36.	0.4	4
97	Genetic variability and divergence between populations and species of <i>Nesticus</i> cave spiders. <i>Genetica</i> , 1981, 56, 81-92.	0.5	21
98	Biochemical divergence between cavernicolous and marine Sphaeromidae and the Mediterranean salinity crisis. <i>Experientia</i> , 1980, 36, 48-50.	1.2	18
99	Electrophoretic studies of gene-enzyme systems: Microevolutionary processes and phylogenetic inference. <i>Bollettino Di Zoologia</i> , 1980, 47, 95-112.	0.3	16
100	Mimicry in the burnet moth <i>Zygaena ephialtes</i> : population studies and evidence of a Batesianâ€”MÃ¼llerian situation. <i>Ecological Entomology</i> , 1979, 4, 83-93.	1.1	69
101	Osservazioni biogeografiche sulla fauna cavernicola' dell'Appennino centrale. <i>Biogeographia</i> , 1971, 2, .	0.3	0
102	Prime osservazioni ultrastrutturali sull'ogano antennale dei Bathysciinae. <i>Bollettino Di Zoologia</i> , 1967, 34, 84-85.	0.3	2
103	Divergenza genetica tra popolazioni e specie ipogee ed epigee di <i>Niphargus</i> (Crustacea, Amphipoda). <i>Biogeographia</i> , 0, 6, .	0.3	0