

Paolo Deluca

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6946653/publications.pdf>

Version: 2024-02-01

89
papers

3,828
citations

126901

33
h-index

128286

60
g-index

95
all docs

95
docs citations

95
times ranked

3909
citing authors

#	ARTICLE	IF	CITATIONS
1	Mephedrone, new kid for the chop?. <i>Addiction</i> , 2011, 106, 154-161.	3.3	304
2	Mephedrone (4-methylmethcathinone; "meow meow"™): chemical, pharmacological and clinical issues. <i>Psychopharmacology</i> , 2011, 214, 593-602.	3.1	274
3	Effectiveness of screening and brief alcohol intervention in primary care (SIPS trial): pragmatic cluster randomised controlled trial. <i>BMJ, The</i> , 2013, 346, e8501-e8501.	6.0	223
4	Identifying emerging trends in recreational drug use; outcomes from the Psychonaut Web Mapping Project. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 221-226.	4.8	198
5	Is There a Recreational Misuse Potential for Pregabalin Analysis of Anecdotal Online Reports in Comparison with Related Gabapentin and Clonazepam Data. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 118-122.	8.8	161
6	Promoting innovation and excellence to face the rapid diffusion of Novel Psychoactive Substances in the EU: the outcomes of the ReDNet project. <i>Human Psychopharmacology</i> , 2013, 28, 317-323.	1.5	151
7	Phenomenon of new drugs on the Internet: the case of ketamine derivative methoxetamine. <i>Human Psychopharmacology</i> , 2012, 27, 145-149.	1.5	139
8	The Effectiveness of Electronic Screening and Brief Intervention for Reducing Levels of Alcohol Consumption: A Systematic Review and Meta-Analysis. <i>Journal of Medical Internet Research</i> , 2014, 16, e142.	4.3	139
9	e-Psychonauts: Conducting research in online drug forum communities. <i>Journal of Mental Health</i> , 2012, 21, 386-394.	1.9	123
10	Short sleep duration is associated with poor performance on IQ measures in healthy school-age children. <i>Sleep Medicine</i> , 2010, 11, 289-294.	1.6	115
11	Novel psychoactive substances as a novel challenge for health professionals: results from an Italian survey. <i>Human Psychopharmacology</i> , 2013, 28, 324-331.	1.5	96
12	Alcohol Screening and Brief Intervention for Adolescents: The How, What and Where of Reducing Alcohol Consumption and Related Harm Among Young People. <i>Alcohol and Alcoholism</i> , 2014, 49, 207-212.	1.6	92
13	The Effectiveness of Alcohol Screening and Brief Intervention in Emergency Departments: A Multicentre Pragmatic Cluster Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e99463.	2.5	89
14	Designer Drugs on the Internet: A Phenomenon Out-of-Control? The Emergence of Hallucinogenic Drug Bromo-Dragonfly. <i>Current Clinical Pharmacology</i> , 2011, 6, 125-129.	0.6	87
15	Drugs on the web; the Psychonaut 2002 EU project. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 640-646.	4.8	85
16	Substitutional potential of mephedrone: an analysis of the subjective effects. <i>Human Psychopharmacology</i> , 2013, 28, 308-316.	1.5	84
17	Ecstasy (MDMA, MDA, MDEA, MBDB) consumption, seizures, related offences, prices, dosage levels and deaths in the UK (1994-2003). <i>Journal of Psychopharmacology</i> , 2006, 20, 456-463.	4.0	81
18	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. <i>Addiction</i> , 2016, 111, 1935-1945.	3.3	73

#	ARTICLE	IF	CITATIONS
19	Psychoactive drug or mystical incense? Overview of the online available information on Spice products. <i>International Journal of Culture and Mental Health</i> , 2009, 2, 137-144.	0.6	62
20	User Preferences for Content, Features, and Style for an App to Reduce Harmful Drinking in Young Adults: Analysis of User Feedback in App Stores and Focus Group Interviews. <i>JMIR MHealth and UHealth</i> , 2016, 4, e47.	3.7	61
21	Low identification of alcohol use disorders in general practice in England. <i>Addiction</i> , 2008, 103, 766-773.	3.3	60
22	Screening and brief interventions for hazardous and harmful alcohol use in primary care: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009, 9, 287.	2.9	57
23	New trends in the cyber and street market of recreational drugs? The case of 2C-T-7 (Blue Mystic™). <i>Journal of Psychopharmacology</i> , 2005, 19, 675-679.	4.0	56
24	Alcohol Screening and Brief Interventions for Offenders in the Probation Setting (SIPS Trial): a Pragmatic Multicentre Cluster Randomized Controlled Trial. <i>Alcohol and Alcoholism</i> , 2014, 49, 540-548.	1.6	48
25	What makes online substance-use interventions engaging? A systematic review and narrative synthesis. <i>Digital Health</i> , 2018, 4, 205520761774335.	1.8	46
26	Screening for Alcohol Use in Criminal Justice Settings: An Exploratory Study. <i>Alcohol and Alcoholism</i> , 2012, 47, 423-427.	1.6	44
27	Implementing training and support, financial reimbursement, and referral to an internet-based brief advice program to improve the early identification of hazardous and harmful alcohol consumption in primary care (ODHIN): study protocol for a cluster randomized factorial trial. <i>Implementation Science</i> , 2013, 8, 11.	6.9	44
28	Screening and brief interventions for hazardous and harmful alcohol use in probation services: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009, 9, 418.	2.9	40
29	Screening and brief interventions for hazardous alcohol use in accident and emergency departments: a randomised controlled trial protocol. <i>BMC Health Services Research</i> , 2009, 9, 114.	2.2	40
30	Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. <i>Journal of Adolescent Health</i> , 2017, 60, 438-446.	2.5	37
31	Identifying the gap between need and intervention for alcohol use disorders in Europe. <i>Addiction</i> , 2011, 106, 31-36.	3.3	36
32	Usability Testing of the BRANCH Smartphone App Designed to Reduce Harmful Drinking in Young Adults. <i>JMIR MHealth and UHealth</i> , 2017, 5, e109.	3.7	36
33	Mass information: mephedrone, myths, and the new generation of legal highs. <i>Drugs and Alcohol Today</i> , 2010, 10, 24-28.	0.7	34
34	Buprenorphine mortality, seizures and prescription data in the UK, 1980-2002. <i>Human Psychopharmacology</i> , 2005, 20, 343-348.	1.5	33
35	Recreational use of 1-(2-(naphthyl)-2-(pyrrolidinyl)-1-pentanone hydrochloride (NRC-1), 6-(2-aminopropyl) benzofuran (Benzofury/6-APB) and NRC-2 with review of available evidence-based literature. <i>Human Psychopharmacology</i> , 2013, 28, 356-364.	1.5	33
36	Professional's Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. <i>Alcohol and Alcoholism</i> , 2015, 50, 430-437.	1.6	32

#	ARTICLE	IF	CITATIONS
37	Delivery of Brief Interventions for Heavy Drinking in Primary Care: Outcomes of the ODHIN 5-Country Cluster Randomized Trial. <i>Annals of Family Medicine</i> , 2017, 15, 335-340.	1.9	31
38	Developing Typologies of User Engagement With the BRANCH Alcohol-Harm Reduction Smartphone App: Qualitative Study. <i>JMIR MHealth and UHealth</i> , 2018, 6, e11692.	3.7	26
39	Medical professionals' perspectives on prescribed and over-the-counter medicines containing codeine: a cross-sectional study. <i>BMJ Open</i> , 2016, 6, e011725.	1.9	25
40	Methoxetamine: An early report on the motivations for use, effect profile and prevalence of use in a <scp>UK</scp> clubbing sample. <i>Drug and Alcohol Review</i> , 2016, 35, 212-217.	2.1	25
41	Searching the Internet for Drug-Related Web Sites: Analysis of Online Available Information on Ecstasy (MDMA). <i>American Journal on Addictions</i> , 2007, 16, 479-483.	1.4	24
42	The Dynamic Environment of Crypto Markets: The Lifespan of New Psychoactive Substances (NPS) and Vendors Selling NPS. <i>Brain Sciences</i> , 2018, 8, 46.	2.3	22
43	From pain treatment to opioid dependence: a qualitative study of the environmental influence on codeine use in UK adults. <i>BMJ Open</i> , 2019, 9, e025331.	1.9	19
44	Linked randomised controlled trials of face-to-face and electronic brief intervention methods to prevent alcohol related harm in young people aged 14â€“17 years presenting to Emergency Departments (SIPS junior). <i>BMC Public Health</i> , 2015, 15, 345.	2.9	18
45	Do we have sufficient information to optimally inform regulatory or other policy decisions about medications containing codeine?. <i>Addiction</i> , 2015, 110, 1690-1691.	3.3	15
46	Assertive Community Treatment For People With Alcohol Dependence: A Pilot Randomized Controlled Trial. <i>Alcohol and Alcoholism</i> , 2017, 52, 234-241.	1.6	15
47	Opportunistic screening for alcohol use problems in adolescents attending emergency departments: an evaluation of screening tools. <i>Journal of Public Health</i> , 2019, 41, e53-e60.	1.8	14
48	Accuracy of Wearable Transdermal Alcohol Sensors: Systematic Review. <i>Journal of Medical Internet Research</i> , 2022, 24, e35178.	4.3	13
49	A market on both â€œsidesâ€ of the law: The use of the hidden web for the sale of new psychoactive substances. <i>Human Psychopharmacology</i> , 2017, 32, e2596.	1.5	12
50	Screening for At-Risk Alcohol Consumption in Primary Care: A Randomized Evaluation of Screening Approaches. <i>Alcohol and Alcoholism</i> , 2017, 52, 312-317.	1.6	12
51	Codeine misuse and dependence in South Africa: Perspectives of addiction treatment providers. <i>South African Medical Journal</i> , 2017, 107, 451.	0.6	12
52	Prevalence of anabolic steroid users seeking support from physicians: a systematic review and meta-analysis. <i>BMJ Open</i> , 2022, 12, e056445.	1.9	12
53	Assertive Community Treatment for alcohol dependence (ACTAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2012, 13, 19.	1.6	10
54	The Effect of Brief Interventions for Alcohol Among People with Comorbid Mental Health Conditions: A Systematic Review of Randomized Trials and Narrative Synthesis. <i>Alcohol and Alcoholism</i> , 2018, 53, 282-293.	1.6	10

#	ARTICLE	IF	CITATIONS
55	Online Availability of Dextropropoxyphene over Time, 2003–2005. <i>Cyberpsychology, Behavior and Social Networking</i> , 2006, 9, 404-409.	2.2	9
56	Multicentre individual randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people aged 14–15 in a high school setting (SIPS JR-HIGH): study protocol. <i>BMJ Open</i> , 2016, 6, e012474.	1.9	9
57	How Resistant to Tampering are Codeine Containing Analgesics on the Market? Assessing the Potential for Opioid Extraction. <i>Pain and Therapy</i> , 2016, 5, 187-201.	3.2	9
58	Pragmatic randomised controlled trial to evaluate the effectiveness and cost effectiveness of a multi-component intervention to reduce substance use and risk-taking behaviour in adolescents involved in the criminal justice system: A trial protocol (RISKIT-CJS). <i>BMC Public Health</i> , 2017, 17, 246.	2.9	9
59	A pilot feasibility cluster randomised controlled trial of screening and brief alcohol intervention to prevent hazardous drinking in young people aged 14–15 years in a high school setting (SIPS JR-HIGH). <i>Public Health Research</i> , 2014, 2, 1-208.	1.3	9
60	Brief intervention to prevent hazardous drinking in young people aged 14–15 in a high school setting (SIPS JR-HIGH): study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 166.	1.6	8
61	Impact of primary healthcare providers' initial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. <i>Implementation Science</i> , 2015, 11, 96.	6.9	8
62	Tampering of opioid analgesics: a serious challenge for public health?. <i>Addiction</i> , 2016, 111, 1701-1702.	3.3	8
63	Impact of practice, provider and patient characteristics on delivering screening and brief advice for heavy drinking in primary healthcare: Secondary analyses of data from the ODHIN five-country cluster randomized factorial trial. <i>European Journal of General Practice</i> , 2017, 23, 241-245.	2.0	8
64	Cost-effectiveness analysis of public health interventions with impacts on health and criminal justice: An applied cross-sectoral analysis of an alcohol misuse intervention. <i>Health Economics (United Kingdom)</i> , 2017, 32, 107-120.	1.0	8
65	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-144.	1.0	7
66	The utility of different screening methods to detect hazardous drinking and alcohol use disorders in the Screening and Intervention Program for Sensible Drinking (SIPS) program. <i>Addiction Science & Clinical Practice</i> , 2012, 7, .	2.6	6
67	The adherence to UK legislation by online shops selling new psychoactive substances. <i>Drugs: Education, Prevention and Policy</i> , 2018, 25, 97-100.	1.3	6
68	Evaluating possible intended and unintended consequences of the implementation of alcohol minimum unit pricing (MUP) in Scotland: a natural experiment protocol. <i>BMJ Open</i> , 2019, 9, e028482.	1.9	6
69	Intended and unintended consequences of the implementation of minimum unit pricing of alcohol in Scotland: a natural experiment. <i>Public Health Research</i> , 2021, 9, 1-210.	1.3	6
70	Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. <i>International Journal of Drug Policy</i> , 2021, 93, 103113.	3.3	5
71	Standard units for cannabis dose: Why is it important to standardize cannabis dose for drug policy and how can we enhance its place on the public health agenda?. <i>International Journal of Drug Policy</i> , 2021, 97, 103350.	3.3	5
72	Brief alcohol intervention for risky drinking in young people aged 14–15 years in secondary schools: the SIPS JR-HIGH RCT. <i>Public Health Research</i> , 2019, 7, 1-134.	1.3	5

#	ARTICLE	IF	CITATIONS
73	The challenge of complex drug use: Associated use of codeine-containing medicines and new psychoactive substances in a European cross-sectional online population. <i>Human Psychopharmacology</i> , 2017, 32, e2611.	1.5	4
74	Advertising of Over-the-Counter Codeine-Containing Medicines in the EU: Differences in the Regulation of Advertising Between Member States. <i>Pharmaceutical Medicine</i> , 2018, 32, 327-333.	1.9	4
75	Adolescent perspectives about their participation in alcohol intervention research in emergency care: A qualitative exploration using ethical principles as an analytical framework. <i>PLoS ONE</i> , 2019, 14, e0217855.	2.5	4
76	Supporting Future Cannabis Policy – Developing a Standard Joint Unit: A Brief Back-Casting Exercise. <i>Frontiers in Psychiatry</i> , 2021, 12, 675033.	2.6	4
77	Spotting the Diffusion of New Psychoactive Substances over the Internet. <i>Lecture Notes in Computer Science</i> , 2016, , 86-97.	1.3	3
78	Time to review the provision of addiction treatment for codeine dependence. <i>BMJ: British Medical Journal</i> , 2017, 359, j5311.	2.3	3
79	A National Survey of Assertive Outreach Treatment Services for People Who Frequently Attend Hospital due to Alcohol-Related Reasons in England. <i>Alcohol and Alcoholism</i> , 2018, 53, 277-281.	1.6	3
80	Identification of factors influencing tampering of codeine-containing medicines in England: a qualitative study. <i>Harm Reduction Journal</i> , 2020, 17, 63.	3.2	3
81	The Severity of Dependence Scale (SDS) for Codeine: Preliminary Investigation of the Psychometric Properties of the SDS in an Online Sample of Codeine Users From the UK. <i>Frontiers in Psychiatry</i> , 2021, 12, 595706.	2.6	3
82	The perceived challenges facing alcohol treatment services in England: A qualitative study of service providers. <i>Journal of Substance Use</i> , 2011, 16, 38-49.	0.7	2
83	Development of a multicentre randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people in a high-school setting (SIPS JR-HIGH). <i>Lancet, The</i> , 2015, 386, S37.	13.7	2
84	Effectiveness and cost-effectiveness of face-to-face and electronic brief interventions versus screening alone to reduce alcohol consumption among high-risk adolescents presenting to Emergency Departments: three-arm pragmatic randomised trial (SIPS Junior High Risk Trial). <i>Addiction</i> , 2022, , .	3.3	2
85	A randomized controlled trial of different methods of alcohol screening and brief intervention in routine accident and emergency department care: 12-month outcomes. <i>Addiction Science & Clinical Practice</i> , 2012, 7, .	2.6	1
86	Survey finds only 15% of emergency departments have formal alcohol screening and intervention policies for trauma patients. <i>Evidence-based Nursing</i> , 2011, 13, 108-109.	0.2	0
87	National survey of alcohol treatment agencies in England: Characteristics of clients. <i>Journal of Substance Use</i> , 2012, 17, 389-398.	0.7	0
88	Screening and brief alcohol intervention in routine primary care in the UK: 12-month outcomes. <i>Addiction Science & Clinical Practice</i> , 2012, 7, .	2.6	0
89	OUP accepted manuscript. <i>Alcohol and Alcoholism</i> , 2022, , .	1.6	0