Paolo Deluca

List of Publications by Citations

Source: https://exaly.com/author-pdf/6946653/paolo-deluca-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84 3,188 29 55 g-index

95 3,636 4 4.69 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
84	Mephedrone, new kid for the chop?. <i>Addiction</i> , 2011 , 106, 154-61	4.6	277
83	Mephedrone (4-methylmethcathinone; Prneow meowl): chemical, pharmacological and clinical issues. <i>Psychopharmacology</i> , 2011 , 214, 593-602	4.7	246
82	Effectiveness of screening and brief alcohol intervention in primary care (SIPS trial): pragmatic cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 346, e8501	5.9	186
81	Identifying emerging trends in recreational drug use; outcomes from the Psychonaut Web Mapping Project. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 39, 221-6	5.5	177
80	Promoting innovation and excellence to face the rapid diffusion of novel psychoactive substances in the EU: the outcomes of the ReDNet project. <i>Human Psychopharmacology</i> , 2013 , 28, 317-23	2.3	133
79	Is there a recreational misuse potential for pregabalin? Analysis of anecdotal online reports in comparison with related gabapentin and clonazepam data. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 118-22	9.4	133
78	Phenomenon of new drugs on the Internet: the case of ketamine derivative methoxetamine. <i>Human Psychopharmacology</i> , 2012 , 27, 145-9	2.3	120
77	The effectiveness of electronic screening and brief intervention for reducing levels of alcohol consumption: a systematic review and meta-analysis. <i>Journal of Medical Internet Research</i> , 2014 , 16, e1-	4 2 ^{.6}	104
76	e-Psychonauts: conducting research in online drug forum communities. <i>Journal of Mental Health</i> , 2012 , 21, 386-94	2.7	102
75	Short sleep duration is associated with poor performance on IQ measures in healthy school-age children. <i>Sleep Medicine</i> , 2010 , 11, 289-94	4.6	96
74	Novel psychoactive substances as a novel challenge for health professionals: results from an Italian survey. <i>Human Psychopharmacology</i> , 2013 , 28, 324-31	2.3	82
73	Alcohol screening and brief intervention for adolescents: the how, what and where of reducing alcohol consumption and related harm among young people. <i>Alcohol and Alcoholism</i> , 2014 , 49, 207-12	3.5	81
72	Screening and brief alcohol intervention in routine primary care in the UK: 12-month outcomes. <i>Addiction Science & Dinical Practice</i> , 2012 , 7,	4.1	78
71	Substitutional potential of mephedrone: an analysis of the subjective effects. <i>Human Psychopharmacology</i> , 2013 , 28, 308-16	2.3	74
70	The effectiveness of alcohol screening and brief intervention in emergency departments: a multicentre pragmatic cluster randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e99463	3.7	73
69	Designer drugs on the internet: a phenomenon out-of-control? the emergence of hallucinogenic drug Bromo-Dragonfly. <i>Current Clinical Pharmacology</i> , 2011 , 6, 125-9	2.5	72
68	Drugs on the web; the Psychonaut 2002 EU project. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006 , 30, 640-6	5.5	71

(2005-2006)

67	Ecstasy (MDMA, MDA, MDEA, MBDB) consumption, seizures, related offences, prices, dosage levels and deaths in the UK (1994-2003). <i>Journal of Psychopharmacology</i> , 2006 , 20, 456-63	4.6	66
66	Screening and brief interventions for hazardous and harmful alcohol use in primary care: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009 , 9, 287	4.1	57
65	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. <i>Addiction</i> , 2016 , 111, 1935-1945	4.6	51
64	Psychoactive drug or mystical incense? Overview of the online available information on Spice products. <i>International Journal of Culture and Mental Health</i> , 2009 , 2, 137-144		49
63	New trends in the cyber and street market of recreational drugs? The case of 2C-T-7 (PBlue Mysticl). Journal of Psychopharmacology, 2005, 19, 675-9	4.6	48
62	User Preferences for Content, Features, and Style for an App to Reduce Harmful Drinking in Young Adults: Analysis of User Feedback in App Stores and Focus Group Interviews. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e47	5.5	47
61	Low identification of alcohol use disorders in general practice in England. <i>Addiction</i> , 2008 , 103, 766-73	4.6	45
60	Implementing training and support, financial reimbursement, and referral to an internet-based brief advice program to improve the early identification of hazardous and harmful alcohol consumption in primary care (ODHIN): study protocol for a cluster randomized factorial trial.	8.4	40
59	Alcohol screening and brief interventions for offenders in the probation setting (SIPS Trial): a pragmatic multicentre cluster randomized controlled trial. <i>Alcohol and Alcoholism</i> , 2014 , 49, 540-8	3.5	40
58	Screening and brief interventions for hazardous alcohol use in accident and emergency departments: a randomised controlled trial protocol. <i>BMC Health Services Research</i> , 2009 , 9, 114	2.9	36
57	Screening for alcohol use in criminal justice settings: an exploratory study. <i>Alcohol and Alcoholism</i> , 2012 , 47, 423-7	3.5	35
56	Mass-information: mephedrone, myths, and the new generation of legal highs. <i>Drugs and Alcohol Today</i> , 2010 , 10, 24-28	1.4	31
55	Recreational use of 1-(2-naphthyl)-2-(1-pyrrolidinyl)-1-pentanone hydrochloride (NRG-1), 6-(2-aminopropyl) benzofuran (benzofury/ 6-APB) and NRG-2 with review of available evidence-based literature. <i>Human Psychopharmacology</i> , 2013 , 28, 356-64	2.3	27
54	Delivery of Brief Interventions for Heavy Drinking in Primary Care: Outcomes of the ODHIN 5-Country Cluster Randomized Trial. <i>Annals of Family Medicine</i> , 2017 , 15, 335-340	2.9	26
53	Professional® Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. <i>Alcohol and Alcoholism</i> , 2015 , 50, 430-7	3.5	26
52	Identifying the gap between need and intervention for alcohol use disorders in Europe. <i>Addiction</i> , 2011 , 106 Suppl 1, 31-6	4.6	26
51	Screening and brief interventions for hazardous and harmful alcohol use in probation services: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009 , 9, 418	4.1	26
50	Buprenorphine mortality, seizures and prescription data in the UK, 1980-2002. <i>Human Psychopharmacology</i> , 2005 , 20, 343-8	2.3	26

49	Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. <i>Journal of Adolescent Health</i> , 2017 , 60, 438-446	5.8	25
48	Searching the Internet for drug-related web sites: analysis of online available information on ecstasy (MDMA). <i>American Journal on Addictions</i> , 2007 , 16, 479-83	3.7	22
47	Methoxetamine: An early report on the motivations for use, effect profile and prevalence of use in a UK clubbing sample. <i>Drug and Alcohol Review</i> , 2016 , 35, 212-7	3.2	21
46	Medical professionalsPperspectives on prescribed and over-the-counter medicines containing codeine: a cross-sectional study. <i>BMJ Open</i> , 2016 , 6, e011725	3	20
45	What makes online substance-use interventions engaging? A systematic review and narrative synthesis. <i>Digital Health</i> , 2018 , 4, 2055207617743354	4	19
44	Usability Testing of the BRANCH Smartphone App Designed to Reduce Harmful Drinking in Young Adults. <i>JMIR MHealth and UHealth</i> , 2017 , 5, e109	5.5	19
43	Linked randomised controlled trials of face-to-face and electronic brief intervention methods to prevent alcohol related harm in young people aged 14-17 years presenting to Emergency Departments (SIPS junior). <i>BMC Public Health</i> , 2015 , 15, 345	4.1	17
42	Do we have sufficient information to optimally inform regulatory or other policy decisions about medications containing codeine?. <i>Addiction</i> , 2015 , 110, 1690-1	4.6	14
41	The Dynamic Environment of Crypto Markets: The Lifespan of New Psychoactive Substances (NPS) and Vendors Selling NPS. <i>Brain Sciences</i> , 2018 , 8,	3.4	13
40	Developing Typologies of User Engagement With the BRANCH Alcohol-Harm Reduction Smartphone App: Qualitative Study. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e11692	5.5	11
39	A market on both "sides" of the law: The use of the hidden web for the sale of new psychoactive substances. <i>Human Psychopharmacology</i> , 2017 , 32, e2596	2.3	8
38	Pragmatic randomised controlled trial to evaluate the effectiveness and cost effectiveness of a multi-component intervention to reduce substance use and risk-taking behaviour in adolescents involved in the criminal justice system: A trial protocol (RISKIT-CJS). <i>BMC Public Health</i> , 2017 , 17, 246	4.1	8
37	From pain treatment to opioid dependence: a qualitative study of the environmental influence on codeine use in UK adults. <i>BMJ Open</i> , 2019 , 9, e025331	3	8
36	Codeine misuse and dependence in South Africa: Perspectives of addiction treatment providers. <i>South African Medical Journal</i> , 2017 , 107, 451-456	1.5	8
35	How Resistant to Tampering are Codeine Containing Analgesics on the Market? Assessing the Potential for Opioid Extraction. <i>Pain and Therapy</i> , 2016 , 5, 187-201	3.6	8
34	Assertive Community Treatment for alcohol dependence (ACTAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2012 , 13, 19	2.8	8
33	Screening for At-Risk Alcohol Consumption in Primary Care: A Randomized Evaluation of Screening Approaches. <i>Alcohol and Alcoholism</i> , 2017 , 52, 312-317	3.5	7
32	Impact of primary healthcare providersPinitial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. Implementation Science, 2016, 11, 96	8.4	7

31	Brief intervention to prevent hazardous drinking in young people aged 14-15 in a high school setting (SIPS JR-HIGH): study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 166	2.8	7
30	Multicentre individual randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people aged 14-15 in a high school setting (SIPS JR-HIGH): study protocol. <i>BMJ Open</i> , 2016 , 6, e012474	3	7
29	Assertive Community Treatment For People With Alcohol Dependence: A Pilot Randomized Controlled Trial. <i>Alcohol and Alcoholism</i> , 2017 , 52, 234-241	3.5	7
28	The Effect of Brief Interventions for Alcohol Among People with Comorbid Mental Health Conditions: A Systematic Review of Randomized Trials and Narrative Synthesis. <i>Alcohol and Alcoholism</i> , 2018 , 53, 282-293	3.5	6
27	Impact of practice, provider and patient characteristics on delivering screening and brief advice for heavy drinking in primary healthcare: Secondary analyses of data from the ODHIN five-country cluster randomized factorial trial. <i>European Journal of General Practice</i> , 2017 , 23, 241-245	2.8	6
26	Online availability of dextropropoxyphene over time, 2003-2005. <i>Cyberpsychology, Behavior and Social Networking</i> , 2006 , 9, 404-9		6
25	A pilot feasibility cluster randomised controlled trial of screening and brief alcohol intervention to prevent hazardous drinking in young people aged 14¶5 years in a high school setting (SIPS JR-HIGH). <i>Public Health Research</i> , 2014 , 2, 1-208	1.7	6
24	Opportunistic screening for alcohol use problems in adolescents attending emergency departments: an evaluation of screening tools. <i>Journal of Public Health</i> , 2019 , 41, e53-e60	3.5	6
23	The adherence to UK legislation by online shops selling new psychoactive substances. <i>Drugs: Education, Prevention and Policy</i> , 2018 , 25, 97-100	1.2	5
22	Evaluating possible intended and unintended consequences of the implementation of alcohol minimum unit pricing (MUP) in Scotland: a natural experiment protocol. <i>BMJ Open</i> , 2019 , 9, e028482	3	5
21	The utility of different screening methods to detect hazardous drinking and alcohol use disorders in the Screening and Intervention Program for Sensible Drinking (SIPS) program. <i>Addiction Science & Clinical Practice</i> , 2012 , 7,	4.1	4
20	Cost-effectiveness analysis of public health interventions with impacts on health and criminal justice: An applied cross-sectoral analysis of an alcohol misuse intervention. <i>Health Economics (United Kingdom)</i> , 2021 , 30, 972-988	2.4	4
19	The challenge of complex drug use: Associated use of codeine-containing medicines and new psychoactive substances in a European cross-sectional online population. <i>Human Psychopharmacology</i> , 2017 , 32, e2611	2.3	3
18	A National Survey of Assertive Outreach Treatment Services for People Who Frequently Attend Hospital due to Alcohol-Related Reasons in England. <i>Alcohol and Alcoholism</i> , 2018 , 53, 277-281	3.5	3
17	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2020 , 8, 1-144	1.5	3
16	Adolescent perspectives about their participation in alcohol intervention research in emergency care: A qualitative exploration using ethical principles as an analytical framework. <i>PLoS ONE</i> , 2019 , 14, e0217855	3.7	2
15	Time to review the provision of addiction treatment for codeine dependence. <i>BMJ, The</i> , 2017 , 359, j537	1 1 5.9	2
14	Spotting the Diffusion of New Psychoactive Substances over the Internet. <i>Lecture Notes in Computer Science</i> , 2016 , 86-97	0.9	2

13	Development of a multicentre randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people in a high-school setting (SIPS JR-HIGH). <i>Lancet, The</i> , 2015 , 386, S37	40	2
12	The perceived challenges facing alcohol treatment services in England: A qualitative study of service providers. <i>Journal of Substance Use</i> , 2011 , 16, 38-49	0.8	2
11	Brief alcohol intervention for risky drinking in young people aged 14¶5 years in secondary schools: the SIPS JR-HIGH RCT. <i>Public Health Research</i> , 2019 , 7, 1-134	1.7	2
10	Identification of factors influencing tampering of codeine-containing medicines in England: a qualitative study. <i>Harm Reduction Journal</i> , 2020 , 17, 63	4.6	2
9	The Severity of Dependence Scale (SDS) for Codeine: Preliminary Investigation of the Psychometric Properties of the SDS in an Online Sample of Codeine Users From the UK. <i>Frontiers in Psychiatry</i> , 2021 , 12, 595706	5	2
8	Supporting Future Cannabis Policy - Developing a Standard Joint Unit: A Brief Back-Casting Exercise. <i>Frontiers in Psychiatry</i> , 2021 , 12, 675033	5	2
7	Advertising of Over-the-Counter Codeine-Containing Medicines in the EU: Differences in the Regulation of Advertising Between Member States. <i>Pharmaceutical Medicine</i> , 2018 , 32, 327-333	2.3	2
6	Standard units for cannabis dose: Why is it important to standardize cannabis dose for drug policy and how can we enhance its place on the public health agenda?. <i>International Journal of Drug Policy</i> , 2021 , 97, 103350	5.5	1
5	Accuracy of Wearable Transdermal Alcohol Sensors: Systematic Review <i>Journal of Medical Internet Research</i> , 2022 , 24, e35178	7.6	1
4	Intended and unintended consequences of the implementation of minimum unit pricing of alcohol in Scotland: a natural experiment. <i>Public Health Research</i> , 2021 , 9, 1-210	1.7	O
3	Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. <i>International Journal of Drug Policy</i> , 2021 , 93, 103113	5.5	0
2	Survey finds only 15% of emergency departments have formal alcohol screening and intervention policies for trauma patients. <i>Evidence-based Nursing</i> , 2010 , 13, 108-9	0.3	
1	National survey of alcohol treatment agencies in England: Characteristics of clients. <i>Journal of Substance Use</i> , 2012 , 17, 389-398	0.8	