

Atsuhiko Ota

List of Publications by Citations

Source: <https://exaly.com/author-pdf/694692/atsuhiko-ota-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30
papers

533
citations

12
h-index

22
g-index

35
ext. papers

655
ext. citations

3.4
avg, IF

3.11
L-index

#	Paper	IF	Citations
30	Global trend in overweight and obesity and its association with cardiovascular disease incidence. <i>Circulation Journal</i> , 2014 , 78, 2807-18	2.9	128
29	Association between psychosocial job characteristics and insomnia: an investigation using two relevant job stress models--the demand-control-support (DCS) model and the effort-reward imbalance (ERI) model. <i>Sleep Medicine</i> , 2005 , 6, 353-8	4.6	91
28	Psychosocial job characteristics and insomnia: a prospective cohort study using the Demand-Control-Support (DCS) and Effort-Reward Imbalance (ERI) job stress models. <i>Sleep Medicine</i> , 2009 , 10, 1112-7	4.6	79
27	Association of BCG vaccination policy and tuberculosis burden with incidence and mortality of COVID-19		35
26	Validation of the Japanese Version of the Yale Food Addiction Scale 2.0 (J-YFAS 2.0). <i>Nutrients</i> , 2019 , 11,	6.7	19
25	Psychosocial job characteristics and smoking cessation: a prospective cohort study using the Demand-Control-Support and Effort-Reward Imbalance job stress models. <i>Nicotine and Tobacco Research</i> , 2010 , 12, 287-93	4.9	18
24	Relationship of job stress with nicotine dependence of smokers--a cross-sectional study of female nurses in a general hospital. <i>Journal of Occupational Health</i> , 2004 , 46, 220-4	2.3	18
23	Similarities and differences between coronary heart disease and stroke in the associations with cardiovascular risk factors: The Japan Collaborative Cohort Study. <i>Atherosclerosis</i> , 2017 , 261, 124-130	3.1	14
22	Effect of laughter yoga on salivary cortisol and dehydroepiandrosterone among healthy university students: A randomized controlled trial. <i>Complementary Therapies in Clinical Practice</i> , 2018 , 32, 6-11	3.5	14
21	The effort-reward imbalance work-stress model and daytime salivary cortisol and dehydroepiandrosterone (DHEA) among Japanese women. <i>Scientific Reports</i> , 2014 , 4, 6402	4.9	14
20	Differential effects of power rehabilitation on physical performance and higher-level functional capacity among community-dwelling older adults with a slight degree of frailty. <i>Journal of Epidemiology</i> , 2007 , 17, 61-7	3.4	14
19	Association of gamma-glutamyl transferase and alanine aminotransferase with type 2 diabetes mellitus incidence in middle-aged Japanese men: 12-year follow up. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 837-845	3.9	12
18	Association between parental history of diabetes and the incidence of type 2 diabetes mellitus differs according to the sex of the parent and offspring's body weight: A finding from a Japanese worksite-based cohort study. <i>Preventive Medicine</i> , 2015 , 81, 49-53	4.3	11
17	Relationships among Socioeconomic Factors and Self-rated Health in Japanese Adults: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S66-S72	3.4	9
16	A Point System for Predicting 10-Year Risk of Developing Type 2 Diabetes Mellitus in Japanese Men: Aichi Workers Cohort Study. <i>Journal of Epidemiology</i> , 2018 , 28, 347-352	3.4	8
15	The association between objective measures of residence and worksite neighborhood environment, and self-reported leisure-time physical activities: The Aichi Workers Cohort Study. <i>Preventive Medicine Reports</i> , 2018 , 11, 282-289	2.6	7
14	Reliability and validity of the Japanese translated version of the Swedish Demand-Control-Support Questionnaire. <i>Industrial Health</i> , 2012 , 50, 467-75	2.5	7

13	Recent Status and Methodological Quality of Return-to-Work Rates of Cancer Patients Reported in Japan: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
12	Smoking results in accumulation of ectopic fat in the liver. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019 , 12, 1075-1080	3.4	6
11	Nicotine dependence and smoking cessation after hospital discharge among inpatients with coronary heart attacks. <i>Environmental Health and Preventive Medicine</i> , 2002 , 7, 74-8	4.2	6
10	Risk and population attributable fraction of metabolic syndrome and impaired fasting glucose for the incidence of type2 diabetes mellitus among middle-aged Japanese individuals: Aichi Worker Cohort Study. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 1163-1169	3.9	4
9	Psychological job strain, social support at work and daytime secretion of dehydroepiandrosterone (DHEA) in healthy female employees: cross-sectional analyses. <i>Scientific Reports</i> , 2015 , 5, 15844	4.9	3
8	Longitudinal Study of Factors Relating to Recovery from Childhood Stuttering. <i>Japan Journal of Logopedics and Phoniatrics</i> , 2011 , 52, 32-42	0	2
7	Smoking cessation after discharge among Japanese patients with established ischemic heart disease: a prospective cohort study. <i>Acta Medica Okayama</i> , 2008 , 62, 151-7	0.5	2
6	Scientific base for the Japanese Stress Check Program. <i>Journal of Occupational Health</i> , 2018 , 60, 1-2	2.3	1
5	Cross-sectional association between working and depression prevalence in cancer survivors: a literature review. <i>Environmental and Occupational Health Practice</i> , 2020 , 2, n/a	0.7	1
4	Impact of Body Mass Index on Obesity-Related Cancer and Cardiovascular Disease Mortality; The Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 ,	4	1
3	Work-related factors among people with diabetes and the risk of cardiovascular diseases: A systematic review. <i>Journal of Occupational Health</i> , 2021 , 63, e12278	2.3	1
2	Working cancer survivors' physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 912-921	5.1	1
1	The Association of Work-related Stress According to the Demand-Control Model With Aggravation of Pre-existing Disease During the First State of COVID-19 Emergency in Japan. <i>Journal of Epidemiology</i> , 2021 , 31, 642-647	3.4	0