

Atsuhiko Ota

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/694692/publications.pdf>

Version: 2024-02-01

34
papers

745
citations

758635

12
h-index

552369

26
g-index

35
all docs

35
docs citations

35
times ranked

1268
citing authors

#	ARTICLE	IF	CITATIONS
1	Global Trend in Overweight and Obesity and Its Association With Cardiovascular Disease Incidence. <i>Circulation Journal</i> , 2014, 78, 2807-2818.	0.7	177
2	Association between psychosocial job characteristics and insomnia: an investigation using two relevant job stress models—the demand-control-support (DCS) model and the effort-reward imbalance (ERI) model. <i>Sleep Medicine</i> , 2005, 6, 353-358.	0.8	101
3	Psychosocial job characteristics and insomnia: A prospective cohort study using the Demand-Control-Support (DCS) and Effort-Reward Imbalance (ERI) job stress models. <i>Sleep Medicine</i> , 2009, 10, 1112-1117.	0.8	93
4	Validation of the Japanese Version of the Yale Food Addiction Scale 2.0 (J-YFAS 2.0). <i>Nutrients</i> , 2019, 11, 687.	1.7	29
5	Effect of laughter yoga on salivary cortisol and dehydroepiandrosterone among healthy university students: A randomized controlled trial. <i>Complementary Therapies in Clinical Practice</i> , 2018, 32, 6-11.	0.7	24
6	Psychosocial job characteristics and smoking cessation: A prospective cohort study using the Demand-Control-Support and Effort-Reward Imbalance job stress models. <i>Nicotine and Tobacco Research</i> , 2010, 12, 287-293.	1.4	23
7	Association of gamma-glutamyl transferase and alanine aminotransferase with type 2 diabetes mellitus incidence in middle-aged Japanese men: 12-year follow up. <i>Journal of Diabetes Investigation</i> , 2019, 10, 837-845.	1.1	22
8	Relationship of Job Stress with Nicotine Dependence of Smokers—A Cross-Sectional Study of Female Nurses in a General Hospital. <i>Journal of Occupational Health</i> , 2004, 46, 220-224.	1.0	21
9	The Effort-reward Imbalance work-stress model and daytime salivary cortisol and dehydroepiandrosterone (DHEA) among Japanese women. <i>Scientific Reports</i> , 2014, 4, 6402.	1.6	21
10	Similarities and differences between coronary heart disease and stroke in the associations with cardiovascular risk factors: The Japan Collaborative Cohort Study. <i>Atherosclerosis</i> , 2017, 261, 124-130.	0.4	21
11	Association between parental history of diabetes and the incidence of type 2 diabetes mellitus differs according to the sex of the parent and offspring's body weight: A finding from a Japanese worksite-based cohort study. <i>Preventive Medicine</i> , 2015, 81, 49-53.	1.6	19
12	Differential Effects of Power Rehabilitation on Physical Performance and Higher-level Functional Capacity among Community-dwelling Older Adults with a Slight Degree of Frailty. <i>Journal of Epidemiology</i> , 2007, 17, 61-67.	1.1	17
13	Recent Status and Methodological Quality of Return-to-Work Rates of Cancer Patients Reported in Japan: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1461.	1.2	13
14	Relationships among Socioeconomic Factors and Self-rated Health in Japanese Adults: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S66-S72.	1.1	12
15	A Point System for Predicting 10-Year Risk of Developing Type 2 Diabetes Mellitus in Japanese Men: Aichi Workers' Cohort Study. <i>Journal of Epidemiology</i> , 2018, 28, 347-352.	1.1	12
16	The association between objective measures of residence and worksite neighborhood environment, and self-reported leisure-time physical activities: The Aichi Workers' Cohort Study. <i>Preventive Medicine Reports</i> , 2018, 11, 282-289.	0.8	11
17	Impact of Body Mass Index on Obesity-Related Cancer and Cardiovascular Disease Mortality; The Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1547-1562.	0.9	11
18	Reliability and Validity of the Japanese Translated Version of the Swedish Demand-Control-Support Questionnaire. <i>Industrial Health</i> , 2012, 50, 467-475.	0.4	9

#	ARTICLE	IF	CITATIONS
19	Working cancer survivors's physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021, 15, 912-921.	1.5	9
20	<p>Smoking results in accumulation of ectopic fat in the liver</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 1075-1080.	1.1	8
21	Risk and population attributable fraction of metabolic syndrome and impaired fasting glucose for the incidence of type-2 diabetes mellitus among middle-aged Japanese individuals: Aichi Workers's Cohort Study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1163-1169.	1.1	8
22	Nicotine dependence and smoking cessation after hospital discharge among inpatients with coronary heart attacks. <i>Environmental Health and Preventive Medicine</i> , 2002, 7, 74-78.	1.4	7
23	The association of public trust with the utilization of digital contact tracing for COVID-19 in Japan. <i>Public Health in Practice</i> , 2022, 4, 100279.	0.7	5
24	Psychological job strain, social support at work and daytime secretion of dehydroepiandrosterone (DHEA) in healthy female employees: cross-sectional analyses. <i>Scientific Reports</i> , 2015, 5, 15844.	1.6	4
25	Positive Association of Physical Activity with Both Objective and Perceived Measures of the Neighborhood Environment among Older Adults: The Aichi Workers's Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7971.	1.2	4
26	Smoking cessation after discharge among Japanese patients with established ischemic heart disease: a prospective cohort study. <i>Acta Medica Okayama</i> , 2008, 62, 151-7.	0.1	3
27	Longitudinal Study of Factors Relating to Recovery from Childhood Stuttering. <i>Japan Journal of Logopedics and Phoniatics</i> , 2011, 52, 32-42.	0.1	2
28	Scientific base for the Japanese Stress Check Program. <i>Journal of Occupational Health</i> , 2018, 60, 1-2.	1.0	2
29	The association of work-related stress according to the demand-control model with aggravation of pre-existing disease during the first state of COVID-19 emergency in Japan. <i>Journal of Epidemiology</i> , 2021, 31, 642-647.	1.1	2
30	Relationship Between Fasting Blood Glucose Levels in Middle Age and Cognitive Function in Later Life: The Aichi Workers's Cohort Study. <i>Journal of Epidemiology</i> , 2023, 33, 76-81.	1.1	2
31	Cross-sectional association between working and depression prevalence in cancer survivors: a literature review. <i>Environmental and Occupational Health Practice</i> , 2020, 2, n/a.	0.3	2
32	Work-related factors among people with diabetes and the risk of cardiovascular diseases: A systematic review. <i>Journal of Occupational Health</i> , 2021, 63, e12278.	1.0	2
33	1503The association of work-related stress with aggravation of pre-existing disease during COVID-19 emergency in Japan. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	1
34	The Association between Adult Height and Stroke Incidence in Japanese Men and Women: A Population-Based Case- Control Study. <i>Journal of Epidemiology</i> , 2021, , .	1.1	0