

# Antonino De Paoli

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6947157/antonino-de-paoli-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42  
papers

1,653  
citations

17  
h-index

40  
g-index

43  
ext. papers

1,916  
ext. citations

2.7  
avg, IF

3.47  
L-index

| #  | Paper   | IF  | Citations |
|----|---|-----|-----------|
| 42 | Ventricular Arrhythmias Due to Glomangiosarcoma Cardiac Metastases. <i>JACC: CardioOncology</i> , <b>2021</b> , 3, 150-153  | 3.8 | 0         |
| 41 | Long-Term Outcomes of Local Excision Following Neoadjuvant Chemoradiotherapy for Locally Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 2801-2808   | 3.1 | 2         |
| 40 | Magnetic resonance imaging (MRI) compared with computed tomography (CT) for interobserver agreement of gross tumor volume delineation in pancreatic cancer: a multi-institutional contouring study on behalf of the AIRO group for gastrointestinal cancers. <i>Acta Oncologica</i> , <b>2019</b> , 58, 439-447 | 3.2 | 6         |
| 39 | High-risk soft tissue sarcomas treated with perioperative chemotherapy: Improving prognostic classification in a randomised clinical trial. <i>European Journal of Cancer</i> , <b>2018</b> , 93, 28-36   | 7.5 | 31        |
| 38 | Unsupervised versus Supervised Identification of Prognostic Factors in Patients with Localized Retroperitoneal Sarcoma: A Data Clustering and Mahalanobis Distance Approach. <i>BioMed Research International</i> , <b>2018</b> , 2018, 2786163   | 3   | 7         |
| 37 | Intraoperative Electron Radiation Therapy Combined with External Beam Radiation Therapy after Gross Total Resection in Extremity Soft Tissue Sarcoma: A European Pooled Analysis. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 3833-3842  | 3.1 | 8         |
| 36 | Gene and MicroRNA Expression Are Predictive of Tumor Response in Rectal Adenocarcinoma Patients Treated With Preoperative Chemoradiotherapy. <i>Journal of Cellular Physiology</i> , <b>2017</b> , 232, 426-435   | 7.5 | 31        |
| 35 | Capecitabine cardiotoxicity: How to limit life-threatening events. <i>International Journal of Cardiology</i> , <b>2017</b> , 229, 5  | 3.2 | 1         |
| 34 | Probe-based confocal laser endomicroscopy for in vivo evaluation of the tumor vasculature in gastric and rectal carcinomas. <i>Scientific Reports</i> , <b>2017</b> , 7, 9819   | 4.9 | 15        |
| 33 | Long-Term Outcome of Rectal Cancer With Clinically (EUS/MRI) Metastatic Mesorectal Lymph Nodes Treated by Neoadjuvant Chemoradiation: Role of Organ Preservation Strategies in Relation to Pathologic Response. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 4302-4309                                | 3.1 | 9         |
| 32 | Predictive role of microRNA-related genetic polymorphisms in the pathological complete response to neoadjuvant chemoradiotherapy in locally advanced rectal cancer patients. <i>Oncotarget</i> , <b>2016</b> , 7, 19781-19793   | 3.3 | 11        |
| 31 | Pharmacogenetics Biomarkers and Their Specific Role in Neoadjuvant Chemoradiotherapy Treatments: An Exploratory Study on Rectal Cancer Patients. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17,   | 6.3 | 10        |
| 30 | Malignant cardiac tumors: diagnosis and treatment. <i>Future Cardiology</i> , <b>2015</b> , 11, 485-500   | 1.3 | 17        |
| 29 | Adjuvant chemoradiotherapy in gastric cancer: a pooled analysis of the AIRO gastrointestinal group experience. <i>Tumori</i> , <b>2015</b> , 101, 91-7  | 1.7 | 2         |
| 28 | Clinical validity of a DPYD-based pharmacogenetic test to predict severe toxicity to fluoropyrimidines. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 2971-80   | 7.5 | 48        |
| 27 | HLA-G 3WTR Polymorphisms Impact the Prognosis of Stage II-III CRC Patients in Fluoropyrimidine-Based Treatment. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144000  | 3.7 | 22        |
| 26 | Preoperative chemo-radiation therapy for localised retroperitoneal sarcoma: a phase I-II study from the Italian Sarcoma Group. <i>European Journal of Cancer</i> , <b>2014</b> , 50, 784-92   | 7.5 | 59        |

|    |   |     |     |
|----|---|-----|-----|
| 25 | The authors reply. <i>Diseases of the Colon and Rectum</i> , <b>2014</b> , 57, e360-1   | 3.1 |     |
| 24 | No benefit of adjuvant Fluorouracil Leucovorin chemotherapy after neoadjuvant chemoradiotherapy in locally advanced cancer of the rectum (LARC): Long term results of a randomized trial (I-CNR-RT). <i>Radiotherapy and Oncology</i> , <b>2014</b> , 113, 223-9                          | 5.3 | 174 |
| 23 | Inter-observer variability of clinical target volume delineation in radiotherapy treatment of pancreatic cancer: a multi-institutional contouring experience. <i>Radiation Oncology</i> , <b>2014</b> , 9, 198  | 4.2 | 35  |
| 22 | Local excision after preoperative chemoradiotherapy for rectal cancer: results of a multicenter phase II clinical trial. <i>Diseases of the Colon and Rectum</i> , <b>2013</b> , 56, 1349-56  | 3.1 | 120 |
| 21 | Telomere-specific reverse transcriptase (hTERT) and cell-free RNA in plasma as predictors of pathologic tumor response in rectal cancer patients receiving neoadjuvant chemoradiotherapy. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 3089-96                                  | 3.1 | 54  |
| 20 | Multiplexed protein signal pathway mapping identifies patients with rectal cancer that responds to neoadjuvant treatment. <i>Clinical Colorectal Cancer</i> , <b>2012</b> , 11, 268-74  | 3.8 | 5   |
| 19 | Chemo/Tomotherapy Stereotactic Body Radiation Therapy (chemo/SBRT) for the Salvage Treatment of Esophageal Carcinoma following Trimodality Therapy: A Case Report. <i>Tumori</i> , <b>2012</b> , 98, e143-e145  | 1.7 | 3   |
| 18 | Short, full-dose adjuvant chemotherapy in high-risk adult soft tissue sarcomas: a randomized clinical trial from the Italian Sarcoma Group and the Spanish Sarcoma Group. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 850-6   | 2.2 | 128 |
| 17 | Rhabdomyosarcoma of the skin resembling carcinosarcoma: report of a case and literature review. <i>American Journal of Dermatopathology</i> , <b>2012</b> , 34, e1-6  | 0.9 | 17  |
| 16 | Chemo/tomotherapy stereotactic body radiation therapy (chemo/SBRT) for the salvage treatment of esophageal carcinoma following trimodality therapy: a case report. <i>Tumori</i> , <b>2012</b> , 98, 143e-145e  | 1.7 | 2   |
| 15 | Patient-reported outcomes after neoadjuvant chemoradiotherapy for rectal cancer: a multicenter prospective observational study. <i>Annals of Surgery</i> , <b>2011</b> , 253, 71-7  | 7.8 | 79  |
| 14 | Long-term outcome of patients with complete pathologic response after neoadjuvant chemoradiation for cT3 rectal cancer: implications for local excision surgical strategies. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 3686-93   | 3.1 | 70  |
| 13 | Prognostic value of pathologic complete response after neoadjuvant therapy in locally advanced rectal cancer: long-term analysis of 566 ypCR patients. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2008</b> , 72, 99-107                                      | 4   | 331 |
| 12 | Infusional 5-fluorouracil and ZD1839 (Gefitinib-Iressa) in combination with preoperative radiotherapy in patients with locally advanced rectal cancer: a phase I and II Trial (1839IL/0092). <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2008</b> , 72, 644-9 | 4   | 54  |
| 11 | Preoperative hyperfractionated chemoradiation for locally recurrent rectal cancer in patients previously irradiated to the pelvis: A multicentric phase II study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2006</b> , 64, 1129-39                          | 4   | 160 |
| 10 | Neoadjuvant Therapy of Rectal Cancer New Treatment Perspectives. <i>Tumori</i> , <b>2004</b> , 90, 373-378  | 1.7 | 8   |
| 9  | Chemoradiation with raltitrexed (Tomudex) in preoperative treatment of stage II-III resectable rectal cancer: a phase II study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2004</b> , 60, 130-8  | 4   | 29  |
| 8  | Neoadjuvant therapy of rectal cancer new treatment perspectives. <i>Tumori</i> , <b>2004</b> , 90, 373-8  | 1.7 | 3   |

|   |   |     |    |
|---|---|-----|----|
| 7 | Radiotherapy and continuous infusion 5-fluorouracil in patients with nonresectable pancreatic carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2001</b> , 51, 736-40  | 4   | 38 |
| 6 | Radiotherapy enhanced by cis-platinum in stage III non-small cell lung cancer: a phase II study. <i>Radiotherapy and Oncology</i> , <b>1992</b> , 23, 241-4   | 5.3 | 17 |
| 5 | Feasibility of total body irradiation in chronic lymphocytic leukemia and low-grade non-Hodgkin's lymphomas. <i>Cancer Investigation</i> , <b>1991</b> , 9, 403-7   | 2.1 | 8  |
| 4 | Whole abdomen radiation therapy after a short chemotherapy course and second-look laparotomy in advanced ovarian cancer. <i>Gynecologic Oncology</i> , <b>1991</b> , 41, 206-11   | 4.9 | 7  |
| 3 | Multiple fraction per day radiation therapy for inoperable esophageal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>1988</b> , 14, 855-60   | 4   | 12 |
| 2 | Accelerated split course regimen in the treatment of brain metastases. <i>Radiotherapy and Oncology</i> , <b>1988</b> , 12, 39-44   | 5.3 | 12 |
| 1 | Combined radiotherapy and chemotherapy with cyclophosphamide, adriamycin, methotrexate, procarbazine (CAMP) in 64 consecutive patients with epidermoid bronchogenic carcinoma, limited disease: a prospective study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>1982</b> , 8, 1051-4 | 4   | 8  |