

Suwarna S Datar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6947249/suwarna-s-datar-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

1,130
citations

16
h-index

32
g-index

63
ext. papers

1,333
ext. citations

3.9
avg, IF

4.73
L-index

#	Paper	IF	Citations
57	Processing of graphene nanoribbon based hybrid composite for electromagnetic shielding. <i>Composites Part B: Engineering</i> , 2015 , 69, 472-477	10	109
56	Conjugation of curcumin with PVP capped gold nanoparticles for improving bioavailability. <i>Materials Science and Engineering C</i> , 2012 , 32, 2659-2663	8.3	93
55	Curcumin conjugated silica nanoparticles for improving bioavailability and its anticancer applications. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 9632-7	5.7	75
54	DNA-mediated electrostatic assembly of gold nanoparticles into linear arrays by a simple drop-coating procedure. <i>Applied Physics Letters</i> , 2001 , 78, 2943-2945	3.4	75
53	Graphene nanoribbon-PVA composite as EMI shielding material in the X band. <i>Nanotechnology</i> , 2013 , 24, 455705	3.4	74
52	Carbon nanostructure composite for electromagnetic interference shielding 2015 , 84, 1099-1116		65
51	Electromagnetic interference shielding in 1-18 GHz frequency and electrical property correlations in poly(vinylidene fluoride)-multi-walled carbon nanotube composites. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 20347-60	3.6	61
50	Microwave absorption properties of reduced graphene oxide strontium hexaferrite/poly(methyl methacrylate) composites. <i>Nanotechnology</i> , 2018 , 29, 115605	3.4	55
49	Dielectric investigation of a conducting fibrous nonwoven porous mat fabricated by a one-step facile electrospinning process. <i>RSC Advances</i> , 2016 , 6, 36588-36598	3.7	54
48	Effect of formation of heterostructure of SrAl ₄ Fe ₈ O ₁₉ /RGO/PVDF on the microwave absorption properties of the composite. <i>Chemical Engineering Journal</i> , 2019 , 374, 144-154	14.7	51
47	Reversible Aggregation Control of Polyvinylpyrrolidone Capped Gold Nanoparticles as a Function of pH. <i>Materials Express</i> , 2012 , 2, 311-318	1.3	41
46	Nano-carbon: preparation, assessment, and applications for NH ₃ gas sensor and electromagnetic interference shielding. <i>RSC Advances</i> , 2016 , 6, 97266-97275	3.7	30
45	Enhanced microwave absorption property of Reduced Graphene Oxide (RGO)/Strontium Hexaferrite (SF)/Poly (Vinylidene) Fluoride (PVDF). <i>Diamond and Related Materials</i> , 2018 , 89, 28-34	3.5	23
44	Investigation of dielectric properties of free standing electrospun nonwoven mat. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46121	2.9	22
43	Curcumin-Loaded, Self-Assembled Aloe Vera Template for Superior Antioxidant Activity and Trans-Membrane Drug Release. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 4039-45	1.3	22
42	Mixed phase, sp ² /sp ³ bonded, and disordered few layer graphene-like nanocarbon: Synthesis and characterizations. <i>Applied Surface Science</i> , 2013 , 271, 86-92	6.7	17
41	Photon assisted conducting atomic force microscopy study of nanostructured additives in P3HT:PCBM. <i>RSC Advances</i> , 2015 , 5, 102795-102802	3.7	16

40	Quartz tuning fork based portable sensor for vapor phase detection of methanol adulteration of ethanol by using aniline-doped polystyrene microwires. <i>Mikrochimica Acta</i> , 2017 , 184, 1659-1667	5.8	15
39	Nanocomposite engineered carbon fabric-mat as a passive metamaterial for stealth application. <i>Journal of Alloys and Compounds</i> , 2020 , 848, 155771	5.7	15
38	Charge storage and electron transport properties of gold nanoparticles decorating a urethane-methacrylate comb polymer network. <i>Nanoscale</i> , 2013 , 5, 4404-11	7.7	15
37	Investigation of QTF based gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2015 , 216, 586-594	8.5	15
36	Self-organization of polyaniline nanorods: Towards achieving a higher conductivity. <i>Applied Physics Letters</i> , 2005 , 87, 093117	3.4	14
35	Growth Mechanism of Cadmium Sulfide Nanocrystals. <i>Journal of Physical Chemistry Letters</i> , 2010 , 1, 304-308	8.0	13
34	Wideband (8-18 GHz) microwave absorption dominated electromagnetic interference (EMI) shielding composite using copper aluminum ferrite and reduced graphene oxide in polymer matrix. <i>Journal of Applied Physics</i> , 2020 , 128, 104902	2.5	13
33	Scanning tunneling microscopy/spectroscopy of titanium dioxide nanoparticulate film on Au() surface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004 , 232, 11-17	5.1	12
32	Lithium niobate nanoparticulate clad on the core of single mode optical fiber for temperature and magnetic field sensing. <i>Applied Physics Letters</i> , 2012 , 101, 043102	3.4	11
31	Modified graphene as a conducting ink for electromagnetic interference shielding. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 375302	3	10
30	Nickel Nanoparticle-Filled High-Performance Polymeric Nanocomposites for EMI Shielding Applications. <i>Journal of Electronic Materials</i> , 2020 , 49, 1630-1637	1.9	9
29	An attempt to correlate surface physics with chemical properties: molecular beam and Kelvin probe investigations of CeZrO thin films. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 27594-27602	3.6	8
28	Hydroxyapatite nanorods loaded with parathyroid hormone (PTH) synergistically enhance the net formative effect of PTH anabolic therapy. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2019 , 15, 218-230	6	8
27	Coexisting 1T/2H polymorphs, reentrant resistivity behavior, and charge distribution in MoS ₂ /BN 2D/2D composite thin films. <i>Physical Review Materials</i> , 2019 , 3,	3.2	7
26	Correlation between the magnetic-microstructure and microwave mitigation ability of MCoFeO based ferrite-carbon black/PVA composites. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 26431-26442	3.6	7
25	Preparation of Ni ₃ S ₂ and Ni ₃ S ₂ /Ni Nanosheets via Solution Based Processes. <i>Crystal Growth and Design</i> , 2015 , 15, 2584-2588	3.5	6
24	Structural and electronic investigation of metal-semiconductor hybrid tetrapod hetero-structures. <i>Gold Bulletin</i> , 2017 , 50, 105-110	1.6	5
23	Study of modification of photo active material with carbon nanostructures for polymer solar cell applications. <i>Materials Today Communications</i> , 2017 , 12, 11-18	2.5	5

22	Hysteretic DC electrowetting by field-induced nano-structurations on polystyrene films. <i>Soft Matter</i> , 2015 , 11, 2655-64	3.6	5
21	Catalytic activity of allamanda mediated phytosynthesized anisotropic gold nanoparticles. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2013 , 4, 045005	1.6	5
20	Stabilizing Metastable Polymorphs of van der Waals Solid MoS ₂ on Single Crystal Oxide Substrates: Exploring the Possible Role of Surface Chemistry and Structure. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 11216-11224	3.8	4
19	Optically transparent polymer composites: A study on the influence of filler/dopant on electromagnetic interference shielding mechanism. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50255 ²⁻⁹		4
18	Quartz tuning fork based sensor for detection of volatile organic compounds: towards breath analysis. <i>Materials Research Express</i> , 2018 , 5, 045407	1.7	3
17	Decoration of gold nanoparticles on thin multiwall carbon nanotubes and their use as a glucose sensor. <i>Materials Research Express</i> , 2016 , 3, 035008	1.7	3
16	N, H Dual-Doped Black Anatase TiO ₂ Thin Films toward Significant Self-Activation in Electrocatalytic Hydrogen Evolution Reaction in Alkaline Media. <i>Advanced Energy and Sustainability Research</i> , 2100137	1.6	3
15	Metamaterial Microwave Absorber (MMA) for Electromagnetic Interference (EMI) Shielding in X-Band. <i>Plasmonics</i> , 1	2.4	3
14	Miniaturization of transition metal hydroxides to hydroxide dots: A direction to realize giant cyclic stability and electrochemical performance. <i>International Journal of Energy Research</i> , 2021 , 45, 20356	4.5	3
13	SrAl ₄ Fe ₈ O ₁₉ hexaferrite and reduced graphene oxide: For microwave absorption application 2019 ,		2
12	QTF based methanol sensors 2015 ,		2
11	Co/Co ₃ O ₄ Based Nanoparticles and Their Polymer Composites for Tuned Electromagnetic Interference Shielding Application. <i>Journal of Nanoscience and Nanotechnology</i> , 2020 , 20, 2847-2857	1.3	2
10	Flexible and Transparent EMI Shielding Materials 2018 , 167-175		2
9	Grain boundary engineering of La _{0.7} Sr _{0.3} MnO ₃ films on silicon substrate: Scanning Tunneling Microscopy-Spectroscopy study. <i>Physica B: Condensed Matter</i> , 2014 , 448, 85-89	2.8	1
8	Observation of magnetism in La _{0.7} Sr _{0.3} MnO ₃ /graphene nanoribbons complex: a probable magnetoelectronic material study. <i>Materials Research Express</i> , 2017 , 4, 075050	1.7	1
7	Scanning tunneling microscopy/spectroscopy on Au nanoparticles assembled using lauryl amine (LAM) and octadecane thiol (ODT). <i>Applied Surface Science</i> , 2007 , 253, 5109-5115	6.7	1
6	Development of a Polymer Modified Quartz Tuning Fork (QTF) Sensor Array-Based Volatile Organic Compound (VOC) Classifier. <i>IEEE Sensors Journal</i> , 2021 , 21, 20870-20877	4	1
5	Scanning force microscopy and amplitude versus distance measurements on single-crystal oxide surfaces. <i>Surface and Interface Analysis</i> , 2004 , 36, 213-219	1.5	0

4	Polymer modified quartz tuning fork (QTF) sensor array for detection of breath as a biomarker for diabetes. <i>Sensors and Actuators B: Chemical</i> , 2022 , 358, 131524	8.5	o
3	Detection of Binary and Ternary Mixtures of Volatile Organic Compounds using Quartz Tuning Fork based Sensor Array. <i>Sensors and Actuators A: Physical</i> , 2021 , 332, 113198	3.9	o
2	Ultrasonically assisted solvohydrothermal synthesis of nanocrystalline Zn-Ni ferrite advanced material for EMI shielding. <i>Journal of Alloys and Compounds</i> , 2022 , 906, 164199	5.7	o
1	Polymer-Modified Quartz Tuning Forks for Breath Biomarker Sensing. <i>Engineering Proceedings</i> , 2021 , 6, 62	0.5	