

Anis Safura Ramli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6949216/publications.pdf>

Version: 2024-02-01

52
papers

5,853
citations

361045

20
h-index

253896

43
g-index

58
all docs

58
docs citations

58
times ranked

9223
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 959.	3.8	1,422
2	Modifiable risk factors, cardiovascular disease, and mortality in 155,722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020, 395, 795-808.	6.3	935
3	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017, 390, 2050-2062.	6.3	841
4	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. <i>Lancet, The</i> , 2011, 378, 1231-1243.	6.3	803
5	The Prospective Urban Rural Epidemiology (PURE) study: Examining the impact of societal influences on chronic noncommunicable diseases in low-, middle-, and high-income countries. <i>American Heart Journal</i> , 2009, 158, 1-7.e1.	1.2	495
6	Prevalence of a Healthy Lifestyle Among Individuals With Cardiovascular Disease in High-, Middle- and Low-Income Countries. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 1613.	3.8	256
7	Overview of the current status of familial hypercholesterolaemia care in over 60 countries - The EAS Familial Hypercholesterolaemia Studies Collaboration (FHSC). <i>Atherosclerosis</i> , 2018, 277, 234-255.	0.4	163
8	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. <i>JAMA Psychiatry</i> , 2020, 77, 1052.	6.0	116
9	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , 2013, 166, 636-646.e4.	1.2	113
10	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 795-803.	2.2	71
11	Prevalence, awareness, treatment, control and socio demographic determinants of hypertension in Malaysian adults. <i>BMC Public Health</i> , 2016, 16, 351.	1.2	70
12	Global differences in lung function by region (PURE): an international, community-based prospective study. <i>Lancet Respiratory Medicine</i> , the, 2013, 1, 599-609.	5.2	68
13	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , 2020, 43, 2643-2650.	4.3	55
14	JIS Definition Identified More Malaysian Adults with Metabolic Syndrome Compared to the NCEP-ATP III and IDF Criteria. <i>BioMed Research International</i> , 2013, 2013, 1-10.	0.9	54
15	Relationship between self-efficacy, self-care behaviour and glycaemic control among patients with type 2 diabetes mellitus in the Malaysian primary care setting. <i>BMC Family Practice</i> , 2018, 19, 39.	2.9	46
16	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020, 5, e002640.	2.0	41
17	Effectiveness of the EMPOWER-PAR Intervention in Improving Clinical Outcomes of Type 2 Diabetes Mellitus in Primary Care: A Pragmatic Cluster Randomised Controlled Trial. <i>BMC Family Practice</i> , 2016, 17, 157.	2.9	40
18	Translational Research for Improving the Care of Familial Hypercholesterolemia: The Ten Countries Study and Beyond. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 891-900.	0.9	36

#	ARTICLE	IF	CITATIONS
19	An enquiry based on a standardised questionnaire into knowledge, awareness and preferences concerning the care of familial hypercholesterolaemia among primary care physicians in the Asia-Pacific region: the 'Ten Countries Study'. <i>BMJ Open</i> , 2017, 7, e017817.	0.8	33
20	Bridging the gap in ageing: Translating policies into practice in Malaysian Primary Care. <i>Asia Pacific Family Medicine</i> , 2011, 10, 2.	0.4	26
21	Malaysian Society of Gastroenterology and Hepatology consensus statement on metabolic dysfunction-associated fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 795-811.	1.4	21
22	High prevalence of dyslipidaemia subtypes and their associated personal and clinical attributes in Malaysian adults: the REDISCOVER study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 149.	0.7	17
23	Knowledge, awareness and practice regarding familial hypercholesterolaemia among primary care physicians in Malaysia: The importance of professional training. <i>Atherosclerosis</i> , 2018, 277, 508-516.	0.4	14
24	Non-alcoholic fatty liver disease (NAFLD) and the cardiovascular disease (CVD) risk categories in primary care: is there an association?. <i>BMC Family Practice</i> , 2020, 21, 238.	2.9	13
25	Familial Hypercholesterolaemia in the Malaysian Community: Prevalence, Under-Detection and Under-Treatment. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 1095-1107.	0.9	13
26	Study protocol of EMPOWER Participatory Action Research (EMPOWER-PAR): a pragmatic cluster randomised controlled trial of multifaceted chronic disease management strategies to improve diabetes and hypertension outcomes in primary care. <i>BMC Family Practice</i> , 2014, 15, 151.	2.9	11
27	Validity and reliability of the patient assessment on chronic illness care (PACIC) questionnaire: the Malay version. <i>BMC Family Practice</i> , 2018, 19, 119.	2.9	11
28	The EMPOWER-SUSTAIN e-Health Intervention to improve patient activation and self-management behaviours among individuals with Metabolic Syndrome in primary care: study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2020, 21, 311.	0.7	10
29	Validity and reliability of an adapted questionnaire measuring knowledge, awareness and practice regarding familial hypercholesterolaemia among primary care physicians in Malaysia. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 39.	0.7	7
30	Traditional and complementary medicine (TCM) usage and its association with Patient Assessment of Chronic Illness Care (PACIC) among individuals with metabolic syndrome in primary care. <i>BMC Complementary Medicine and Therapies</i> , 2022, 22, 14.	1.2	7
31	Prevalence and factors associated with lipid-lowering medications use for primary and secondary prevention of cardiovascular diseases among Malaysians: the REDISCOVER study. <i>BMC Public Health</i> , 2022, 22, 228.	1.2	7
32	Validation of the Communication Skills Attitude Scale (CSAS) Questionnaire in a Cohort of Malaysian Medical Students. <i>Journal of Clinical and Health Sciences</i> , 2017, 2, 46.	0.1	6
33	Factors Associated with High Patient Activation Level among Individuals with Metabolic Syndrome at a Primary Care Teaching Clinic. <i>Journal of Primary Care and Community Health</i> , 2020, 11, 215013272093130.	1.0	5
34	The Primary Health Care Performance Initiative (PHCPI): Issues and Challenges for Malaysia as a Trailblazer Country. <i>Journal of Clinical and Health Sciences</i> , 2019, 4, 4.	0.1	5
35	Global prevalence of dyslipidaemia in adult populations: a systematic review protocol. <i>BMJ Open</i> , 2021, 11, e049662.	0.8	5
36	Effectiveness of the EMPOWER-PAR Intervention on Primary Care Providers' Adherence to Clinical Practice Guideline on the Management of Type 2 Diabetes Mellitus: A Pragmatic Cluster Randomised Controlled Trial. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2020, 8, 470-479.	0.1	3

#	ARTICLE	IF	CITATIONS
37	Validity and reliability of the Patient Activation Measure® (PAM®)-13 Malay version among patients with Metabolic Syndrome in primary care. <i>Malaysian Family Physician</i> , 2020, 15, 22-34.	0.2	3
38	Are Malaysian Type 2 Diabetes patients willing to be trained to speak to their offspring about risk of diabetes and preventive measures?. <i>BMC Family Practice</i> , 2020, 21, 50.	2.9	2
39	Cross-Cultural Adaptation and Psychometric Properties of the Malay Version of the Communication Skills Attitude Scale (CSAS) among Medical Students in Malaysia. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3778.	1.2	2
40	Gender disparity in the prescription of secondary prevention medications in a Malaysian primary care clinic. <i>Malaysian Family Physician</i> , 2021, 16, 37-44.	0.2	2
41	Adaptation and Psychometric Validation of the EMPOWER-SUSTAIN Usability Questionnaire (E-SUQ) among Patients with Metabolic Syndrome in Primary Care. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9405.	1.2	2
42	Familial Hypercholesterolaemia In Malaysian Community Is More Common Than That In Most European Countries. <i>Atherosclerosis</i> , 2019, 287, e219.	0.4	1
43	A Randomized Pilot Study on the Effects of Combined Tocotrienol-Tocopherol Mixed Fraction and Vitamin C on Inflammatory Status and Lipid Profile in Statin-Treated High Risk Patients. <i>International Archive of Medicine</i> , 0, , .	1.2	1
44	Clival Chordoma in an Adolescent: A Perspective from Primary Care. <i>Korean Journal of Family Medicine</i> , 2020, 41, 427-430.	0.4	1
45	Effects of adding tocotrienol-tocopherol mixed fraction and vitamin C on inflammatory status in hypercholesterolaemic patients in the low coronary risk category. <i>Biomedical Research and Therapy</i> , 2016, 3, .	0.3	0
46	Elevated serum lipoprotein(A) concentrations in different sub-groups of clinical familial hypercholesterolaemia and their unaffected family members. <i>Atherosclerosis</i> , 2017, 263, e60.	0.4	0
47	Serum lipoprotein(a) concentrations amongst the native ethnic communities in Malaysia. <i>Atherosclerosis</i> , 2017, 263, e209.	0.4	0
48	Coronary risk biomarkers in centrally obese subjects with and without metabolic syndrome. <i>Atherosclerosis</i> , 2017, 263, e265-e267.	0.4	0
49	Serum Lipoprotein(a) Concentrations in Different Familial Hypercholesterolaemia Subgroups Among Major Ethnic Groups in Malaysia. <i>International Journal of Cardiology</i> , 2017, 249, S11-S12.	0.8	0
50	Effects of adding tocotrienol-tocopherol mixed fraction and vitamin C supplementation on coronary risk biomarkers in patients with hypercholesterolaemia with moderate coronary risk. <i>Journal of Applied Pharmaceutical Science</i> , 0, , 133-138.	0.7	0
51	Septic Arthritis of the Knee and Necrotizing Fasciitis in a Young Immunocompetent Adult: A Case Report. <i>Journal of Clinical and Health Sciences</i> , 2018, 3, 56.	0.1	0
52	Neuroendocrine Tumour of the Lung: A Diagnostic Challenge. <i>Journal of Clinical and Health Sciences</i> , 2019, 4, 97.	0.1	0