
Hae-Young Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6951240/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Aging and Arterial Stiffness. Circulation Journal, 2010, 74, 2257-2262.	1.6	482
2	Differential Effect of Intracoronary Infusion of Mobilized Peripheral Blood Stem Cells by Granulocyte Colony-Stimulating Factor on Left Ventricular Function and Remodeling in Patients With Acute Myocardial Infarction Versus Old Myocardial Infarction: The MAGIC Cell-3-DES Randomized, Controlled Trial. Circulation, 2006, 114, I-145-I-151.	1.6	220
3	2018 Korean Society of Hypertension Guidelines for the management of hypertension: part II-diagnosis and treatment of hypertension. Clinical Hypertension, 2019, 25, 20.	2.0	193
4	Multicenter Randomized Trial Evaluating the Efficacy of Cilostazol on Ischemic Vascular Complications After Drug-Eluting Stent Implantation for Coronary Heart Disease. Journal of the American College of Cardiology, 2011, 57, 280-289.	2.8	177
5	A multicentre cohort study of acute heart failure syndromes in Korea: rationale, design, and interim observations of the Korean Acute Heart Failure (<scp>KorAHF</scp>) registry. European Journal of Heart Failure, 2014, 16, 700-708.	7.1	145
6	A Novel Noninvasive Technology for Treatment Planning Using Virtual Coronary Stenting and Computed Tomography-Derived Computed Fractional Flow Reserve. JACC: Cardiovascular Interventions, 2014, 7, 72-78.	2.9	144
7	Everolimus-Eluting Versus Sirolimus-Eluting Stents in Patients Undergoing Percutaneous Coronary Intervention. Journal of the American College of Cardiology, 2011, 58, 1844-1854.	2.8	137
8	Clinical Characteristics and Outcome of Acute Heart Failure in Korea: Results from the Korean Acute Heart Failure Registry (KorAHF). Korean Circulation Journal, 2017, 47, 341.	1.9	131
9	Forkhead Transcription Factor FOXO3a Is a Negative Regulator of Angiogenic Immediate Early Gene CYR61, Leading to Inhibition of Vascular Smooth Muscle Cell Proliferation and Neointimal Hyperplasia. Circulation Research, 2007, 100, 372-380.	4.5	102
10	Comparative Effectiveness of Telemonitoring Versus Usual Care for Heart Failure: A Systematic Review and Meta-analysis. Journal of Cardiac Failure, 2018, 24, 19-28.	1.7	101
11	Effects of Sacubitril/Valsartan (LCZ696) on Natriuresis, Diuresis, Blood Pressures, and NT-proBNP in Salt-Sensitive Hypertension. Hypertension, 2017, 69, 32-41.	2.7	98
12	Clinical and Physiological Outcomes of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention in Patients With Serial Stenoses Within One Coronary Artery. JACC: Cardiovascular Interventions, 2012, 5, 1013-1018.	2.9	94
13	Peroxisome Proliferator–Activated Receptor-δAgonist Enhances Vasculogenesis by Regulating Endothelial Progenitor Cells Through Genomic and Nongenomic Activations of the Phosphatidylinositol 3-Kinase/Akt Pathway. Circulation, 2008, 118, 1021-1033.	1.6	85
14	Artificial intelligence algorithm for predicting mortality of patients with acute heart failure. PLoS ONE, 2019, 14, e0219302.	2.5	84
15	Serum alkaline phosphatase is a predictor of mortality, myocardial infarction, or stent thrombosis after implantation of coronary drug-eluting stent. European Heart Journal, 2013, 34, 920-931.	2.2	80
16	Korea hypertension fact sheet 2020: analysis of nationwide population-based data. Clinical Hypertension, 2021, 27, 8.	2.0	77
17	Perivascular adipose tissue in the pathogenesis of cardiovascular disease. Atherosclerosis, 2013, 230, 177-184.	0.8	72
18	2018 Korean Society of Hypertension guidelines for the management of hypertension: part I-epidemiology of hypertension. Clinical Hypertension, 2019, 25, 16.	2.0	69

#	Article	IF	CITATIONS
19	Reverse J-Curve Relationship Between On-Treatment Blood Pressure and Mortality in Patients With Heart Failure. JACC: Heart Failure, 2017, 5, 810-819.	4.1	68
20	Safety and efficacy of everolimus- versus sirolimus-eluting stents: A systematic review and meta-analysis of 11 randomized trials. American Heart Journal, 2013, 165, 241-250.e4.	2.7	66
21	Enhanced Clopidogrel Responsiveness in Smokers. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 665-671.	2.4	65
22	Characteristics, Outcomes, and Treatment of Heart Failure With Improved Ejection Fraction. Journal of the American Heart Association, 2019, 8, e011077.	3.7	61
23	Comparison of Hyperemic Efficacy Between Central and Peripheral Venous Adenosine Infusion for Fractional Flow Reserve Measurement. Circulation: Cardiovascular Interventions, 2012, 5, 401-405.	3.9	59
24	Reconsidering the cut-off diastolic blood pressure for predicting cardiovascular events: a nationwide population-based study from Korea. European Heart Journal, 2019, 40, 724-731.	2.2	56
25	Clinical Predictors of High Posttreatment Platelet Reactivity to Clopidogrel in Koreans. Cardiovascular Therapeutics, 2012, 30, 5-11.	2.5	54
26	Efficacy and Tolerability of Fimasartan, a New Angiotensin Receptor Blocker, Compared With Losartan (50/100 mg): A 12-Week, Phase III, Multicenter, Prospective, Randomized, Double-Blind, Parallel-Group, Dose Escalation Clinical Trial With an Optional 12-Week Extension Phase in Adult Korean Patients With Mild-to-Moderate Hypertension. Clinical Therapeutics, 2012, 34, 552-568.e9.	2.5	53
27	Does "late catch-up―exist in drug-eluting stents: Insights from a serial quantitative coronary angiography analysis of sirolimus versus paclitaxel-eluting stents. American Heart Journal, 2010, 159, 446-453.e3.	2.7	52
28	Safety and Efficacy of Second-Generation Everolimus-Eluting Xience V Stents Versus Zotarolimus-Eluting Resolute Stents in Real-World Practice. Journal of the American College of Cardiology, 2013, 61, 536-544.	2.8	50
29	Management of morning hypertension: a consensus statement of an Asian expert panel. Journal of Clinical Hypertension, 2018, 20, 39-44.	2.0	49
30	Prevalence, Awareness, Treatment, and Control of Hypertension in Korea. Scientific Reports, 2019, 9, 10970.	3.3	49
31	FOXO3a Turns the Tumor Necrosis Factor Receptor Signaling Towards Apoptosis Through Reciprocal Regulation of c-Jun N-Terminal Kinase and NF-κB. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 112-120.	2.4	47
32	Gender differences in the association between socioeconomic status and hypertension incidence: the Korean Genome and Epidemiology Study (KoGES). BMC Public Health, 2015, 15, 852.	2.9	47
33	Sulfasalazine induces haem oxygenase-1 via ROS-dependent Nrf2 signalling, leading to control of neointimal hyperplasia. Cardiovascular Research, 2009, 82, 550-560.	3.8	46
34	Impact of intravascular ultrasound guidance in routine percutaneous coronary intervention for conventional lesions: data from the EXCELLENT trial. International Journal of Cardiology, 2013, 167, 721-726.	1.7	44
35	Blood Pressure Control and Cardiovascular Outcomes: Real-world Implications of the 2017 ACC/AHA Hypertension Guideline. Scientific Reports, 2018, 8, 13155.	3.3	44
36	Priming With Angiopoietin-1 Augments the Vasculogenic Potential of the Peripheral Blood Stem Cells Mobilized With Granulocyte Colony-Stimulating Factor Through a Novel Tie2/Ets-1 Pathway. Circulation, 2009, 120, 2240-2250.	1.6	43

#	Article	IF	CITATIONS
37	Neutrophil-Lymphocyte Ratio in Patients with Acute Heart Failure Predicts In-Hospital and Long-Term Mortality. Journal of Clinical Medicine, 2020, 9, 557.	2.4	43
38	Stent-related cardiac events after non-cardiac surgery: Drug-eluting stent vs. bare metal stent. International Journal of Cardiology, 2008, 123, 353-354.	1.7	42
39	Cilostazol attenuates on-treatment platelet reactivity in patients with CYP2C19 loss of function alleles receiving dual antiplatelet therapy: a genetic substudy of the CILON-T randomised controlled trial. Heart, 2011, 97, 641-647.	2.9	42
40	Forkhead Factor, FOXO3a, Induces Apoptosis of Endothelial Cells Through Activation of Matrix Metalloproteinases. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 302-308.	2.4	41
41	Measurements of Arterial Stiffness: Methodological Aspects. Korean Circulation Journal, 2008, 38, 343.	1.9	39
42	Clinical Outcomes of High On-Treatment Platelet Reactivity in Koreans Receiving Elective Percutaneous Coronary Intervention (from Results of the CROSS VERIFY Study). American Journal of Cardiology, 2011, 108, 1556-1563.	1.6	39
43	The Korean Society of Hypertension Guidelines for the Management of Hypertension in 2013: Its Essentials and Key Points. Pulse, 2015, 3, 21-28.	1.9	38
44	Enhanced clopidogrel response in smokers is reversed after discontinuation as assessed by VerifyNow assay: additional evidence for the concept of â€~smokers' paradox'. Heart, 2012, 98, 1000-1006.	2.9	37
45	Statins and Renin-Angiotensin System Inhibitor Combination Treatment to Prevent Cardiovascular Disease. Circulation Journal, 2014, 78, 281-287.	1.6	37
46	Effect of celecoxib on restenosis after coronary angioplasty with a Taxus stent (COREA-TAXUS trial): an open-label randomised controlled study. Lancet, The, 2007, 370, 567-574.	13.7	36
47	Outcomes of de novo and acute decompensated heart failure patients according to ejection fraction. Heart, 2018, 104, 525-532.	2.9	36
48	Five-year results of intracoronary infusion of the mobilized peripheral blood stem cells by granulocyte colony-stimulating factor in patients with myocardial infarction. European Heart Journal, 2012, 33, 3062-3069.	2.2	35
49	FOXO1 impairs whereas statin protects endothelial function in diabetes through reciprocal regulation of Krüppel-like factor 2. Cardiovascular Research, 2013, 97, 143-152.	3.8	35
50	Risk prediction for 30-day heart failure-specific readmission or death after discharge: Data from the Korean Acute Heart Failure (KorAHF) registry. Journal of Cardiology, 2019, 73, 108-113.	1.9	35
51	Secondary Sphere Formation Enhances the Functionality of Cardiac Progenitor Cells. Molecular Therapy, 2012, 20, 1750-1766.	8.2	34
52	Amlodipine, clopidogrel and CYP3A5 genetic variability: effects on platelet reactivity and clinical outcomes after percutaneous coronary intervention. Heart, 2012, 98, 1366-1372.	2.9	34
53	PPARÎ ³ modulates vascular smooth muscle cell phenotype via a protein kinase G-dependent pathway and reduces neointimal hyperplasia after vascular injury. Experimental and Molecular Medicine, 2013, 45, e65-e65.	7.7	34
54	Vascular Calcifying Progenitor Cells Possess Bidirectional Differentiation Potentials. PLoS Biology, 2013, 11, e1001534.	5.6	34

#	Article	IF	CITATIONS
55	Short-term effects of air pollution on blood pressure. Scientific Reports, 2019, 9, 20298.	3.3	34
56	Comparison of Characteristics and 3-Year Outcomes in Patients With Acute Heart Failure With Preserved, Mid-Range, and Reduced Ejection Fraction. Circulation Journal, 2019, 83, 347-356.	1.6	33
57	Results of Extracorporeal Membrane Oxygenation (ECMO) Support before Coronary Reperfusion in Cardiogenic Shock with Acute Myocardial Infarction. Korean Journal of Thoracic and Cardiovascular Surgery, 2011, 44, 273-278.	0.6	33
58	Long-Term Clinical Outcomes of Fractional Flow Reserve–Guided Versus Routine Drug-Eluting Stent Implantation in Patients With Intermediate Coronary Stenosis. Circulation: Cardiovascular Interventions, 2015, 8, e002442.	3.9	32
59	Predictors and Prognostic Value of Worsening Renal Function During Admission in HFpEF Versus HFrEF: Data From the KorAHF (Korean Acute Heart Failure) Registry. Journal of the American Heart Association, 2018, 7, .	3.7	32
60	2018 Korean society of hypertension guidelines for the management of hypertension: part III-hypertension in special situations. Clinical Hypertension, 2019, 25, 19.	2.0	31
61	Guideline-directed medical therapy in elderly patients with heart failure with reduced ejection fraction: a cohort study. BMJ Open, 2020, 10, e030514.	1.9	31
62	Zebrafish Larvae Model of Dilated Cardiomyopathy Induced by Terfenadine. Korean Circulation Journal, 2017, 47, 960.	1.9	28
63	The Effect of Door-to-Diuretic Time on Clinical Outcomes in PatientsÂWithÂAcute Heart Failure. JACC: Heart Failure, 2018, 6, 286-294.	4.1	28
64	Genetic determinants of clopidogrel responsiveness in Koreans treated with drug-eluting stents. International Journal of Cardiology, 2013, 163, 79-86.	1.7	27
65	Age-differential association between serum uric acid and incident hypertension. Hypertension Research, 2019, 42, 428-437.	2.7	27
66	Clinical Characteristics of Coronary Drug-Eluting Stent Fracture: Insights from a Two-Center DES Registry. Journal of Korean Medical Science, 2011, 26, 53.	2.5	26
67	Short and long-term prognostic value of hyponatremia in heart failure with preserved ejection fraction versus reduced ejection fraction: An analysis of the Korean Acute Heart Failure registry. International Journal of Cardiology, 2017, 248, 239-245.	1.7	26
68	Efficacy and Tolerability of Once-Daily Oral Fimasartan 20 to 240 mg/d in Korean Patients with Hypertension: Findings from Two Phase II, Randomized, Double-Blind, Placebo-Controlled Studies. Clinical Therapeutics, 2012, 34, 1273-1289.	2.5	25
69	Increased prevalence of metabolic syndrome among hypertensive population. International Journal of Cardiology, 2013, 166, 633-639.	1.7	25
70	Paraoxonase 1 Gene Polymorphism Does Not Affect Clopidogrel Response Variability but Is Associated with Clinical Outcome after PCI. PLoS ONE, 2013, 8, e52779.	2.5	25
71	Guidelineâ€Directed Medical Therapy for Patients With Heart Failure With Midrange Ejection Fraction: A Patientâ€Pooled Analysis From the KorHF and KorAHF Registries. Journal of the American Heart Association, 2018, 7, e009806.	3.7	25
72	Renal dysfunction and high levels of hsCRP are additively associated with hard endpoints after percutaneous coronary intervention with drug eluting stents. International Journal of Cardiology, 2011, 149, 174-181.	1.7	24

#	Article	IF	CITATIONS
73	Mechanism of Edge Restenosis After Drug-Eluting Stent Implantation. Circulation Journal, 2013, 77, 2928-2935.	1.6	24
74	Prospective randomized comparison between omega-3 fatty acid supplements plus simvastatin versus simvastatin alone in Korean patients with mixed dyslipidemia: lipoprotein profiles and heart rate variability. European Journal of Clinical Nutrition, 2011, 65, 110-116.	2.9	23
75	Impact of the β-1 adrenergic receptor polymorphism on tolerability and efficacy of bisoprolol therapy in Korean heart failure patients: association between β adrenergic receptor polymorphism and bisoprolol therapy in heart failure (ABBA) study. Korean Journal of Internal Medicine, 2016, 31, 277-287.	1.7	23
76	Heart Transplantation in Asia. Circulation Journal, 2017, 81, 617-621.	1.6	23
77	Status of hypertension screening in the Korea National General Health Screening Program: a questionnaire survey on 210 screening centers in two metropolitan areas. Clinical Hypertension, 2017, 23, 23.	2.0	23
78	The effect of alcohol dose on the development of hypertension in Asian and Western men: systematic review and meta-analysis. Korean Journal of Internal Medicine, 2020, 35, 906-916.	1.7	23
79	Persistence with Antihypertensive Medications in Uncomplicated Treatment-NaÃ⁻ve Patients: Effects of Initial Therapeutic Classes. Journal of Korean Medical Science, 2015, 30, 1800.	2.5	21
80	Fimasartan: A New Angiotensin Receptor Blocker. Drugs, 2016, 76, 1015-1022.	10.9	21
81	Real World' Comparison of Drug-Eluting Stents vs Bare Metal Stents in the Treatment of Unselected Patients With Acute ST-Segment Elevation Myocardial Infarction. Circulation Journal, 2010, 74, 1111-1120.	1.6	20
82	The Diagnostic Accuracy, Image Quality and Radiation Dose of 64-Slice Dual-Source CT in Daily Practice: a Single Institution's Experience. Korean Journal of Radiology, 2011, 12, 308.	3.4	20
83	Generation of human secondary cardiospheres as a potent cell processing strategy for cell-based cardiac repair. Biomaterials, 2013, 34, 651-661.	11.4	20
84	Characteristics and outcomes of HFpEF with declining ejection fraction. Clinical Research in Cardiology, 2020, 109, 225-234.	3.3	20
85	Paradigm Shifts of Heart Failure Therapy: Do We Need Another Paradigm?. International Journal of Heart Failure, 2020, 2, 145.	2.7	20
86	Body fluid status assessment by bio-impedance analysis in patients presenting to the emergency department with dyspnea. Korean Journal of Internal Medicine, 2018, 33, 911-921.	1.7	20
87	The Korean Organ Transplant Registry (KOTRY): Second Official Adult Heart Transplant Report. Korean Circulation Journal, 2019, 49, 724.	1.9	20
88	Comparison of Plain Balloon and Cutting Balloon Angioplasty for the Treatment of Restenosis With Drug-Eluting Stents vs Bare Metal Stents. Circulation Journal, 2010, 74, 1837-1845.	1.6	19
89	Usefulness of the SYNTAX and Clinical SYNTAX Scores in Predicting Clinical Outcome After Unrestricted Use of Sirolimus- and Everolimus-Eluting Stents. Circulation Journal, 2013, 77, 2912-2921.	1.6	19
90	Effects of Celecoxib On Restenosis after Coronary Intervention and Evolution of Atherosclerosis (Mini-COREA) Trial: celecoxib, a double-edged sword for patients with angina. European Heart Journal, 2012, 33, 2653-2661.	2.2	18

#	Article	IF	CITATIONS
91	Krüppel-Like Factor 2 Suppression by High Glucose as a Possible Mechanism of Diabetic Vasculopathy. Korean Circulation Journal, 2012, 42, 239.	1.9	18
92	Amlodipine and cardiovascular outcomes in hypertensive patients: meta-analysis comparing amlodipine-based versus other antihypertensive therapy. Korean Journal of Internal Medicine, 2014, 29, 315.	1.7	18
93	Impact of diabetes mellitus on mortality in patients with acute heart failure: a prospective cohort study. Cardiovascular Diabetology, 2020, 19, 49.	6.8	18
94	Cardio–renal protection with aliskiren, a direct renin inhibitor, in the ASPIRE HIGHER program. Expert Review of Cardiovascular Therapy, 2009, 7, 251-257.	1.5	17
95	Initial Report of the Korean Organ Transplant Registry (KOTRY): Heart Transplantation. Korean Circulation Journal, 2017, 47, 868.	1.9	17
96	Role of Inflammation in Arterial Calcification. Korean Circulation Journal, 2021, 51, 114.	1.9	17
97	Impact of a Telehealth Program With Voice Recognition Technology in Patients With Chronic Heart Failure: Feasibility Study. JMIR MHealth and UHealth, 2017, 5, e127.	3.7	17
98	The incidence and predictors of postprocedural incomplete stent apposition after angiographically successful drugâ€eluting stent implantation. Catheterization and Cardiovascular Interventions, 2009, 74, 58-63.	1.7	16
99	Impaired Fasting Glucose and Impaired Glucose Tolerance Do Not Predict Hypertension: A Community Cohort Study. American Journal of Hypertension, 2015, 28, 493-500.	2.0	16
100	Antihypertensive Drugs and the Risk of Cancer: A Nationwide Cohort Study. Journal of Clinical Medicine, 2021, 10, 771.	2.4	16
101	Clinic blood pressure responses to two amlodipine salt formulations, adipate and besylate, in adult Korean patients with mild to moderate hypertension: A multicenter, randomized, double-blind, parallel-group, 8-week comparison. Clinical Therapeutics, 2005, 27, 728-739.	2.5	15
102	A Randomized, Multicenter, Double-blind, Placebo-controlled Study to Evaluate the Efficacy and the Tolerability of a Triple Combination of Amlodipine/Losartan/Rosuvastatin in Patients With Comorbid Essential Hypertension and Hyperlipidemia. Clinical Therapeutics, 2017, 39, 2366-2379.	2.5	15
103	Nutritional risk index as a predictor of mortality in acutely decompensated heart failure. PLoS ONE, 2018, 13, e0209088.	2.5	15
104	Differential Effects of Homocysteine on Porcine Endothelial and Vascular Smooth Muscle Cells. Journal of Cardiovascular Pharmacology, 2002, 39, 643-651.	1.9	14
105	The Association between Parameters of Socioeconomic Status and Hypertension in Korea: the Korean Genome and Epidemiology Study. Journal of Korean Medical Science, 2016, 31, 1922.	2.5	14
106	The impact of hepatitis B on heart transplantation: 19 years of national experience in Korea. Annals of Transplantation, 2014, 19, 182-187.	0.9	14
107	Fimasartan, an angiotensin II receptor antagonist, ameliorates an in vivo zebrafish model of heart failure. Korean Journal of Internal Medicine, 2020, 35, 1400-1410.	1.7	14
108	Quantification of Pedal Edema During Treatment With S(-)-Amlodipine Nicotinate Versus Amlodipine Besylate in Female Korean Patients With Mild to Moderate Hypertension: A 12-Week, Multicenter, Randomized, Double-Blind, Active-Controlled, Phase IV Clinical Trial. Clinical Therapeutics, 2012, 34, 1940-1947.	2.5	13

#	Article	IF	CITATIONS
109	A Randomized, Multicenter, Double-blind, Placebo-controlled, 3 × 3 Factorial Design, Phase II Study to Evaluate the Efficacy and Safety of the Combination of Fimasartan/Amlodipine in Patients With Essential Hypertension. Clinical Therapeutics, 2015, 37, 2581-2596.e3.	2.5	13
110	Early Parasympathetic Reinnervation Is Not Related to Reconnection of Major Branches of the Vagus Nerve after Heart Transplantation. Korean Circulation Journal, 2016, 46, 197.	1.9	13
111	Optimal Use of Beta-Blockers for Congestive Heart Failure. Circulation Journal, 2016, 80, 565-571.	1.6	13
112	Admission Hyperglycemia as a Predictor of Mortality in Acute Heart Failure: Comparison between the Diabetics and Non-Diabetics. Journal of Clinical Medicine, 2020, 9, 149.	2.4	13
113	Impact of insulin therapy on the mortality of acute heart failure patients with diabetes mellitus. Cardiovascular Diabetology, 2021, 20, 180.	6.8	13
114	Real-World Eligibility for Sacubitril/Valsartan in Heart Failure with Reduced Ejection Fraction Patients in Korea: Data from the Korean Acute Heart Failure (KorAHF) Registry. International Journal of Heart Failure, 2019, 1, 57.	2.7	13
115	The mortality benefit of carvedilol versus bisoprolol in patients with heart failure with reduced ejection fraction. Korean Journal of Internal Medicine, 2019, 34, 1030-1039.	1.7	13
116	Study design and rationale of 'Influence of Cilostazol-based triple anti-platelet therapy on ischemic complication after drug-eluting stent implantation (CILON-T)' study: A multicenter randomized trial evaluating the efficacy of Cilostazol on ischemic vascular complications after drug-eluting stent implantation (OILON-T)' study: A multicenter randomized trial evaluating the efficacy of Cilostazol on ischemic vascular complications after drug-eluting stent	1.6	12
117	Efficacy of Predicting Thrombotic Events with Combination of Dual Point-of-Care Testing (POCT) after Drug-Eluting Stent Implantation for Coronary Heart Disease: Results from the CILON-T Randomized Trial POCT Substudy. Journal of Atherosclerosis and Thrombosis, 2011, 18, 914-923.	2.0	12
118	CYP3A4 Genetic Status May Be Associated With Increased Vulnerability to the Inhibitory Effect of Calcium-Channel Blockers on Clopidogrel. Circulation Journal, 2013, 77, 1289-1296.	1.6	12
119	Under-Utilization of Donor Hearts in the Initial Era of the Heart Transplant Program in Korea. Circulation Journal, 2013, 77, 2056-2063.	1.6	12
120	Gender Differences in the Association between Serum Î ³ -Glutamyltransferase and Blood Pressure Change: A Prospective Community-Based Cohort Study. Journal of Korean Medical Science, 2014, 29, 1379.	2.5	12
121	βâ€Blockers and 1‥ear Postdischarge Mortality for Heart Failure and Reduced Ejection Fraction and Slow Discharge Heart Rate. Journal of the American Heart Association, 2019, 8, e011121.	3.7	12
122	Guideline-directed therapy at discharge in patients with heart failure and atrial fibrillation. Heart, 2020, 106, 292-298.	2.9	12
123	Realâ€world eligibility for vericiguat in decompensated heart failure with reduced ejection fraction. ESC Heart Failure, 2022, 9, 1492-1495.	3.1	12
124	Cotreatment with Darbepoetin and Granulocyte Colony-Stimulating Factor is Efficient to Recruit Proangiogenic Cell Populations in Patients with Acute Myocardial Infarction. Cell Transplantation, 2012, 21, 1055-1061.	2.5	11
125	Discrimination of stress (Takotsubo) cardiomyopathy from acute coronary syndrome with clinical risk factors and coronary evaluation in real-world clinical practice. International Journal of Cardiology, 2017, 235, 154-161.	1.7	11
126	Clinical utility of sympathetic blockade in cardiovascular disease management. Expert Review of Cardiovascular Therapy, 2017, 15, 277-288.	1.5	11

#	Article	IF	CITATIONS
127	Fate of Acute Heart Failure Patients With Mid-Range Ejection Fraction. Circulation Journal, 2018, 82, 2071-2078.	1.6	11
128	Hyponatraemia and its prognosis in acute heart failure is related to right ventricular dysfunction. Heart, 2018, 104, 1670-1677.	2.9	11
129	New definition for hypertension. Journal of the Korean Medical Association, 2018, 61, 485.	0.3	11
130	Angiotensin II Type 1 Receptor Blocker, Fimasartan, Reduces Vascular Smooth Muscle Cell Senescence by Inhibiting the CYR61 Signaling Pathway. Korean Circulation Journal, 2019, 49, 615.	1.9	11
131	Coronary artery bypass graft versus percutaneous coronary intervention in acute heart failure. Heart, 2020, 106, 50-57.	2.9	11
132	Association between Use of Hydrochlorothiazide and Nonmelanoma Skin Cancer: Common Data Model Cohort Study in Asian Population. Journal of Clinical Medicine, 2020, 9, 2910.	2.4	11
133	Prognostic Effect of Guideline-Directed Therapy Is More Noticeable Early in the Course of Heart Failure. Journal of Korean Medical Science, 2019, 34, e133.	2.5	11
134	Effects of intensive versus mild lipid lowering by statins in patients with ischemic congestive heart failure: Korean Pitavastatin Heart Failure (SAPHIRE) study. Korean Journal of Internal Medicine, 2014, 29, 754.	1.7	11
135	Diabetic Ketoacidosis Associated With Acute Pancreatitis in a Heart Transplant Recipient Treated With Tacrolimus. Experimental and Clinical Transplantation, 2012, 11, 72-74.	0.5	11
136	Effects of angiotensin receptor blocker at discharge in patients with heart failure with reduced ejection fraction: Korean Acute Heart Failure (KorAHF) registry. International Journal of Cardiology, 2018, 257, 168-176.	1.7	10
137	Antidepressant Use and the Risk of Major Adverse Cardiovascular Events in Patients Without Known Cardiovascular Disease: A Retrospective Cohort Study. Frontiers in Pharmacology, 2020, 11, 594474.	3.5	10
138	Efficacy of an Electronic Health Management Program for Patients With Cardiovascular Risk: Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e15057.	4.3	10
139	The efficacy and safety of co-administration of fimasartan and rosuvastatin to patients with hypertension and dyslipidemia. BMC Pharmacology & amp; Toxicology, 2017, 18, 2.	2.4	9
140	Efficacy and Tolerability of Combination Therapy Versus Monotherapy with Candesartan and/or Amlodipine for Dose Finding in Essential Hypertension: A Phase II Multicenter, Randomized, Double-blind Clinical Trial. Clinical Therapeutics, 2017, 39, 1628-1638.	2.5	9
141	Healthcare Costs for Acute Hospitalized and Chronic Heart Failure in South Korea: A Multi-Center Retrospective Cohort Study. Yonsei Medical Journal, 2017, 58, 944.	2.2	9
142	Reliability and Validity of Non-invasive Blood Pressure Measurement System Using Three-Axis Tactile Force Sensor. Sensors, 2019, 19, 1744.	3.8	9
143	Impact of perioperative renal dysfunction in heart transplantation: Combined heart and kidney transplantation could help to reduce postoperative mortality. Annals of Transplantation, 2013, 18, 533-549.	0.9	9
144	Heart Transplantation in the Elderly Patients: Midterm Results. Korean Journal of Thoracic and Cardiovascular Surgery, 2013, 46, 111-116.	0.6	9

#	Article	IF	CITATIONS
145	Percutaneous Extracorporeal Membrane Oxygenation for Graft Dysfunction after Heart Transplantation. Korean Journal of Thoracic and Cardiovascular Surgery, 2014, 47, 100-105.	0.6	9
146	The Advent of Cuffless Mobile Device Blood Pressure Measurement: Remaining Challenges and Pitfalls. Korean Circulation Journal, 2022, 52, 198.	1.9	9
147	Beneficial Effect of Efonidipine, an L- and T-Type Dual Calcium Channel Blocker, on Heart Rate and Blood Pressure in Patients With Mild-to-Moderate Essential Hypertension. Korean Circulation Journal, 2010, 40, 514.	1.9	8
148	Long-Term Outcome of Adjunctive Celecoxib Treatment After Paclitaxel-Eluting Stent Implantation for the Complex Coronary Lesions. Circulation: Cardiovascular Interventions, 2010, 3, 243-248.	3.9	8
149	Physiologic Evaluation of Myocardial Bridging: A New Analysis for an Old Disease. Canadian Journal of Cardiology, 2011, 27, 596-600.	1.7	8
150	Sirolimus- vs. paclitaxel-eluting stents for the treatment of unprotected left main coronary artery stenosis: Complete 2-year follow-up of a two-center registry. International Journal of Cardiology, 2011, 151, 89-95.	1.7	8
151	Comparison between zotarolimus-eluting stents and first generation drug-eluting stents in the treatment of patients with acute ST-segment elevation myocardial infarction. International Journal of Cardiology, 2013, 166, 118-125.	1.7	8
152	Blood pressure levels and cardiovascular risk according to age in patients with diabetes mellitus: a nationwide population-based cohort study. Cardiovascular Diabetology, 2020, 19, 181.	6.8	8
153	Suboptimal Management Status of Younger Hypertensive Population in Korea. Korean Circulation Journal, 2021, 51, 598.	1.9	8
154	The Korean Hypertension Cohort study: design and baseline characteristics. Korean Journal of Internal Medicine, 2021, 36, 1115-1125.	1.7	8
155	Efficacy and Tolerability of a New Extended-Release Formulation of Nicotinic Acid in Korean Adults With Mixed Dyslipidemia: An 8-Week, Multicenter, Prospective, Randomized, Double-Blind, and Placebo-Controlled Trial. Clinical Therapeutics, 2011, 33, 1357-1364.	2.5	7
156	Efficacy of fixed-dose amlodipine and losartan combination compared with amlodipine monotherapy in stage 2 hypertension: a randomized, double blind, multicenter study. BMC Research Notes, 2011, 4, 461.	1.4	7
157	Implication of different initial beta blockers on treatment persistence: atenolol vs newâ€generation beta blocker, a populationâ€based study. Cardiovascular Therapeutics, 2016, 34, 268-275.	2.5	7
158	Metabolic syndrome, not menopause, is a risk factor for hypertension in peri-menopausal women. Clinical Hypertension, 2018, 24, 14.	2.0	7
159	Impact of depression on change in coronary heart disease risk status: the Korean Genome and Epidemiology Study (KoGES). Therapeutics and Clinical Risk Management, 2018, Volume 14, 121-128.	2.0	7
160	Outcomes After Predischarge Initiation of β-Blocker in Patients Hospitalized for Severe Decompensated Heart Failure Requiring Inotropic Therapy. Canadian Journal of Cardiology, 2018, 34, 1145-1152.	1.7	7
161	Safety and Efficacy of Pitavastatin in Patients With Impaired Fasting Glucose and Hyperlipidemia: A Randomized, Open-labeled, Multicentered, Phase IV Study. Clinical Therapeutics, 2020, 42, 2036-2048.	2.5	7
162	Quantitative analysis of renal arterial variations affecting the eligibility of catheter-based renal denervation using multi-detector computed tomography angiography. Scientific Reports, 2020, 10, 19720.	3.3	7

#	Article	lF	CITATIONS
163	Office Blood Pressure Range and Cardiovascular Events in Patients With Hypertension: A Nationwide Cohort Study in South Korea. Journal of the American Heart Association, 2021, 10, e017890.	3.7	7
164	Effect of angiotensin receptor blockers on the development of cancer: A nationwide cohort study in korea. Journal of Clinical Hypertension, 2021, 23, 879-887.	2.0	7
165	Cost-Effectiveness Analysis of Hypertension Screening in the Korea National Health Screening Program. Korean Circulation Journal, 2021, 51, 610.	1.9	7
166	Estimation of low-density lipoprotein cholesterol levels using machine learning. International Journal of Cardiology, 2022, 352, 144-149.	1.7	7
167	Prevalence and Risk Factors of Masked Hypertension Identified by Multiple Self-Blood Pressure Measurement. Hypertension, 2008, 52, e137-8; author reply e139.	2.7	6
168	Phase IV, 8-Week, Multicenter, Randomized, Active Treatment–Controlled, Parallel Group, Efficacy, and Tolerability Study of High-Dose Candesartan Cilexetil Combined With Hydrochlorothiazide in Korean Adults With Stage II Hypertension. Clinical Therapeutics, 2011, 33, 1043-1056.	2.5	6
169	Trends in Hospitalized Acute Myocardial Infarction Patients with Heart Failure in Korea at 1998 and 2008. Journal of Korean Medical Science, 2014, 29, 544.	2.5	6
170	Comparison of effects between calcium channel blocker and diuretics in combination with angiotensin II receptor blocker on 24-h central blood pressure and vascular hemodynamic parameters in hypertensive patients: study design for a multicenter, double-blinded, active-controlled, phase 4, randomized trial. Clinical Hypertension, 2017, 23, 18.	2.0	6
171	24-Hour blood pressure response to lower dose (30 mg) fimasartan in Korean patients with mild to moderate essential hypertension. Korean Journal of Internal Medicine, 2017, 32, 1025-1036.	1.7	6
172	Effects of Widespread Inotrope Use in Acute Heart Failure Patients. Journal of Clinical Medicine, 2018, 7, 368.	2.4	6
173	Effect of renin-angiotensin system blockade in patients with severe renal insufficiency and heart failure. International Journal of Cardiology, 2018, 266, 180-186.	1.7	6
174	Heart failure and atrial fibrillation: tachycardiaâ€mediated acute decompensation. ESC Heart Failure, 2021, 8, 2816-2825.	3.1	6
175	Impact of preoperative renal replacement therapy on the clinical outcome of heart transplant patients. Scientific Reports, 2021, 11, 13398.	3.3	6
176	J-curve relationship between corrected QT interval and mortality in acute heart failure patients. Korean Journal of Internal Medicine, 2020, 35, 1371-1384.	1.7	6
177	Twenty-Year Experience of Heart Transplantation: Early and Long-Term Results. Korean Journal of Thoracic and Cardiovascular Surgery, 2016, 49, 242-249.	0.6	6
178	Ideal cardiovascular health duration and risk of chronic kidney disease and cardiovascular disease. Heart, 2022, 108, 523-528.	2.9	6
179	The incidence and predictors of contrast-induced nephropathy in adequately hydrated elderly patients with impaired renal function. Nephrology Dialysis Transplantation, 2007, 22, 1794-1795.	0.7	5
180	Efficacy and tolerability of two formulations of ramipril in Korean adults with mild to moderate essential hypertension: An 8-week, multicenter, prospective, randomized, open-label, parallel-group noninferiority trial. Clinical Therapeutics, 2009, 31, 988-998.	2.5	5

#	Article	IF	CITATIONS
181	Metabolic Alterations Associated with Atorvastatin/Fenofibric Acid Combination in Patients with Atherogenic Dyslipidaemia: A Randomized Trial for Comparison with Escalated-Dose Atorvastatin. Scientific Reports, 2018, 8, 14642.	3.3	5
182	Management and Prognosis of Heart Failure in Octogenarians: Final Report from the KorAHF Registry. Journal of Clinical Medicine, 2020, 9, 501.	2.4	5
183	Office blood pressure threshold of 130/80ÂmmHg better predicts uncontrolled outâ€ofâ€office blood pressure in apparent treatmentâ€resistant hypertension. Journal of Clinical Hypertension, 2021, 23, 595-605.	2.0	5
184	Central blood pressure lowering effect of telmisartanâ€rosuvastatin singleâ€pill combination in hypertensive patients combined with dyslipidemia: A pilot study. Journal of Clinical Hypertension, 2021, 23, 1664-1674.	2.0	5
185	Association Between Angiotensin II Receptor Blockers and the Risk of Lung Cancer Among Patients With Hypertension From the Korean National Health Insurance Service-National Health Screening Cohort. Journal of Preventive Medicine and Public Health, 2020, 53, 476-486.	1.9	5
186	Hypertensive Heart Failure in Asia. Pulse, 2021, 9, 47-56.	1.9	5
187	Effects of educational intervention on mortality and patient-reported outcomes in individuals with heart failure: A randomized controlled trial. Patient Education and Counseling, 2022, 105, 2740-2746.	2.2	5
188	Losartan/Hydrochlorothiazide Fixed Combination Versus Amlodipine Monotherapy in Korean Patients With Mild to Moderate Hypertension. Korean Circulation Journal, 2009, 39, 151.	1.9	4
189	Minimal withdrawal of dual antiplatelet agents under the guidance of a point-of-care platelet activity assay early after drug-eluting stent implantation for surgical removal of renal cell carcinoma. International Journal of Cardiology, 2011, 149, e85-e87.	1.7	4
190	Diagnostic value of myocardial SPECT to detect in-stent restenosis after drug-eluting stent implantation. International Journal of Cardiovascular Imaging, 2012, 28, 2125-2134.	1.5	4
191	Randomized trial comparing the efficacy between different types of paclitaxel-eluting stents: The comparison of Efficacy between COroflex PLEASe ANd Taxus stent (ECO-PLEASANT) randomized controlled trial. American Heart Journal, 2013, 165, 733-743.	2.7	4
192	Case of Refractory Hypertension Controlled by Repeated Renal Denervation and Celiac Plexus Block. Hypertension, 2017, 69, 978-984.	2.7	4
193	Study protocol for a randomised controlled trial: harmonising optimal strategy for treatment of coronary artery stenosis — coronary intervention with next-generation drug-eluting stent platforms and abbreviated dual antiplatelet therapy (HOST-IDEA) trial. BMJ Open, 2017, 7, e016617.	1.9	4
194	Assessment of clinical effect and treatment quality of immediate-release carvedilol-IR versus SLOW release carvedilol-SR in Heart Failure patients (SLOW-HF): study protocol for a randomized controlled trial. Trials, 2018, 19, 103.	1.6	4
195	Prognostic Significance of Left Axis Deviation in Acute Heart Failure Patients with Left Bundle branch block: an Analysis from the Korean Acute Heart Failure (KorAHF) Registry. Korean Circulation Journal, 2018, 48, 1002.	1.9	4
196	NFATc1+CD31+CD45â^' circulating multipotent stem cells derived from human endocardium and their therapeutic potential. Biomaterials, 2020, 232, 119674.	11.4	4
197	MARIE: A Context-Aware Term Mapping with String Matching and Embedding Vectors. Applied Sciences (Switzerland), 2020, 10, 7831.	2.5	4
198	Diagnostic Utility and Pathogenic Role of Circulating MicroRNAs in Vasospastic Angina. Journal of Clinical Medicine, 2020, 9, 1313.	2.4	4

#	Article	IF	CITATIONS
199	Predicting survival in heart failure: a risk score based on machine-learning and change point algorithm. Clinical Research in Cardiology, 2021, 110, 1321-1333.	3.3	4
200	Is there sufficient evidence to justify changes in dietary habits in heart failure patients? A systematic review. Korean Journal of Internal Medicine, 2022, 37, 37-47.	1.7	4
201	Beta-blocker Therapy at Discharge in Patients with Acute Heart Failure and Atrial Fibrillation. Journal of Korean Medical Science, 2020, 35, e278.	2.5	4
202	A dose–response relationship of renin–angiotensin system blockers and beta-blockers in patients with acute heart failure syndrome: a nationwide prospective cohort study. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 587-599.	3.0	4
203	Assessment of Intermediate Coronary Stenosis in Koreans Using the Fractional Flow Reserve. Korean Circulation Journal, 2008, 38, 468.	1.9	3
204	Effect of Lacidipine on Blood Pressure and Endothelial Function in Mild-to-Moderate Essential Hypertension Patients With Diabetes in Korea. Korean Circulation Journal, 2010, 40, 632.	1.9	3
205	Comparison of Antiplatelet Effect and Safety of Clopidogrel Napadisilate with Clopidogrel Bisulfate in Coronary Artery Disease Patients: Multi-center, Randomized, Double-blind, Phase IV, Non-inferiority Clinical Trial. American Journal of Cardiovascular Drugs, 2013, 13, 413-424.	2.2	3
206	Case of Chronic Indolent Pheochromocytoma That Caused Medically Controlled Hypertension but Treatment-Resistant Diabetes Mellitus. Hypertension, 2017, 69, 740-746.	2.7	3
207	High-Intensity Statin Therapy Is "Too Much,―Thus Not Indicated for Very Elderly Patients. Pulse, 2018, 6, 19-31.	1.9	3
208	Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. Trials, 2019, 20, 389.	1.6	3
209	Potential impact of 2018 Korean Society of Hypertension guidelines on Korean population: a population-based cohort study. Clinical Hypertension, 2020, 26, 3.	2.0	3
210	Apparent treatment-resistant hypertension among ambulatory hypertensive patients: a cross-sectional study from 13 general hospitals. Korean Journal of Internal Medicine, 2021, 36, 888-897.	1.7	3
211	Keyword Extraction Algorithm for Classifying Smoking Status from Unstructured Bilingual Electronic Health Records Based on Natural Language Processing. Applied Sciences (Switzerland), 2021, 11, 8812.	2.5	3
212	Diagnostic accuracy of manual office blood pressure measurement in ambulatory hypertensive patients in Korea. Korean Journal of Internal Medicine, 2018, 33, 113-120.	1.7	3
213	Differentiation of Artery and Vein in Digital Fundus Photograph. IFMBE Proceedings, 2011, , 575-578.	0.3	3
214	Elevated On-Treatment Diastolic Blood Pressure and Cardiovascular Outcomes in the Presence of Achieved Systolic Blood Pressure Targets. Korean Circulation Journal, 2022, 52, 460.	1.9	3
215	Cost-effectiveness analysis of intensive blood pressure control in Korea. Hypertension Research, 2022, 45, 507-515.	2.7	3
216	Impact of NT-proBNP on prognosis of acute decompensated chronic heart failure versus de novo heart failure. International Journal of Cardiology, 2022, 363, 163-170.	1.7	3

#	Article	IF	CITATIONS
217	Thiazolidinedione usage is associated with decreased response to clopidogrel in DM patients. International Journal of Cardiology, 2013, 168, 608-610.	1.7	2
218	Evaluation of the Efficacy and Safety of the Lercanidipine/Valsartan Combination in Korean Patients With Essential Hypertension Not Adequately Controlled With Lercanidipine Monotherapy: A Randomized, Multicenter, Parallel Design, Phase III Clinical Trial. Clinical Therapeutics, 2015, 37, 1726-1739.	2.5	2
219	Influence of initial angiotensin receptor blockers on treatment persistence in uncomplicated hypertension: A nation-wide population-based study. Clinical and Experimental Hypertension, 2016, 38, 325-330.	1.3	2
220	Safety of the Up-titration of Nifedipine GITS and Valsartan or Low-dose Combination in Uncontrolled Hypertension: the FOCUS Study. Clinical Therapeutics, 2016, 38, 832-842.	2.5	2
221	Forkhead Factor, FOXO3a, Induces Apoptosis of Endothelial Cells Through Activation of Matrix Metalloproteinases. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 302-308.	2.4	2
222	Incidence, Risk Factors and Prognosis of Contrast-Induced Acute Kidney Injury in Acute Heart Failure Patients Undergoing Coronary Angiography. International Journal of Heart Failure, 2019, 1, 72.	2.7	2
223	Implantable Cardioverter-defibrillator Utilization and Its Outcomes in Korea: Data from Korean Acute Heart Failure Registry. Journal of Korean Medical Science, 2020, 35, e397.	2.5	2
224	The Prescription Characteristics, Efficacy and Safety of Spironolactone in Real-World Patients With Acute Heart Failure Syndrome: A Prospective Nationwide Cohort Study. Frontiers in Cardiovascular Medicine, 2022, 9, 791446.	2.4	2
225	Diuretics versus others for long-term clinical outcomes as first-line antihypertensive medications: analysis of national real-world database. Hypertension Research, 2022, , .	2.7	2
226	Determinants of left ventricular function improvement for cardiac resynchronization therapy candidates. ESC Heart Failure, 2022, 9, 283-292.	3.1	2
227	Intractable right coronary artery spasm in the early postoperative period after heart transplantation: a case report. Korean Journal of Transplantation, 2022, 36, 154-158.	0.1	2
228	Heart failure in Korean elderly patients — clinical features, prognosis and prognostic factors. Archives of Gerontology and Geriatrics, 1999, 29, 183-191.	3.0	1
229	Lack of Association Between Low Density Lipoprotein Particle Size and On-Treatment Platelet Reactivity in Patients With Coronary Artery Disease. Korean Circulation Journal, 2012, 42, 551.	1.9	1
230	Comparison of Two Different Strategies of Intravascular Ultrasound Guidance during Percutaneous Coronary Intervention; Routine versus Selective. Korean Circulation Journal, 2013, 43, 303.	1.9	1
231	Target goal blood pressure in hypertension management. Journal of the Korean Medical Association, 2017, 60, 819.	0.3	1
232	Response to beta-blockers and natriuretic peptide level in acute heart failure: analysis of data from the Korean acute heart failure registry. Clinical Research in Cardiology, 2020, 110, 1392-1403.	3.3	1
233	Long-Term Safety of a Novel Angiotensin Receptor Blocker, Fimasartan, According to the Absence or Presence of Underlying Liver Disease in Korean Hypertensive Patients: A Prospective, 12-Month, Observational Study. Drug Design, Development and Therapy, 2020, Volume 14, 1341-1349.	4.3	1
234	Evaluation of Adherence to Guideline for Heart Failure with Reduced Ejection Fraction in Heart Failure with Preserved Ejection Fraction and with or without Atrial Fibrillation. Journal of Korean Medical Science, 2021, 36, e252.	2.5	1

#	Article	lF	CITATIONS
235	Recurrent Pancreatitis in a Pregnant Woman with Severe Hypertriglyceridemia Successfully Managed by Multiple Plasmapheresis. Journal of Atherosclerosis and Thrombosis, 2021, , .	2.0	1
236	Effects of Antiplatelet Drugs in Cardiovascular Prevention. Korean Journal of Medicine, 2013, 85, 15.	0.3	1
237	Introduction of Recent Hypertension Guidelines. Korean Journal of Medicine, 2014, 87, 127.	0.3	1
238	Prognostic Value of QRS Duration among Patients with Cardiogenic Shock Complicating Acute Heart Failure: Data from the Korean Acute Heart Failure (KorAHF) Registry. International Journal of Heart Failure, 2020, 2, 121.	2.7	1
239	Big Challenge in Big Data Research: Continual Dispute on Big Data Analysis. Korean Circulation Journal, 2020, 50, 69.	1.9	1
240	Prognostic Impact and Predictors of New-Onset Atrial Fibrillation in Heart Failure. Life, 2022, 12, 579.	2.4	1
241	Intracoronary infusion of mobilized peripheral blood stem cells by granulocyte colony-stimulating factor on myocardial perfusion and viability: Improvement of myocardial perfusion as a plausible mechanism of stem cell therapy. Heart Lung and Circulation, 2008, 17, S29-S30.	0.4	0
242	The Actual Utilization and the Reasons for Donor Heart Unacceptability in Korean Heart Transplantation. Journal of Cardiac Failure, 2011, 17, S70-S71.	1.7	0
243	Influence of Metabolic Syndrome on Hypertension-related Target Organ Damage: Diagnosis of Metabolic Syndrome Is Still Necessary. Journal of the Korean Society of Hypertension, 2011, 17, 125.	0.2	Ο
244	Characteristics, Management and Outcomes of Patients Hospitalized for Acute Heart Failure in Korea: Preliminary Results of the Korean Acute Heart Failure Registry (KorAHF). Journal of Cardiac Failure, 2012, 18, S66.	1.7	0
245	Blood Pressure Variability and Cardiovascular Risk. Journal of Korean Diabetes, 2014, 15, 206.	0.3	0
246	Comparison of Angiographic Outcomes of Side Branch Ostium at Bifurcation Coronary Lesion between Two-stent and One-stent Techniques. Journal of Korean Medical Science, 2015, 30, 889.	2.5	0
247	Effects of celecoxib on vascular changes after coronary intervention: A serial volumetric intravascular ultrasound analysis from the mini-COREA randomized clinical trial. International Journal of Cardiology, 2016, 202, 240-243.	1.7	Ο
248	Risk of osteoporotic fracture in older patients under antihypertensive treatment. European Journal of Preventive Cardiology, 2021, 28, e12-e14.	1.8	0
249	Solvitur Ambulando: Importance of Exercise in Middle-Age for Cardiovascular Health. Korean Circulation Journal, 2021, 51, 936.	1.9	Ο
250	Perioperative Management of Hypertensive Patients. Cardiovascular Prevention and Pharmacotherapy, O, 3, .	0.1	0
251	A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. Clinical Therapeutics. 2021. 43. 1746-1756.	2.5	0
252	Ultra-Processed Foods as a Less-Known Risk Factor in Cardiovascular Diseases. Korean Circulation Journal, 2022, 52, 71.	1.9	0

#	Article	IF	CITATIONS
253	Clinical Characteristics and Outcome of Immediate-Release Versus SLOW-Release Carvedilol in Heart Failure Patient (SLOW-HF): a Prospective Randomized, Open-Label, Multicenter Study. Cardiovascular Drugs and Therapy, 2022, , 1.	2.6	о
254	Impact of Cardiac Troponin Elevation on Mortality of Patients with Acute Heart Failure: Insights from the Korea Acute Heart Failure (KorAHF) Registry. Journal of Clinical Medicine, 2022, 11, 2800.	2.4	0