

# Hae-Young Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6951240/publications.pdf>

Version: 2024-02-01

254  
papers

6,113  
citations

87888

38  
h-index

106344

65  
g-index

263  
all docs

263  
docs citations

263  
times ranked

8609  
citing authors

#	ARTICLE	IF	CITATIONS
1	Is there sufficient evidence to justify changes in dietary habits in heart failure patients? A systematic review. <i>Korean Journal of Internal Medicine</i> , 2022, 37, 37-47.	1.7	4
2	Ultra-Processed Foods as a Less-Known Risk Factor in Cardiovascular Diseases. <i>Korean Circulation Journal</i> , 2022, 52, 71.	1.9	0
3	A dose-response relationship of renin-angiotensin system blockers and beta-blockers in patients with acute heart failure syndrome: a nationwide prospective cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 587-599.	3.0	4
4	Estimation of low-density lipoprotein cholesterol levels using machine learning. <i>International Journal of Cardiology</i> , 2022, 352, 144-149.	1.7	7
5	Clinical Characteristics and Outcome of Immediate-Release Versus SLOW-Release Carvedilol in Heart Failure Patient (SLOW-HF): a Prospective Randomized, Open-Label, Multicenter Study. <i>Cardiovascular Drugs and Therapy</i> , 2022, , 1.	2.6	0
6	The Advent of Cuffless Mobile Device Blood Pressure Measurement: Remaining Challenges and Pitfalls. <i>Korean Circulation Journal</i> , 2022, 52, 198.	1.9	9
7	Real-world eligibility for vericiguat in decompensated heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2022, 9, 1492-1495.	3.1	12
8	Ideal cardiovascular health duration and risk of chronic kidney disease and cardiovascular disease. <i>Heart</i> , 2022, 108, 523-528.	2.9	6
9	Elevated On-Treatment Diastolic Blood Pressure and Cardiovascular Outcomes in the Presence of Achieved Systolic Blood Pressure Targets. <i>Korean Circulation Journal</i> , 2022, 52, 460.	1.9	3
10	The Prescription Characteristics, Efficacy and Safety of Spironolactone in Real-World Patients With Acute Heart Failure Syndrome: A Prospective Nationwide Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 791446.	2.4	2
11	Diuretics versus others for long-term clinical outcomes as first-line antihypertensive medications: analysis of national real-world database. <i>Hypertension Research</i> , 2022, , .	2.7	2
12	Effects of educational intervention on mortality and patient-reported outcomes in individuals with heart failure: A randomized controlled trial. <i>Patient Education and Counseling</i> , 2022, 105, 2740-2746.	2.2	5
13	Cost-effectiveness analysis of intensive blood pressure control in Korea. <i>Hypertension Research</i> , 2022, 45, 507-515.	2.7	3
14	Determinants of left ventricular function improvement for cardiac resynchronization therapy candidates. <i>ESC Heart Failure</i> , 2022, 9, 283-292.	3.1	2
15	Prognostic Impact and Predictors of New-Onset Atrial Fibrillation in Heart Failure. <i>Life</i> , 2022, 12, 579.	2.4	1
16	Impact of Cardiac Troponin Elevation on Mortality of Patients with Acute Heart Failure: Insights from the Korea Acute Heart Failure (KorAHF) Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 2800.	2.4	0
17	Intractable right coronary artery spasm in the early postoperative period after heart transplantation: a case report. <i>Korean Journal of Transplantation</i> , 2022, 36, 154-158.	0.1	2
18	Impact of NT-proBNP on prognosis of acute decompensated chronic heart failure versus de novo heart failure. <i>International Journal of Cardiology</i> , 2022, 363, 163-170.	1.7	3

#	ARTICLE	IF	CITATIONS
19	Risk of osteoporotic fracture in older patients under antihypertensive treatment. <i>European Journal of Preventive Cardiology</i> , 2021, 28, e12-e14.	1.8	0
20	Office blood pressure threshold of 130/80 mmHg better predicts uncontrolled out-of-office blood pressure in apparent treatment-resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2021, 23, 595-605.	2.0	5
21	Role of Inflammation in Arterial Calcification. <i>Korean Circulation Journal</i> , 2021, 51, 114.	1.9	17
22	Solvitur Ambulando: Importance of Exercise in Middle-Age for Cardiovascular Health. <i>Korean Circulation Journal</i> , 2021, 51, 936.	1.9	0
23	Suboptimal Management Status of Younger Hypertensive Population in Korea. <i>Korean Circulation Journal</i> , 2021, 51, 598.	1.9	8
24	Evaluation of Adherence to Guideline for Heart Failure with Reduced Ejection Fraction in Heart Failure with Preserved Ejection Fraction and with or without Atrial Fibrillation. <i>Journal of Korean Medical Science</i> , 2021, 36, e252.	2.5	1
25	Recurrent Pancreatitis in a Pregnant Woman with Severe Hypertriglyceridemia Successfully Managed by Multiple Plasmapheresis. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, , .	2.0	1
26	Antihypertensive Drugs and the Risk of Cancer: A Nationwide Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 771.	2.4	16
27	Office Blood Pressure Range and Cardiovascular Events in Patients With Hypertension: A Nationwide Cohort Study in South Korea. <i>Journal of the American Heart Association</i> , 2021, 10, e017890.	3.7	7
28	Korea hypertension fact sheet 2020: analysis of nationwide population-based data. <i>Clinical Hypertension</i> , 2021, 27, 8.	2.0	77
29	Heart failure and atrial fibrillation: tachycardia-mediated acute decompensation. <i>ESC Heart Failure</i> , 2021, 8, 2816-2825.	3.1	6
30	Apparent treatment-resistant hypertension among ambulatory hypertensive patients: a cross-sectional study from 13 general hospitals. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 888-897.	1.7	3
31	Impact of preoperative renal replacement therapy on the clinical outcome of heart transplant patients. <i>Scientific Reports</i> , 2021, 11, 13398.	3.3	6
32	Predicting survival in heart failure: a risk score based on machine-learning and change point algorithm. <i>Clinical Research in Cardiology</i> , 2021, 110, 1321-1333.	3.3	4
33	Central blood pressure lowering effect of telmisartan-rosuvastatin single-pill combination in hypertensive patients combined with dyslipidemia: A pilot study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1664-1674.	2.0	5
34	A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2021, 43, 1746-1756.	2.5	0
35	Impact of insulin therapy on the mortality of acute heart failure patients with diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2021, 20, 180.	6.8	13
36	The Korean Hypertension Cohort study: design and baseline characteristics. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1115-1125.	1.7	8

#	ARTICLE	IF	CITATIONS
37	Keyword Extraction Algorithm for Classifying Smoking Status from Unstructured Bilingual Electronic Health Records Based on Natural Language Processing. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8812.	2.5	3
38	Effect of angiotensin receptor blockers on the development of cancer: A nationwide cohort study in Korea. <i>Journal of Clinical Hypertension</i> , 2021, 23, 879-887.	2.0	7
39	Cost-Effectiveness Analysis of Hypertension Screening in the Korea National Health Screening Program. <i>Korean Circulation Journal</i> , 2021, 51, 610.	1.9	7
40	Hypertensive Heart Failure in Asia. <i>Pulse</i> , 2021, 9, 47-56.	1.9	5
41	Coronary artery bypass graft versus percutaneous coronary intervention in acute heart failure. <i>Heart</i> , 2020, 106, 50-57.	2.9	11
42	Characteristics and outcomes of HFpEF with declining ejection fraction. <i>Clinical Research in Cardiology</i> , 2020, 109, 225-234.	3.3	20
43	NFATc1+CD31+CD45 <sup>+</sup> circulating multipotent stem cells derived from human endocardium and their therapeutic potential. <i>Biomaterials</i> , 2020, 232, 119674.	11.4	4
44	Safety and Efficacy of Pitavastatin in Patients With Impaired Fasting Glucose and Hyperlipidemia: A Randomized, Open-labeled, Multicentered, Phase IV Study. <i>Clinical Therapeutics</i> , 2020, 42, 2036-2048.	2.5	7
45	Blood pressure levels and cardiovascular risk according to age in patients with diabetes mellitus: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 181.	6.8	8
46	MARIE: A Context-Aware Term Mapping with String Matching and Embedding Vectors. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 7831.	2.5	4
47	Quantitative analysis of renal arterial variations affecting the eligibility of catheter-based renal denervation using multi-detector computed tomography angiography. <i>Scientific Reports</i> , 2020, 10, 19720.	3.3	7
48	Association between Use of Hydrochlorothiazide and Nonmelanoma Skin Cancer: Common Data Model Cohort Study in Asian Population. <i>Journal of Clinical Medicine</i> , 2020, 9, 2910.	2.4	11
49	Antidepressant Use and the Risk of Major Adverse Cardiovascular Events in Patients Without Known Cardiovascular Disease: A Retrospective Cohort Study. <i>Frontiers in Pharmacology</i> , 2020, 11, 594474.	3.5	10
50	Impact of diabetes mellitus on mortality in patients with acute heart failure: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 49.	6.8	18
51	Guideline-directed therapy at discharge in patients with heart failure and atrial fibrillation. <i>Heart</i> , 2020, 106, 292-298.	2.9	12
52	Diagnostic Utility and Pathogenic Role of Circulating MicroRNAs in Vasospastic Angina. <i>Journal of Clinical Medicine</i> , 2020, 9, 1313.	2.4	4
53	Guideline-directed medical therapy in elderly patients with heart failure with reduced ejection fraction: a cohort study. <i>BMJ Open</i> , 2020, 10, e030514.	1.9	31
54	Management and Prognosis of Heart Failure in Octogenarians: Final Report from the KorAHF Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 501.	2.4	5

#	ARTICLE	IF	CITATIONS
55	Response to beta-blockers and natriuretic peptide level in acute heart failure: analysis of data from the Korean acute heart failure registry. <i>Clinical Research in Cardiology</i> , 2020, 110, 1392-1403.	3.3	1
56	Neutrophil-Lymphocyte Ratio in Patients with Acute Heart Failure Predicts In-Hospital and Long-Term Mortality. <i>Journal of Clinical Medicine</i> , 2020, 9, 557.	2.4	43
57	Admission Hyperglycemia as a Predictor of Mortality in Acute Heart Failure: Comparison between the Diabetics and Non-Diabetics. <i>Journal of Clinical Medicine</i> , 2020, 9, 149.	2.4	13
58	Potential impact of 2018 Korean Society of Hypertension guidelines on Korean population: a population-based cohort study. <i>Clinical Hypertension</i> , 2020, 26, 3.	2.0	3
59	Long-Term Safety of a Novel Angiotensin Receptor Blocker, Fimasartan, According to the Absence or Presence of Underlying Liver Disease in Korean Hypertensive Patients: A Prospective, 12-Month, Observational Study. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 1341-1349.	4.3	1
60	Efficacy of an Electronic Health Management Program for Patients With Cardiovascular Risk: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e15057.	4.3	10
61	Paradigm Shifts of Heart Failure Therapy: Do We Need Another Paradigm?. <i>International Journal of Heart Failure</i> , 2020, 2, 145.	2.7	20
62	The effect of alcohol dose on the development of hypertension in Asian and Western men: systematic review and meta-analysis. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 906-916.	1.7	23
63	J-curve relationship between corrected QT interval and mortality in acute heart failure patients. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 1371-1384.	1.7	6
64	Fimasartan, an angiotensin II receptor antagonist, ameliorates an in vivo zebrafish model of heart failure. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 1400-1410.	1.7	14
65	Association Between Angiotensin II Receptor Blockers and the Risk of Lung Cancer Among Patients With Hypertension From the Korean National Health Insurance Service-National Health Screening Cohort. <i>Journal of Preventive Medicine and Public Health</i> , 2020, 53, 476-486.	1.9	5
66	Prognostic Value of QRS Duration among Patients with Cardiogenic Shock Complicating Acute Heart Failure: Data from the Korean Acute Heart Failure (KorAHF) Registry. <i>International Journal of Heart Failure</i> , 2020, 2, 121.	2.7	1
67	Beta-blocker Therapy at Discharge in Patients with Acute Heart Failure and Atrial Fibrillation. <i>Journal of Korean Medical Science</i> , 2020, 35, e278.	2.5	4
68	Big Challenge in Big Data Research: Continual Dispute on Big Data Analysis. <i>Korean Circulation Journal</i> , 2020, 50, 69.	1.9	1
69	Implantable Cardioverter-defibrillator Utilization and Its Outcomes in Korea: Data from Korean Acute Heart Failure Registry. <i>Journal of Korean Medical Science</i> , 2020, 35, e397.	2.5	2
70	Prevalence, Awareness, Treatment, and Control of Hypertension in Korea. <i>Scientific Reports</i> , 2019, 9, 10970.	3.3	49
71	2018 Korean Society of Hypertension guidelines for the management of hypertension: part I-epidemiology of hypertension. <i>Clinical Hypertension</i> , 2019, 25, 16.	2.0	69
72	2018 Korean society of hypertension guidelines for the management of hypertension: part III-hypertension in special situations. <i>Clinical Hypertension</i> , 2019, 25, 19.	2.0	31

#	ARTICLE	IF	CITATIONS
73	2018 Korean Society of Hypertension Guidelines for the management of hypertension: part II-diagnosis and treatment of hypertension. <i>Clinical Hypertension</i> , 2019, 25, 20.	2.0	193
74	Angiotensin II Type 1 Receptor Blocker, Fimasartan, Reduces Vascular Smooth Muscle Cell Senescence by Inhibiting the CYR61 Signaling Pathway. <i>Korean Circulation Journal</i> , 2019, 49, 615.	1.9	11
75	Artificial intelligence algorithm for predicting mortality of patients with acute heart failure. <i>PLoS ONE</i> , 2019, 14, e0219302.	2.5	84
76	Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 389.	1.6	3
77	Comparison of Characteristics and 3-Year Outcomes in Patients With Acute Heart Failure With Preserved, Mid-Range, and Reduced Ejection Fraction. <i>Circulation Journal</i> , 2019, 83, 347-356.	1.6	33
78	Reliability and Validity of Non-invasive Blood Pressure Measurement System Using Three-Axis Tactile Force Sensor. <i>Sensors</i> , 2019, 19, 1744.	3.8	9
79	Characteristics, Outcomes, and Treatment of Heart Failure With Improved Ejection Fraction. <i>Journal of the American Heart Association</i> , 2019, 8, e011077.	3.7	61
80	β-Blockers and 1-Year Postdischarge Mortality for Heart Failure and Reduced Ejection Fraction and Slow Discharge Heart Rate. <i>Journal of the American Heart Association</i> , 2019, 8, e011121.	3.7	12
81	Short-term effects of air pollution on blood pressure. <i>Scientific Reports</i> , 2019, 9, 20298.	3.3	34
82	Age-differential association between serum uric acid and incident hypertension. <i>Hypertension Research</i> , 2019, 42, 428-437.	2.7	27
83	Risk prediction for 30-day heart failure-specific readmission or death after discharge: Data from the Korean Acute Heart Failure (KorAHF) registry. <i>Journal of Cardiology</i> , 2019, 73, 108-113.	1.9	35
84	Reconsidering the cut-off diastolic blood pressure for predicting cardiovascular events: a nationwide population-based study from Korea. <i>European Heart Journal</i> , 2019, 40, 724-731.	2.2	56
85	Prognostic Effect of Guideline-Directed Therapy Is More Noticeable Early in the Course of Heart Failure. <i>Journal of Korean Medical Science</i> , 2019, 34, e133.	2.5	11
86	Real-World Eligibility for Sacubitril/Valsartan in Heart Failure with Reduced Ejection Fraction Patients in Korea: Data from the Korean Acute Heart Failure (KorAHF) Registry. <i>International Journal of Heart Failure</i> , 2019, 1, 57.	2.7	13
87	The mortality benefit of carvedilol versus bisoprolol in patients with heart failure with reduced ejection fraction. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 1030-1039.	1.7	13
88	The Korean Organ Transplant Registry (KOTRY): Second Official Adult Heart Transplant Report. <i>Korean Circulation Journal</i> , 2019, 49, 724.	1.9	20
89	Incidence, Risk Factors and Prognosis of Contrast-Induced Acute Kidney Injury in Acute Heart Failure Patients Undergoing Coronary Angiography. <i>International Journal of Heart Failure</i> , 2019, 1, 72.	2.7	2
90	Effects of angiotensin receptor blocker at discharge in patients with heart failure with reduced ejection fraction: Korean Acute Heart Failure (KorAHF) registry. <i>International Journal of Cardiology</i> , 2018, 257, 168-176.	1.7	10

#	ARTICLE	IF	CITATIONS
91	Management of morning hypertension: a consensus statement of an Asian expert panel. <i>Journal of Clinical Hypertension</i> , 2018, 20, 39-44.	2.0	49
92	Assessment of clinical effect and treatment quality of immediate-release carvedilol-IR versus SLOW release carvedilol-SR in Heart Failure patients (SLOW-HF): study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 103.	1.6	4
93	High-Intensity Statin Therapy Is "Too Much," Thus Not Indicated for Very Elderly Patients. <i>Pulse</i> , 2018, 6, 19-31.	1.9	3
94	Fate of Acute Heart Failure Patients With Mid-Range Ejection Fraction. <i>Circulation Journal</i> , 2018, 82, 2071-2078.	1.6	11
95	Predictors and Prognostic Value of Worsening Renal Function During Admission in HFpEF Versus HFrEF: Data From the KorAHF (Korean Acute Heart Failure) Registry. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	32
96	The Effect of Door-to-Diuretic Time on Clinical Outcomes in Patients With Acute Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 286-294.	4.1	28
97	Hyponatraemia and its prognosis in acute heart failure is related to right ventricular dysfunction. <i>Heart</i> , 2018, 104, 1670-1677.	2.9	11
98	Comparative Effectiveness of Telemonitoring Versus Usual Care for Heart Failure: A Systematic Review and Meta-analysis. <i>Journal of Cardiac Failure</i> , 2018, 24, 19-28.	1.7	101
99	Outcomes of de novo and acute decompensated heart failure patients according to ejection fraction. <i>Heart</i> , 2018, 104, 525-532.	2.9	36
100	Guideline-Directed Medical Therapy for Patients With Heart Failure With Midrange Ejection Fraction: A Patient-Pooled Analysis From the KorHF and KorAHF Registries. <i>Journal of the American Heart Association</i> , 2018, 7, e009806.	3.7	25
101	Nutritional risk index as a predictor of mortality in acutely decompensated heart failure. <i>PLoS ONE</i> , 2018, 13, e0209088.	2.5	15
102	Metabolic syndrome, not menopause, is a risk factor for hypertension in peri-menopausal women. <i>Clinical Hypertension</i> , 2018, 24, 14.	2.0	7
103	New definition for hypertension. <i>Journal of the Korean Medical Association</i> , 2018, 61, 485.	0.3	11
104	Effects of Widespread Inotrope Use in Acute Heart Failure Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 368.	2.4	6
105	Metabolic Alterations Associated with Atorvastatin/Fenofibric Acid Combination in Patients with Atherogenic Dyslipidaemia: A Randomized Trial for Comparison with Escalated-Dose Atorvastatin. <i>Scientific Reports</i> , 2018, 8, 14642.	3.3	5
106	Prognostic Significance of Left Axis Deviation in Acute Heart Failure Patients with Left Bundle branch block: an Analysis from the Korean Acute Heart Failure (KorAHF) Registry. <i>Korean Circulation Journal</i> , 2018, 48, 1002.	1.9	4
107	Impact of depression on change in coronary heart disease risk status: the Korean Genome and Epidemiology Study (KoGES). <i>Therapeutics and Clinical Risk Management</i> , 2018, Volume 14, 121-128.	2.0	7
108	Blood Pressure Control and Cardiovascular Outcomes: Real-world Implications of the 2017 ACC/AHA Hypertension Guideline. <i>Scientific Reports</i> , 2018, 8, 13155.	3.3	44

#	ARTICLE	IF	CITATIONS
109	Outcomes After Predischarge Initiation of $\beta$ -Blocker in Patients Hospitalized for Severe Decompensated Heart Failure Requiring Inotropic Therapy. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1145-1152.	1.7	7
110	Effect of renin-angiotensin system blockade in patients with severe renal insufficiency and heart failure. <i>International Journal of Cardiology</i> , 2018, 266, 180-186.	1.7	6
111	Diagnostic accuracy of manual office blood pressure measurement in ambulatory hypertensive patients in Korea. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 113-120.	1.7	3
112	Body fluid status assessment by bio-impedance analysis in patients presenting to the emergency department with dyspnea. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 911-921.	1.7	20
113	The efficacy and safety of co-administration of fimasartan and rosuvastatin to patients with hypertension and dyslipidemia. <i>BMC Pharmacology &amp; Toxicology</i> , 2017, 18, 2.	2.4	9
114	Discrimination of stress (Takotsubo) cardiomyopathy from acute coronary syndrome with clinical risk factors and coronary evaluation in real-world clinical practice. <i>International Journal of Cardiology</i> , 2017, 235, 154-161.	1.7	11
115	Case of Refractory Hypertension Controlled by Repeated Renal Denervation and Celiac Plexus Block. <i>Hypertension</i> , 2017, 69, 978-984.	2.7	4
116	Case of Chronic Indolent Pheochromocytoma That Caused Medically Controlled Hypertension but Treatment-Resistant Diabetes Mellitus. <i>Hypertension</i> , 2017, 69, 740-746.	2.7	3
117	Clinical utility of sympathetic blockade in cardiovascular disease management. <i>Expert Review of Cardiovascular Therapy</i> , 2017, 15, 277-288.	1.5	11
118	Reverse J-Curve Relationship Between On-Treatment Blood Pressure and Mortality in Patients With Heart Failure. <i>JACC: Heart Failure</i> , 2017, 5, 810-819.	4.1	68
119	Study protocol for a randomised controlled trial: harmonising optimal strategy for treatment of coronary artery stenosis – coronary intervention with next-generation drug-eluting stent platforms and abbreviated dual antiplatelet therapy (HOST-IDEA) trial. <i>BMJ Open</i> , 2017, 7, e016617.	1.9	4
120	Efficacy and Tolerability of Combination Therapy Versus Monotherapy with Candesartan and/or Amlodipine for Dose Finding in Essential Hypertension: A Phase II Multicenter, Randomized, Double-blind Clinical Trial. <i>Clinical Therapeutics</i> , 2017, 39, 1628-1638.	2.5	9
121	Short and long-term prognostic value of hyponatremia in heart failure with preserved ejection fraction versus reduced ejection fraction: An analysis of the Korean Acute Heart Failure registry. <i>International Journal of Cardiology</i> , 2017, 248, 239-245.	1.7	26
122	A Randomized, Multicenter, Double-blind, Placebo-controlled Study to Evaluate the Efficacy and the Tolerability of a Triple Combination of Amlodipine/Losartan/Rosuvastatin in Patients With Comorbid Essential Hypertension and Hyperlipidemia. <i>Clinical Therapeutics</i> , 2017, 39, 2366-2379.	2.5	15
123	Effects of Sacubitril/Valsartan (LCZ696) on Natriuresis, Diuresis, Blood Pressures, and NT-proBNP in Salt-Sensitive Hypertension. <i>Hypertension</i> , 2017, 69, 32-41.	2.7	98
124	Heart Transplantation in Asia. <i>Circulation Journal</i> , 2017, 81, 617-621.	1.6	23
125	Healthcare Costs for Acute Hospitalized and Chronic Heart Failure in South Korea: A Multi-Center Retrospective Cohort Study. <i>Yonsei Medical Journal</i> , 2017, 58, 944.	2.2	9
126	Zebrafish Larvae Model of Dilated Cardiomyopathy Induced by Terfenadine. <i>Korean Circulation Journal</i> , 2017, 47, 960.	1.9	28



#	ARTICLE	IF	CITATIONS
127	Clinical Characteristics and Outcome of Acute Heart Failure in Korea: Results from the Korean Acute Heart Failure Registry (KorAHF). <i>Korean Circulation Journal</i> , 2017, 47, 341.	1.9	131
128	Comparison of effects between calcium channel blocker and diuretics in combination with angiotensin II receptor blocker on 24-h central blood pressure and vascular hemodynamic parameters in hypertensive patients: study design for a multicenter, double-blinded, active-controlled, phase 4, randomized trial. <i>Clinical Hypertension</i> , 2017, 23, 18.	2.0	6
129	Status of hypertension screening in the Korea National General Health Screening Program: a questionnaire survey on 210 screening centers in two metropolitan areas. <i>Clinical Hypertension</i> , 2017, 23, 23.	2.0	23
130	Initial Report of the Korean Organ Transplant Registry (KOTRY): Heart Transplantation. <i>Korean Circulation Journal</i> , 2017, 47, 868.	1.9	17
131	24-Hour blood pressure response to lower dose (30 mg) fimasartan in Korean patients with mild to moderate essential hypertension. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 1025-1036.	1.7	6
132	Target goal blood pressure in hypertension management. <i>Journal of the Korean Medical Association</i> , 2017, 60, 819.	0.3	1
133	Impact of a Telehealth Program With Voice Recognition Technology in Patients With Chronic Heart Failure: Feasibility Study. <i>JMIR MHealth and UHealth</i> , 2017, 5, e127.	3.7	17
134	Early Parasympathetic Reinnervation Is Not Related to Reconnection of Major Branches of the Vagus Nerve after Heart Transplantation. <i>Korean Circulation Journal</i> , 2016, 46, 197.	1.9	13
135	Impact of the $\beta_2$ -1 adrenergic receptor polymorphism on tolerability and efficacy of bisoprolol therapy in Korean heart failure patients: association between $\beta_2$ adrenergic receptor polymorphism and bisoprolol therapy in heart failure (ABBA) study. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 277-287.	1.7	23
136	The Association between Parameters of Socioeconomic Status and Hypertension in Korea: the Korean Genome and Epidemiology Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1922.	2.5	14
137	Implication of different initial beta blockers on treatment persistence: atenolol vs new-generation beta blocker, a population-based study. <i>Cardiovascular Therapeutics</i> , 2016, 34, 268-275.	2.5	7
138	Influence of initial angiotensin receptor blockers on treatment persistence in uncomplicated hypertension: A nation-wide population-based study. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 325-330.	1.3	2
139	Safety of the Up-titration of Nifedipine GITS and Valsartan or Low-dose Combination in Uncontrolled Hypertension: the FOCUS Study. <i>Clinical Therapeutics</i> , 2016, 38, 832-842.	2.5	2
140	Optimal Use of Beta-Blockers for Congestive Heart Failure. <i>Circulation Journal</i> , 2016, 80, 565-571.	1.6	13
141	Fimasartan: A New Angiotensin Receptor Blocker. <i>Drugs</i> , 2016, 76, 1015-1022.	10.9	21
142	Effects of celecoxib on vascular changes after coronary intervention: A serial volumetric intravascular ultrasound analysis from the mini-COREA randomized clinical trial. <i>International Journal of Cardiology</i> , 2016, 202, 240-243.	1.7	0
143	Twenty-Year Experience of Heart Transplantation: Early and Long-Term Results. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 49, 242-249.	0.6	6
144	The Korean Society of Hypertension Guidelines for the Management of Hypertension in 2013: Its Essentials and Key Points. <i>Pulse</i> , 2015, 3, 21-28.	1.9	38

#	ARTICLE	IF	CITATIONS
145	Gender differences in the association between socioeconomic status and hypertension incidence: the Korean Genome and Epidemiology Study (KoGES). <i>BMC Public Health</i> , 2015, 15, 852.	2.9	47
146	Persistence with Antihypertensive Medications in Uncomplicated Treatment-Na <sup>+</sup> -ve Patients: Effects of Initial Therapeutic Classes. <i>Journal of Korean Medical Science</i> , 2015, 30, 1800.	2.5	21
147	Comparison of Angiographic Outcomes of Side Branch Ostium at Bifurcation Coronary Lesion between Two-stent and One-stent Techniques. <i>Journal of Korean Medical Science</i> , 2015, 30, 889.	2.5	0
148	Long-Term Clinical Outcomes of Fractional Flow Reserve-Guided Versus Routine Drug-Eluting Stent Implantation in Patients With Intermediate Coronary Stenosis. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e002442.	3.9	32
149	Impaired Fasting Glucose and Impaired Glucose Tolerance Do Not Predict Hypertension: A Community Cohort Study. <i>American Journal of Hypertension</i> , 2015, 28, 493-500.	2.0	16
150	A Randomized, Multicenter, Double-blind, Placebo-controlled, 3 × 3 Factorial Design, Phase II Study to Evaluate the Efficacy and Safety of the Combination of Fimasartan/Amlodipine in Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2015, 37, 2581-2596.e3.	2.5	13
151	Evaluation of the Efficacy and Safety of the Lercanidipine/Valsartan Combination in Korean Patients With Essential Hypertension Not Adequately Controlled With Lercanidipine Monotherapy: A Randomized, Multicenter, Parallel Design, Phase III Clinical Trial. <i>Clinical Therapeutics</i> , 2015, 37, 1726-1739.	2.5	2
152	Blood Pressure Variability and Cardiovascular Risk. <i>Journal of Korean Diabetes</i> , 2014, 15, 206.	0.3	0
153	Gender Differences in the Association between Serum $\hat{\gamma}$ -Glutamyltransferase and Blood Pressure Change: A Prospective Community-Based Cohort Study. <i>Journal of Korean Medical Science</i> , 2014, 29, 1379.	2.5	12
154	Trends in Hospitalized Acute Myocardial Infarction Patients with Heart Failure in Korea at 1998 and 2008. <i>Journal of Korean Medical Science</i> , 2014, 29, 544.	2.5	6
155	A multicentre cohort study of acute heart failure syndromes in Korea: rationale, design, and interim observations of the Korean Acute Heart Failure (<scp>KorAHF</scp>) registry. <i>European Journal of Heart Failure</i> , 2014, 16, 700-708.	7.1	145
156	Amlodipine and cardiovascular outcomes in hypertensive patients: meta-analysis comparing amlodipine-based versus other antihypertensive therapy. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 315.	1.7	18
157	A Novel Noninvasive Technology for Treatment Planning Using Virtual Coronary Stenting and Computed Tomography-Derived Computed Fractional Flow Reserve. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 72-78.	2.9	144
158	Statins and Renin-Angiotensin System Inhibitor Combination Treatment to Prevent Cardiovascular Disease. <i>Circulation Journal</i> , 2014, 78, 281-287.	1.6	37
159	The impact of hepatitis B on heart transplantation: 19 years of national experience in Korea. <i>Annals of Transplantation</i> , 2014, 19, 182-187.	0.9	14
160	Effects of intensive versus mild lipid lowering by statins in patients with ischemic congestive heart failure: Korean Pitavastatin Heart Failure (SAPHIRE) study. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 754.	1.7	11
161	Percutaneous Extracorporeal Membrane Oxygenation for Graft Dysfunction after Heart Transplantation. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 47, 100-105.	0.6	9
162	Introduction of Recent Hypertension Guidelines. <i>Korean Journal of Medicine</i> , 2014, 87, 127.	0.3	1

#	ARTICLE	IF	CITATIONS
163	Genetic determinants of clopidogrel responsiveness in Koreans treated with drug-eluting stents. <i>International Journal of Cardiology</i> , 2013, 163, 79-86.	1.7	27
164	Safety and Efficacy of Second-Generation Everolimus-Eluting Xience V Stents Versus Zotarolimus-Eluting Resolute Stents in Real-World Practice. <i>Journal of the American College of Cardiology</i> , 2013, 61, 536-544.	2.8	50
165	Perivascular adipose tissue in the pathogenesis of cardiovascular disease. <i>Atherosclerosis</i> , 2013, 230, 177-184.	0.8	72
166	Comparison of Antiplatelet Effect and Safety of Clopidogrel Napadisilate with Clopidogrel Bisulfate in Coronary Artery Disease Patients: Multi-center, Randomized, Double-blind, Phase IV, Non-inferiority Clinical Trial. <i>American Journal of Cardiovascular Drugs</i> , 2013, 13, 413-424.	2.2	3
167	Impact of intravascular ultrasound guidance in routine percutaneous coronary intervention for conventional lesions: data from the EXCELLENT trial. <i>International Journal of Cardiology</i> , 2013, 167, 721-726.	1.7	44
168	Increased prevalence of metabolic syndrome among hypertensive population. <i>International Journal of Cardiology</i> , 2013, 166, 633-639.	1.7	25
169	Comparison between zotarolimus-eluting stents and first generation drug-eluting stents in the treatment of patients with acute ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 166, 118-125.	1.7	8
170	Thiazolidinedione usage is associated with decreased response to clopidogrel in DM patients. <i>International Journal of Cardiology</i> , 2013, 168, 608-610.	1.7	2
171	Safety and efficacy of everolimus- versus sirolimus-eluting stents: A systematic review and meta-analysis of 11 randomized trials. <i>American Heart Journal</i> , 2013, 165, 241-250.e4.	2.7	66
172	Randomized trial comparing the efficacy between different types of paclitaxel-eluting stents: The comparison of Efficacy between COroflex PLEASE ANd Taxus stent (ECO-PLEASANT) randomized controlled trial. <i>American Heart Journal</i> , 2013, 165, 733-743.	2.7	4
173	Generation of human secondary cardiospheres as a potent cell processing strategy for cell-based cardiac repair. <i>Biomaterials</i> , 2013, 34, 651-661.	11.4	20
174	FOXO1 impairs whereas statin protects endothelial function in diabetes through reciprocal regulation of KrÄ¼ppel-like factor 2. <i>Cardiovascular Research</i> , 2013, 97, 143-152.	3.8	35
175	PPARÎ³ modulates vascular smooth muscle cell phenotype via a protein kinase G-dependent pathway and reduces neointimal hyperplasia after vascular injury. <i>Experimental and Molecular Medicine</i> , 2013, 45, e65-e65.	7.7	34
176	Serum alkaline phosphatase is a predictor of mortality, myocardial infarction, or stent thrombosis after implantation of coronary drug-eluting stent. <i>European Heart Journal</i> , 2013, 34, 920-931.	2.2	80
177	Vascular Calcifying Progenitor Cells Possess Bidirectional Differentiation Potentials. <i>PLoS Biology</i> , 2013, 11, e1001534.	5.6	34
178	Paraoxonase 1 Gene Polymorphism Does Not Affect Clopidogrel Response Variability but Is Associated with Clinical Outcome after PCI. <i>PLoS ONE</i> , 2013, 8, e52779.	2.5	25
179	CYP3A4 Genetic Status May Be Associated With Increased Vulnerability to the Inhibitory Effect of Calcium-Channel Blockers on Clopidogrel. <i>Circulation Journal</i> , 2013, 77, 1289-1296.	1.6	12
180	Mechanism of Edge Restenosis After Drug-Eluting Stent Implantation. <i>Circulation Journal</i> , 2013, 77, 2928-2935.	1.6	24

#	ARTICLE	IF	CITATIONS
181	Under-Utilization of Donor Hearts in the Initial Era of the Heart Transplant Program in Korea. <i>Circulation Journal</i> , 2013, 77, 2056-2063.	1.6	12
182	Usefulness of the SYNTAX and Clinical SYNTAX Scores in Predicting Clinical Outcome After Unrestricted Use of Sirolimus- and Everolimus-Eluting Stents. <i>Circulation Journal</i> , 2013, 77, 2912-2921.	1.6	19
183	Comparison of Two Different Strategies of Intravascular Ultrasound Guidance during Percutaneous Coronary Intervention; Routine versus Selective. <i>Korean Circulation Journal</i> , 2013, 43, 303.	1.9	1
184	Impact of perioperative renal dysfunction in heart transplantation: Combined heart and kidney transplantation could help to reduce postoperative mortality. <i>Annals of Transplantation</i> , 2013, 18, 533-549.	0.9	9
185	Heart Transplantation in the Elderly Patients: Midterm Results. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 46, 111-116.	0.6	9
186	Effects of Antiplatelet Drugs in Cardiovascular Prevention. <i>Korean Journal of Medicine</i> , 2013, 85, 15.	0.3	1
187	Enhanced clopidogrel response in smokers is reversed after discontinuation as assessed by VerifyNow assay: additional evidence for the concept of 'smokers' paradox'. <i>Heart</i> , 2012, 98, 1000-1006.	2.9	37
188	Comparison of Hyperemic Efficacy Between Central and Peripheral Venous Adenosine Infusion for Fractional Flow Reserve Measurement. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 401-405.	3.9	59
189	Five-year results of intracoronary infusion of the mobilized peripheral blood stem cells by granulocyte colony-stimulating factor in patients with myocardial infarction. <i>European Heart Journal</i> , 2012, 33, 3062-3069.	2.2	35
190	Secondary Sphere Formation Enhances the Functionality of Cardiac Progenitor Cells. <i>Molecular Therapy</i> , 2012, 20, 1750-1766.	8.2	34
191	Effects of Celecoxib On Restenosis after Coronary Intervention and Evolution of Atherosclerosis (Mini-COREA) Trial: celecoxib, a double-edged sword for patients with angina. <i>European Heart Journal</i> , 2012, 33, 2653-2661.	2.2	18
192	Cotreatment with Darbepoetin and Granulocyte Colony-Stimulating Factor is Efficient to Recruit Proangiogenic Cell Populations in Patients with Acute Myocardial Infarction. <i>Cell Transplantation</i> , 2012, 21, 1055-1061.	2.5	11
193	Clinical Predictors of High Posttreatment Platelet Reactivity to Clopidogrel in Koreans. <i>Cardiovascular Therapeutics</i> , 2012, 30, 5-11.	2.5	54
194	Diagnostic value of myocardial SPECT to detect in-stent restenosis after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 2125-2134.	1.5	4
195	Amlodipine, clopidogrel and CYP3A5 genetic variability: effects on platelet reactivity and clinical outcomes after percutaneous coronary intervention. <i>Heart</i> , 2012, 98, 1366-1372.	2.9	34
196	Characteristics, Management and Outcomes of Patients Hospitalized for Acute Heart Failure in Korea: Preliminary Results of the Korean Acute Heart Failure Registry (KorAHF). <i>Journal of Cardiac Failure</i> , 2012, 18, S66.	1.7	0
197	Clinical and Physiological Outcomes of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention in Patients With Serial Stenoses Within One Coronary Artery. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 1013-1018.	2.9	94
198	Quantification of Pedal Edema During Treatment With S(-)-Amlodipine Nicotinate Versus Amlodipine Besylate in Female Korean Patients With Mild to Moderate Hypertension: A 12-Week, Multicenter, Randomized, Double-Blind, Active-Controlled, Phase IV Clinical Trial. <i>Clinical Therapeutics</i> , 2012, 34, 1940-1947.	2.5	13

#	ARTICLE	IF	CITATIONS
199	KrÅ¼appel-Like Factor 2 Suppression by High Glucose as a Possible Mechanism of Diabetic Vasculopathy. Korean Circulation Journal, 2012, 42, 239.	1.9	18
200	Lack of Association Between Low Density Lipoprotein Particle Size and On-Treatment Platelet Reactivity in Patients With Coronary Artery Disease. Korean Circulation Journal, 2012, 42, 551.	1.9	1
201	Efficacy and Tolerability of Fimasartan, a New Angiotensin Receptor Blocker, Compared With Losartan (50/100 mg): A 12-Week, Phase III, Multicenter, Prospective, Randomized, Double-Blind, Parallel-Group, Dose Escalation Clinical Trial With an Optional 12-Week Extension Phase in Adult Korean Patients With Mild-to-Moderate Hypertension. Clinical Therapeutics, 2012, 34, 552-568.e9.	2.5	53
202	Efficacy and Tolerability of Once-Daily Oral Fimasartan 20 to 240 mg/d in Korean Patients with Hypertension: Findings from Two Phase II, Randomized, Double-Blind, Placebo-Controlled Studies. Clinical Therapeutics, 2012, 34, 1273-1289.	2.5	25
203	Diabetic Ketoacidosis Associated With Acute Pancreatitis in a Heart Transplant Recipient Treated With Tacrolimus. Experimental and Clinical Transplantation, 2012, 11, 72-74.	0.5	11
204	Multicenter Randomized Trial Evaluating the Efficacy of Cilostazol on Ischemic Vascular Complications After Drug-Eluting Stent Implantation for Coronary Heart Disease. Journal of the American College of Cardiology, 2011, 57, 280-289.	2.8	177
205	Everolimus-Eluting Versus Sirolimus-Eluting Stents in Patients Undergoing Percutaneous Coronary Intervention. Journal of the American College of Cardiology, 2011, 58, 1844-1854.	2.8	137
206	Physiologic Evaluation of Myocardial Bridging: A New Analysis for an Old Disease. Canadian Journal of Cardiology, 2011, 27, 596-600.	1.7	8
207	The Actual Utilization and the Reasons for Donor Heart Unacceptability in Korean Heart Transplantation. Journal of Cardiac Failure, 2011, 17, S70-S71.	1.7	0
208	Minimal withdrawal of dual antiplatelet agents under the guidance of a point-of-care platelet activity assay early after drug-eluting stent implantation for surgical removal of renal cell carcinoma. International Journal of Cardiology, 2011, 149, e85-e87.	1.7	4
209	Renal dysfunction and high levels of hsCRP are additively associated with hard endpoints after percutaneous coronary intervention with drug eluting stents. International Journal of Cardiology, 2011, 149, 174-181.	1.7	24
210	Sirolimus- vs. paclitaxel-eluting stents for the treatment of unprotected left main coronary artery stenosis: Complete 2-year follow-up of a two-center registry. International Journal of Cardiology, 2011, 151, 89-95.	1.7	8
211	Influence of Metabolic Syndrome on Hypertension-related Target Organ Damage: Diagnosis of Metabolic Syndrome Is Still Necessary. Journal of the Korean Society of Hypertension, 2011, 17, 125.	0.2	0
212	Efficacy of Predicting Thrombotic Events with Combination of Dual Point-of-Care Testing (POCT) after Drug-Eluting Stent Implantation for Coronary Heart Disease: Results from the CILON-T Randomized Trial POCT Substudy. Journal of Atherosclerosis and Thrombosis, 2011, 18, 914-923.	2.0	12
213	Clinical Characteristics of Coronary Drug-Eluting Stent Fracture: Insights from a Two-Center DES Registry. Journal of Korean Medical Science, 2011, 26, 53.	2.5	26
214	The Diagnostic Accuracy, Image Quality and Radiation Dose of 64-Slice Dual-Source CT in Daily Practice: a Single Institution's Experience. Korean Journal of Radiology, 2011, 12, 308.	3.4	20
215	Prospective randomized comparison between omega-3 fatty acid supplements plus simvastatin versus simvastatin alone in Korean patients with mixed dyslipidemia: lipoprotein profiles and heart rate variability. European Journal of Clinical Nutrition, 2011, 65, 110-116.	2.9	23
216	Phase IV, 8-Week, Multicenter, Randomized, Active Treatmentâ€“Controlled, Parallel Group, Efficacy, and Tolerability Study of High-Dose Candesartan Cilexetil Combined With Hydrochlorothiazide in Korean Adults With Stage II Hypertension. Clinical Therapeutics, 2011, 33, 1043-1056.	2.5	6

#	ARTICLE	IF	CITATIONS
217	Efficacy and Tolerability of a New Extended-Release Formulation of Nicotinic Acid in Korean Adults With Mixed Dyslipidemia: An 8-Week, Multicenter, Prospective, Randomized, Double-Blind, and Placebo-Controlled Trial. <i>Clinical Therapeutics</i> , 2011, 33, 1357-1364.	2.5	7
218	Clinical Outcomes of High On-Treatment Platelet Reactivity in Koreans Receiving Elective Percutaneous Coronary Intervention (from Results of the CROSS VERIFY Study). <i>American Journal of Cardiology</i> , 2011, 108, 1556-1563.	1.6	39
219	Efficacy of fixed-dose amlodipine and losartan combination compared with amlodipine monotherapy in stage 2 hypertension: a randomized, double blind, multicenter study. <i>BMC Research Notes</i> , 2011, 4, 461.	1.4	7
220	Enhanced Clopidogrel Responsiveness in Smokers. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 665-671.	2.4	65
221	Cilostazol attenuates on-treatment platelet reactivity in patients with CYP2C19 loss of function alleles receiving dual antiplatelet therapy: a genetic substudy of the CILON-T randomised controlled trial. <i>Heart</i> , 2011, 97, 641-647.	2.9	42
222	Results of Extracorporeal Membrane Oxygenation (ECMO) Support before Coronary Reperfusion in Cardiogenic Shock with Acute Myocardial Infarction. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2011, 44, 273-278.	0.6	33
223	Differentiation of Artery and Vein in Digital Fundus Photograph. <i>IFMBE Proceedings</i> , 2011, , 575-578.	0.3	3
224	Comparison of Plain Balloon and Cutting Balloon Angioplasty for the Treatment of Restenosis With Drug-Eluting Stents vs Bare Metal Stents. <i>Circulation Journal</i> , 2010, 74, 1837-1845.	1.6	19
225	Real World' Comparison of Drug-Eluting Stents vs Bare Metal Stents in the Treatment of Unselected Patients With Acute ST-Segment Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2010, 74, 1111-1120.	1.6	20
226	Ageing and Arterial Stiffness. <i>Circulation Journal</i> , 2010, 74, 2257-2262.	1.6	482
227	Study design and rationale of 'Influence of Cilostazol-based triple anti-platelet therapy on ischemic complication after drug-eluting stent implantation (CILON-T)' study: A multicenter randomized trial evaluating the efficacy of Cilostazol on ischemic vascular complications after drug-eluting stent implantation for coronary heart disease. <i>Trials</i> , 2010, 11, 87.	1.6	12
228	Beneficial Effect of Efonidipine, an L- and T-Type Dual Calcium Channel Blocker, on Heart Rate and Blood Pressure in Patients With Mild-to-Moderate Essential Hypertension. <i>Korean Circulation Journal</i> , 2010, 40, 514.	1.9	8
229	Effect of Lacidipine on Blood Pressure and Endothelial Function in Mild-to-Moderate Essential Hypertension Patients With Diabetes in Korea. <i>Korean Circulation Journal</i> , 2010, 40, 632.	1.9	3
230	Long-Term Outcome of Adjunctive Celecoxib Treatment After Paclitaxel-Eluting Stent Implantation for the Complex Coronary Lesions. <i>Circulation: Cardiovascular Interventions</i> , 2010, 3, 243-248.	3.9	8
231	Does 'catch-up' exist in drug-eluting stents: Insights from a serial quantitative coronary angiography analysis of sirolimus versus paclitaxel-eluting stents. <i>American Heart Journal</i> , 2010, 159, 446-453.e3.	2.7	52
232	Losartan/Hydrochlorothiazide Fixed Combination Versus Amlodipine Monotherapy in Korean Patients With Mild to Moderate Hypertension. <i>Korean Circulation Journal</i> , 2009, 39, 151.	1.9	4
233	Sulfasalazine induces haem oxygenase-1 via ROS-dependent Nrf2 signalling, leading to control of neointimal hyperplasia. <i>Cardiovascular Research</i> , 2009, 82, 550-560.	3.8	46
234	Priming With Angiopoietin-1 Augments the Vasculogenic Potential of the Peripheral Blood Stem Cells Mobilized With Granulocyte Colony-Stimulating Factor Through a Novel Tie2/Ets-1 Pathway. <i>Circulation</i> , 2009, 120, 2240-2250.	1.6	43

#	ARTICLE	IF	CITATIONS
235	Efficacy and tolerability of two formulations of ramipril in Korean adults with mild to moderate essential hypertension: An 8-week, multicenter, prospective, randomized, open-label, parallel-group noninferiority trial. <i>Clinical Therapeutics</i> , 2009, 31, 988-998.	2.5	5
236	The incidence and predictors of postprocedural incomplete stent apposition after angiographically successful drug-eluting stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 58-63.	1.7	16
237	Cardio-renal protection with aliskiren, a direct renin inhibitor, in the ASPIRE HIGHER program. <i>Expert Review of Cardiovascular Therapy</i> , 2009, 7, 251-257.	1.5	17
238	Intracoronary infusion of mobilized peripheral blood stem cells by granulocyte colony-stimulating factor on myocardial perfusion and viability: Improvement of myocardial perfusion as a plausible mechanism of stem cell therapy. <i>Heart Lung and Circulation</i> , 2008, 17, S29-S30.	0.4	0
239	Stent-related cardiac events after non-cardiac surgery: Drug-eluting stent vs. bare metal stent. <i>International Journal of Cardiology</i> , 2008, 123, 353-354.	1.7	42
240	FOXO3a Turns the Tumor Necrosis Factor Receptor Signaling Towards Apoptosis Through Reciprocal Regulation of c-Jun N-Terminal Kinase and NF- $\kappa$ B. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 112-120.	2.4	47
241	Forkhead Factor, FOXO3a, Induces Apoptosis of Endothelial Cells Through Activation of Matrix Metalloproteinases. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 302-308.	2.4	41
242	Peroxisome Proliferator-Activated Receptor- $\gamma$ Agonist Enhances Vasculogenesis by Regulating Endothelial Progenitor Cells Through Genomic and Nongenomic Activations of the Phosphatidylinositol 3-Kinase/Akt Pathway. <i>Circulation</i> , 2008, 118, 1021-1033.	1.6	85
243	Prevalence and Risk Factors of Masked Hypertension Identified by Multiple Self-Blood Pressure Measurement. <i>Hypertension</i> , 2008, 52, e137-8; author reply e139.	2.7	6
244	Measurements of Arterial Stiffness: Methodological Aspects. <i>Korean Circulation Journal</i> , 2008, 38, 343.	1.9	39
245	Assessment of Intermediate Coronary Stenosis in Koreans Using the Fractional Flow Reserve. <i>Korean Circulation Journal</i> , 2008, 38, 468.	1.9	3
246	Forkhead Factor, FOXO3a, Induces Apoptosis of Endothelial Cells Through Activation of Matrix Metalloproteinases. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 302-308.	2.4	2
247	The incidence and predictors of contrast-induced nephropathy in adequately hydrated elderly patients with impaired renal function. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1794-1795.	0.7	5
248	Forkhead Transcription Factor FOXO3a Is a Negative Regulator of Angiogenic Immediate Early Gene CYR61, Leading to Inhibition of Vascular Smooth Muscle Cell Proliferation and Neointimal Hyperplasia. <i>Circulation Research</i> , 2007, 100, 372-380.	4.5	102
249	Effect of celecoxib on restenosis after coronary angioplasty with a Taxus stent (COREA-TAXUS trial): an open-label randomised controlled study. <i>Lancet, The</i> , 2007, 370, 567-574.	13.7	36
250	Differential Effect of Intracoronary Infusion of Mobilized Peripheral Blood Stem Cells by Granulocyte Colony-Stimulating Factor on Left Ventricular Function and Remodeling in Patients With Acute Myocardial Infarction Versus Old Myocardial Infarction: The MAGIC Cell-3-DES Randomized, Controlled Trial. <i>Circulation</i> , 2006, 114, I-145-I-151.	1.6	220
251	Clinic blood pressure responses to two amlodipine salt formulations, adipate and besylate, in adult Korean patients with mild to moderate hypertension: A multicenter, randomized, double-blind, parallel-group, 8-week comparison. <i>Clinical Therapeutics</i> , 2005, 27, 728-739.	2.5	15
252	Differential Effects of Homocysteine on Porcine Endothelial and Vascular Smooth Muscle Cells. <i>Journal of Cardiovascular Pharmacology</i> , 2002, 39, 643-651.	1.9	14

#	ARTICLE	IF	CITATIONS
253	Heart failure in Korean elderly patients – clinical features, prognosis and prognostic factors. Archives of Gerontology and Geriatrics, 1999, 29, 183-191.	3.0	1
254	Perioperative Management of Hypertensive Patients. Cardiovascular Prevention and Pharmacotherapy, 0, 3, .	0.1	0