

Wei Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6951744/publications.pdf>

Version: 2024-02-01

219
papers

11,920
citations

24978

57
h-index

35952

97
g-index

223
all docs

223
docs citations

223
times ranked

13156
citing authors

#	ARTICLE	IF	CITATIONS
1	HIF-1 α pathway: role, regulation and intervention for cancer therapy. <i>Acta Pharmaceutica Sinica B</i> , 2015, 5, 378-389.	5.7	1,377
2	An Overview of Tubulin Inhibitors That Interact with the Colchicine Binding Site. <i>Pharmaceutical Research</i> , 2012, 29, 2943-2971.	1.7	610
3	Steroidogenesis in the skin: Implications for local immune functions. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013, 137, 107-123.	1.2	305
4	<i>In vivo</i> evidence for a novel pathway of vitamin D ₃ metabolism initiated by P450 _{sc} and modified by CYP27B1. <i>FASEB Journal</i> , 2012, 26, 3901-3915.	0.2	250
5	Magnetic Glyco-Nanoparticles: A Tool To Detect, Differentiate, and Unlock the Glyco-Codes of Cancer via Magnetic Resonance Imaging. <i>Journal of the American Chemical Society</i> , 2010, 132, 4490-4499.	6.6	240
6	Novel activities of CYP11A1 and their potential physiological significance. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 151, 25-37.	1.2	235
7	ROR α and ROR β are expressed in human skin and serve as receptors for endogenously produced noncalcemic 20 α -hydroxy- and 20,23 α -dihydroxyvitamin D. <i>FASEB Journal</i> , 2014, 28, 2775-2789.	0.2	232
8	The transcriptional factors HIF-1 and HIF-2 and their novel inhibitors in cancer therapy. <i>Expert Opinion on Drug Discovery</i> , 2019, 14, 667-682.	2.5	204
9	Detection of novel CYP11A1-derived secosteroids in the human epidermis and serum and pig adrenal gland. <i>Scientific Reports</i> , 2015, 5, 14875.	1.6	201
10	Discovery of 4-Substituted Methoxybenzoyl-aryl-thiazole as Novel Anticancer Agents: Synthesis, Biological Evaluation, and Structure-Activity Relationships. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 1701-1711.	2.9	162
11	Hyaluronic Acid Immobilized Magnetic Nanoparticles for Active Targeting and Imaging of Macrophages. <i>Bioconjugate Chemistry</i> , 2010, 21, 2128-2135.	1.8	148
12	The cytochrome P450 _{sc} system opens an alternate pathway of vitamin D ₃ metabolism. <i>FEBS Journal</i> , 2005, 272, 4080-4090.	2.2	142
13	The role of CYP11A1 in the production of vitamin D metabolites and their role in the regulation of epidermal functions. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2014, 144, 28-39.	1.2	136
14	Products of Vitamin D ₃ or 7-Dehydrocholesterol Metabolism by Cytochrome P450 _{sc} Show Anti-Leukemia Effects, Having Low or Absent Calcemic Activity. <i>PLoS ONE</i> , 2010, 5, e9907.	1.1	135
15	Tubulin Inhibitor-Based Antibody-Drug Conjugates for Cancer Therapy. <i>Molecules</i> , 2017, 22, 1281.	1.7	135
16	Ginsenoside Metabolites, Rather Than Naturally Occurring Ginsenosides, Lead to Inhibition of Human Cytochrome P450 Enzymes. <i>Toxicological Sciences</i> , 2006, 91, 356-364.	1.4	127
17	Metabolism of melatonin and biological activity of intermediates of melatonergic pathway in human skin cells. <i>FASEB Journal</i> , 2013, 27, 2742-2755.	0.2	118
18	Endogenously produced nonclassical vitamin D hydroxy-metabolites act as biased agonists on VDR and inverse agonists on ROR α and ROR β . <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017, 173, 42-56.	1.2	117

#	ARTICLE	IF	CITATIONS
19	New substituted 4H-chromenes as anticancer agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 4458-4461.	1.0	114
20	Discovery of Novel 2-Aryl-4-benzoyl-imidazoles Targeting the Colchicines Binding Site in Tubulin As Potential Anticancer Agents. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 7414-7427.	2.9	111
21	Pathways and products for the metabolism of vitamin D ₃ by cytochrome P450 _{scc} . <i>FEBS Journal</i> , 2008, 275, 2585-2596.	2.2	109
22	20-Hydroxyvitamin D ₂ is a noncalcemic analog of vitamin D with potent antiproliferative and prodifferentiation activities in normal and malignant cells. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 300, C526-C541.	2.1	108
23	Development of Multifunctional Hyaluronan-Coated Nanoparticles for Imaging and Drug Delivery to Cancer Cells. <i>Biomacromolecules</i> , 2012, 13, 1144-1151.	2.6	105
24	Protective effects of novel derivatives of vitamin D ₃ and lumisterol against UVB-induced damage in human keratinocytes involve activation of Nrf2 and p53 defense mechanisms. <i>Redox Biology</i> , 2019, 24, 101206.	3.9	105
25	Osteoporosis: Mechanism, Molecular Target and Current Status on Drug Development. <i>Current Medicinal Chemistry</i> , 2021, 28, 1489-1507.	1.2	101
26	Discovery of Novel 2-Aryl-4-benzoyl-imidazole (ABI-III) Analogues Targeting Tubulin Polymerization As Antiproliferative Agents. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 7285-7289.	2.9	100
27	Design, Synthesis, and SAR Studies of 4-Substituted Methoxylbenzoyl-aryl-thiazoles Analogues as Potent and Orally Bioavailable Anticancer Agents. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 4678-4693.	2.9	99
28	Current advances of tubulin inhibitors as dual acting small molecules for cancer therapy. <i>Medicinal Research Reviews</i> , 2019, 39, 1398-1426.	5.0	98
29	A Potent, Metabolically Stable Tubulin Inhibitor Targets the Colchicine Binding Site and Overcomes Taxane Resistance. <i>Cancer Research</i> , 2018, 78, 265-277.	0.4	91
30	An alternative pathway of vitamin D ₂ metabolism. <i>FEBS Journal</i> , 2006, 273, 2891-2901.	2.2	90
31	In vivo production of novel vitamin D ₂ hydroxy-derivatives by human placentas, epidermal keratinocytes, Caco-2 colon cells and the adrenal gland. <i>Molecular and Cellular Endocrinology</i> , 2014, 383, 181-192.	1.6	88
32	Melatonin and its metabolites accumulate in the human epidermis in vivo and inhibit proliferation and tyrosinase activity in epidermal melanocytes in vitro. <i>Molecular and Cellular Endocrinology</i> , 2015, 404, 1-8.	1.6	86
33	Sequential Metabolism of 7-Dehydrocholesterol to Steroidal 5,7-Dienes in Adrenal Glands and Its Biological Implication in the Skin. <i>PLoS ONE</i> , 2009, 4, e4309.	1.1	84
34	Heterocyclic-Fused Pyrimidines as Novel Tubulin Polymerization Inhibitors Targeting the Colchicine Binding Site: Structural Basis and Antitumor Efficacy. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 1704-1718.	2.9	84
35	Design, Synthesis, and Biological Evaluation of Stable Colchicine Binding Site Tubulin Inhibitors as Potential Anticancer Agents. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 7355-7366.	2.9	83
36	Production of 22-Hydroxy Metabolites of Vitamin D ₃ by Cytochrome P450 _{scc} (CYP11A1) and Analysis of Their Biological Activities on Skin Cells. <i>Drug Metabolism and Disposition</i> , 2011, 39, 1577-1588.	1.7	80

#	ARTICLE	IF	CITATIONS
37	Cytochromes P450 and Skin Cancer: Role of Local Endocrine Pathways. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2014, 14, 77-96.	0.9	78
38	20 <i>S</i> -Hydroxyvitamin D ₃ , Noncalcemic Product of CYP11A1 Action on Vitamin D ₃ , Exhibits Potent Antifibrogenic Activity in Vivo. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E298-E303.	1.8	76
39	On the role of classical and novel forms of vitamin D in melanoma progression and management. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018, 177, 159-170.	1.2	75
40	Cytochrome P450-dependent metabolism of 7-dehydrocholesterol in placenta and epidermal keratinocytes. <i>International Journal of Biochemistry and Cell Biology</i> , 2012, 44, 2003-2018.	1.2	74
41	Structural Optimization of Indole Derivatives Acting at Colchicine Binding Site as Potential Anticancer Agents. <i>ACS Medicinal Chemistry Letters</i> , 2015, 6, 993-997.	1.3	71
42	Recent Progress on Tubulin Inhibitors with Dual Targeting Capabilities for Cancer Therapy. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 7963-7990.	2.9	69
43	Novel non-calcemic secosteroids that are produced by human epidermal keratinocytes protect against solar radiation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 148, 52-63.	1.2	68
44	Enzymatic Metabolism of Ergosterol by Cytochrome P450 to Biologically Active 17 β ,24-Dihydroxyergosterol. <i>Chemistry and Biology</i> , 2005, 12, 931-939.	6.2	67
45	Notch-1 signaling facilitates survivin expression in human non-small cell lung cancer cells. <i>Cancer Biology and Therapy</i> , 2011, 11, 14-21.	1.5	67
46	Synthesis and antiproliferative activity of thiazolidine analogs for melanoma. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 4113-4117.	1.0	66
47	The Roles of Vitamin D and Its Analogs in Inflammatory Diseases. <i>Current Topics in Medicinal Chemistry</i> , 2016, 16, 1242-1261.	1.0	66
48	Correlation between secosteroid-induced vitamin D receptor activity in melanoma cells and computer-modeled receptor binding strength. <i>Molecular and Cellular Endocrinology</i> , 2012, 361, 143-152.	1.6	65
49	Synthesis and antiproliferative activity of novel 2-aryl-4-benzoyl-imidazole derivatives targeting tubulin polymerization. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 4782-4795.	1.4	64
50	Characterization of a new pathway that activates lumisterol in vivo to biologically active hydroxylumisterols. <i>Scientific Reports</i> , 2017, 7, 11434.	1.6	64
51	Synthesis, Characterization, and Long-Term Stability of Hollow Polymer Nanocapsules with Nanometer-Thin Walls. <i>Macromolecules</i> , 2010, 43, 7785-7792.	2.2	63
52	Chemical synthesis of 20 <i>S</i> -hydroxyvitamin D ₃ , which shows antiproliferative activity. <i>Steroids</i> , 2010, 75, 926-935.	0.8	61
53	20-hydroxyvitamin D ₃ inhibits proliferation of cancer cells with high efficacy while being non-toxic. <i>Anticancer Research</i> , 2012, 32, 739-46.	0.5	61
54	Novel nonsteroidal ligands with high binding affinity and potent functional activity for the androgen receptor. <i>European Journal of Medicinal Chemistry</i> , 2002, 37, 619-634.	2.6	60

#	ARTICLE	IF	CITATIONS
55	Photo-conversion of two epimers (20R and 20S) of pregna-5,7-diene-3 β , 17 β , 20-triol and their bioactivity in melanoma cells. <i>Steroids</i> , 2009, 74, 218-228.	0.8	60
56	Identification and Characterization of Human UDP-Glucuronosyltransferases Responsible for the In Vitro Glucuronidation of Daphnetin. <i>Drug Metabolism and Disposition</i> , 2010, 38, 973-980.	1.7	60
57	Glyconanoparticle Aided Detection of β -Amyloid by Magnetic Resonance Imaging and Attenuation of β -Amyloid Induced Cytotoxicity. <i>ACS Chemical Neuroscience</i> , 2013, 4, 575-584.	1.7	60
58	Recent Advances in Heterocyclic Tubulin Inhibitors Targeting the Colchicine Binding Site. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2016, 16, 1325-1338.	0.9	60
59	Structure-Guided Design, Synthesis, and Biological Evaluation of (2-(1 <i>H</i> -Indol-3-yl)-1 <i>H</i> -imidazol-4-yl)(3,4,5-trimethoxyphenyl) Methanone (ABI-231) Analogues Targeting the Colchicine Binding Site in Tubulin. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 6734-6750.	2.9	59
60	Ultra-performance LC Separation and Quadrupole Time-of-flight MS Identification of Major Alkaloids in <i>Plumula Nelumbinis</i> . <i>Phytochemical Analysis</i> , 2014, 25, 485-494.	1.2	57
61	Novel vitamin D photoproducts and their precursors in the skin. <i>Dermato-Endocrinology</i> , 2013, 5, 7-19.	1.9	56
62	Rapid structural characterization of the arabinogalactan and lipoarabinomannan in live mycobacterial cells using 2D and 3D HR-MAS NMR: structural changes in the arabinan due to ethambutol treatment and gene mutation are observed. <i>Glycobiology</i> , 2004, 15, 139-151.	1.3	55
63	Discovery of 4-Aryl-2-benzoyl-imidazoles as Tubulin Polymerization Inhibitor with Potent Antiproliferative Properties. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 3318-3329.	2.9	55
64	Classical and nonclassical metabolic transformation of vitamin D in dermal fibroblasts. <i>Experimental Dermatology</i> , 2016, 25, 231-232.	1.4	54
65	Inhibition of Human Liver Cytochrome P450 by Star Fruit Juice. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2007, 10, 496.	0.9	53
66	miR-203 inhibits ovarian tumor metastasis by targeting BIRC5 and attenuating the TGF β pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 235.	3.5	53
67	Taxane resistance in castration-resistant prostate cancer: mechanisms and therapeutic strategies. <i>Acta Pharmaceutica Sinica B</i> , 2018, 8, 518-529.	5.7	53
68	Novel Tubulin Polymerization Inhibitors Overcome Multidrug Resistance and Reduce Melanoma Lung Metastasis. <i>Pharmaceutical Research</i> , 2012, 29, 3040-3052.	1.7	50
69	Overcoming photodynamic resistance and tumor targeting dual-therapy mediated by indocyanine green conjugated gold nanospheres. <i>Journal of Controlled Release</i> , 2017, 258, 171-181.	4.8	50
70	Vitamin D Analogs 17,20S(OH) $_2$ pD and 17,20R(OH) $_2$ pD Are Noncalcemic and Exhibit Antifibrotic Activity. <i>Journal of Investigative Dermatology</i> , 2011, 131, 1167-1169.	0.3	49
71	Supramolecular Steric Effects as the Means of Making Reactive Carbon Radicals Persistent. Quantitative Characterization of the External Surface of MFI Zeolites through a Persistent Radical Probe and a Langmuir Adsorption Isotherm. <i>Journal of Organic Chemistry</i> , 2000, 65, 1319-1330.	1.7	46
72	Synthesis and antiproliferative activity of imidazole and imidazoline analogs for melanoma. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3183-3187.	1.0	46

#	ARTICLE	IF	CITATIONS
73	Metabolism of 1 α -hydroxyvitamin D ₃ by cytochrome P450 _{sc} c to biologically active 1 α ,20-dihydroxyvitamin D ₃ . <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2008, 112, 213-219.	1.2	46
74	Metabolism of cholesterol, vitamin D ₃ and 20-hydroxyvitamin D ₃ incorporated into phospholipid vesicles by human CYP27A1. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2012, 129, 163-171.	1.2	46
75	Nanoparticle-mediated drug delivery for treating melanoma. <i>Nanomedicine</i> , 2015, 10, 2613-2633.	1.7	46
76	Repression of Hexokinases II-Mediated Glycolysis Contributes to Piperlongumine-Induced Tumor Suppression in Non-Small Cell Lung Cancer Cells. <i>International Journal of Biological Sciences</i> , 2019, 15, 826-837.	2.6	46
77	Metabolism of Vitamin D ₂ to 17,20,24-Trihydroxyvitamin D ₂ by Cytochrome P450 _{sc} c (CYP11A1). <i>Drug Metabolism and Disposition</i> , 2009, 37, 761-767.	1.7	45
78	Anti-androgen-independent prostate cancer effects of ginsenoside metabolites In Vitro: Mechanism and possible structure-activity relationship investigation. <i>Archives of Pharmacal Research</i> , 2009, 32, 49-57.	2.7	45
79	Synthesis and photochemical transformation of 3 β ,21-dihydroxypregna-5,7-dien-20-one to novel secosteroids that show anti-melanoma activity. <i>Steroids</i> , 2011, 76, 193-203.	0.8	45
80	Cycloartane triterpenoids from <i>Cimicifuga yunnanensis</i> induce apoptosis of breast cancer cells (MCF7) via p53 α -dependent mitochondrial signaling pathway. <i>Phytotherapy Research</i> , 2011, 25, 17-24.	2.8	45
81	Vitamin D and its analogs as anticancer and anti-inflammatory agents. <i>European Journal of Medicinal Chemistry</i> , 2020, 207, 112738.	2.6	45
82	Lentiviral CRISPR/Cas9 nickase vector mediated BIRC5 editing inhibits epithelial to mesenchymal transition in ovarian cancer cells. <i>Oncotarget</i> , 2017, 8, 94666-94680.	0.8	45
83	Current Advances of Tubulin Inhibitors in Nanoparticle Drug Delivery and Vascular Disruption/Angiogenesis. <i>Molecules</i> , 2016, 21, 1468.	1.7	44
84	Novel vitamin D analogs as potential therapeutics: metabolism, toxicity profiling, and antiproliferative activity. <i>Anticancer Research</i> , 2014, 34, 2153-63.	0.5	44
85	Characterization of Organic Molecules Attached to Gold Nanoparticle Surface Using High Resolution Magic Angle Spinning ¹ H NMR. <i>Journal of Physical Chemistry C</i> , 2008, 112, 19360-19366.	1.5	43
86	Multidimensional HRMAS NMR: a platform for in vivo studies using intact bacterial cells. <i>Analyst</i> , The, 2006, 131, 777.	1.7	40
87	Substrate-dependent modulation of the catalytic activity of CYP3A by erlotinib. <i>Acta Pharmacologica Sinica</i> , 2011, 32, 399-407.	2.8	40
88	Rat CYP24A1 acts on 20-hydroxyvitamin D ₃ producing hydroxylated products with increased biological activity. <i>Biochemical Pharmacology</i> , 2012, 84, 1696-1704.	2.0	40
89	Hydroxylation of CYP11A1-Derived Products of Vitamin D ₃ Metabolism by Human and Mouse CYP27B1. <i>Drug Metabolism and Disposition</i> , 2013, 41, 1112-1124.	1.7	39
90	Structural Modification of the 3,4,5-Trimethoxyphenyl Moiety in the Tubulin Inhibitor VERU-111 Leads to Improved Antiproliferative Activities. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 7877-7891.	2.9	39

#	ARTICLE	IF	CITATIONS
91	Role of hypoxia inducible factor-1 in cancer stem cells (Review). <i>Molecular Medicine Reports</i> , 2020, 23, 1-1.	1.1	39
92	Synthesis and photo-conversion of androsta- and pregna-5,7-dienes to vitamin D3-like derivatives. <i>Photochemical and Photobiological Sciences</i> , 2008, 7, 1570-1576.	1.6	38
93	Purified Mouse CYP27B1 Can Hydroxylate 20,23-Dihydroxyvitamin D ₃ , Producing 1 α ,20,23-Trihydroxyvitamin D ₃ , Which Has Altered Biological Activity. <i>Drug Metabolism and Disposition</i> , 2010, 38, 1553-1559.	1.7	38
94	Investigation of 20S-hydroxyvitamin D3 analogs and their 1 α -OH derivatives as potent vitamin D receptor agonists with anti-inflammatory activities. <i>Scientific Reports</i> , 2018, 8, 1478.	1.6	38
95	Lumisterol is metabolized by CYP11A1: Discovery of a new pathway. <i>International Journal of Biochemistry and Cell Biology</i> , 2014, 55, 24-34.	1.2	37
96	Survivin Inhibitors Mitigate Chemotherapeutic Resistance in Breast Cancer Cells by Suppressing Genotoxic Nuclear Factor- κ B Activation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 366, 184-193.	1.3	37
97	Structure-Activity Relationship Study of Novel 6-Aryl-2-benzoyl-pyridines as Tubulin Polymerization Inhibitors with Potent Antiproliferative Properties. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 827-846.	2.9	37
98	6 β -Hydroxytestosterone, a Cytochrome P450 1B1 Metabolite of Testosterone, Contributes to Angiotensin II-Induced Hypertension and Its Pathogenesis in Male Mice. <i>Hypertension</i> , 2015, 65, 1279-1287.	1.3	36
99	Molecular interactions at the colchicine binding site in tubulin: An X-ray crystallography perspective. <i>Drug Discovery Today</i> , 2022, 27, 759-776.	3.2	36
100	Synthesis, in vitro structure-activity relationship, and in vivo studies of 2-arylthiazolidine-4-carboxylic acid amides as anticancer agents. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 477-495.	1.4	35
101	Recent Advances in Elucidating Paclitaxel Resistance Mechanisms in Non-small Cell Lung Cancer and Strategies to Overcome Drug Resistance. <i>Current Medicinal Chemistry</i> , 2020, 27, 6573-6595.	1.2	35
102	Characterization of serotonin and 5-HT _{2A} acetylserotonin systems in the human epidermis and skin cells. <i>Journal of Pineal Research</i> , 2020, 68, e12626.	3.4	34
103	Synthesis and testing of novel classical cannabinoids: exploring the side chain ligand binding pocket of the CB1 and CB2 receptors. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 3121-3132.	1.4	33
104	UDP-Glucuronosyltransferase 1A6 Is the Major Isozyme Responsible for Protocatechuic Aldehyde Glucuronidation in Human Liver Microsomes. <i>Drug Metabolism and Disposition</i> , 2008, 36, 1562-1569.	1.7	33
105	Maternal alcohol exposure during mid-pregnancy dilates fetal cerebral arteries via endocannabinoid receptors. <i>Alcohol</i> , 2017, 61, 51-61.	0.8	33
106	Design, Synthesis, and Biological Evaluation of Stable Colchicine-Binding Site Tubulin Inhibitors 6-Aryl-2-benzoyl-pyridines as Potential Anticancer Agents. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 12049-12074.	2.9	33
107	Methods for Acquisition and Assignment of Multidimensional High-Resolution Magic Angle Spinning NMR of Whole Cell Bacteria. <i>Analytical Chemistry</i> , 2005, 77, 5785-5792.	3.2	32
108	Biological Activity of 4-Substituted Methoxybenzoyl- Aryl-Thiazole: An Active Microtubule Inhibitor. <i>Cancer Research</i> , 2011, 71, 216-224.	0.4	32

#	ARTICLE	IF	CITATIONS
109	The role of vitamin D in cancer prevention. Chinese Journal of Natural Medicines, 2015, 13, 481-497.	0.7	32
110	Ovarian Primary and Metastatic Tumors Suppressed by Survivin Knockout or a Novel Survivin Inhibitor. Molecular Cancer Therapeutics, 2019, 18, 2233-2245.	1.9	31
111	CYP11A1-derived vitamin D3 products protect against UVB-induced inflammation and promote keratinocytes differentiation. Free Radical Biology and Medicine, 2020, 155, 87-98.	1.3	31
112	EPR Investigation of Persistent Radicals Produced from the Photolysis of Dibenzyl Ketones Adsorbed on ZSM-5 Zeolites. Journal of Organic Chemistry, 2002, 67, 2606-2618.	1.7	30
113	The Inhibitory Effect of Intestinal Bacterial Metabolite of Ginsenosides on CYP3A Activity. Biological and Pharmaceutical Bulletin, 2004, 27, 1555-1560.	0.6	30
114	Synthesis, formulation and in vitro evaluation of a novel microtubule destabilizer, SMART-100. Journal of Controlled Release, 2010, 143, 151-158.	4.8	30
115	Pharmacokinetic Optimization of 4-Substituted Methoxybenzoyl-aryl-thiazole and 2-Aryl-4-benzoyl-imidazole for Improving Oral Bioavailability. Drug Metabolism and Disposition, 2011, 39, 1833-1839.	1.7	30
116	Human Cytochrome P450 _{scc} (CYP11A1) Catalyzes Epoxide Formation with Ergosterol. Drug Metabolism and Disposition, 2012, 40, 436-444.	1.7	30
117	Combined over-expression of the hypoxia-inducible factor 2 β gene and its long non-coding RNA predicts unfavorable prognosis of patients with osteosarcoma. Pathology Research and Practice, 2016, 212, 861-866.	1.0	28
118	CYP27A1 acts on the pre-vitamin D3 photoproduct, lumisterol, producing biologically active hydroxy-metabolites. Journal of Steroid Biochemistry and Molecular Biology, 2018, 181, 1-10.	1.2	28
119	An Orally Available Tubulin Inhibitor, VERU-111, Suppresses Triple-Negative Breast Cancer Tumor Growth and Metastasis and Bypasses Taxane Resistance. Molecular Cancer Therapeutics, 2020, 19, 348-363.	1.9	28
120	Recent Advances on Small-Molecule Survivin Inhibitors. Current Medicinal Chemistry, 2015, 22, 1136-1146.	1.2	28
121	Taxane's Substituents at C3 β Affect Its Regioselective Metabolism: Different In Vitro Metabolism of Cephalomannine and Paclitaxel. Drug Metabolism and Disposition, 2008, 36, 418-426.	1.7	27
122	Metabolic Profiling and Cytochrome P450 Reaction Phenotyping of Medroxyprogesterone Acetate. Drug Metabolism and Disposition, 2008, 36, 2292-2298.	1.7	27
123	Design, Synthesis, and Biological Action of 20 α -Hydroxyvitamin D3. Journal of Medicinal Chemistry, 2012, 55, 3573-3577.	2.9	27
124	WX-132-18B, a novel microtubule inhibitor, exhibits promising anti-tumor effects. Oncotarget, 2017, 8, 71782-71796.	0.8	27
125	Reversible Oxygenation of a Diphenylmethyl Radical Rendered Supramolecularly Persistent. Journal of the American Chemical Society, 1999, 121, 7170-7171.	6.6	26
126	Photochemical and Magnetic Resonance Investigations of the Supramolecular Structure and Dynamics of Molecules and Reactive Radicals on the External and Internal Surface of MFI Zeolites. Journal of the American Chemical Society, 2000, 122, 11649-11659.	6.6	26

#	ARTICLE	IF	CITATIONS
127	Inhibitory effect of medroxyprogesterone acetate on human liver cytochrome P450 enzymes. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 497-502.	0.8	26
128	Synergistic Combination of Novel Tubulin Inhibitor ABI-274 and Vemurafenib Overcomes Vemurafenib Acquired Resistance in BRAFV600E Melanoma. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 16-26.	1.9	26
129	N 1-Acetyl-5-Methoxykynuramine (AMK) Is Produced in the Human Epidermis and Shows Antiproliferative Effects. <i>Endocrinology</i> , 2015, 156, 1630-1636.	1.4	26
130	1 α ,20S-Dihydroxyvitamin D3 Interacts with Vitamin D Receptor: Crystal Structure and Route of Chemical Synthesis. <i>Scientific Reports</i> , 2017, 7, 10193.	1.6	26
131	High-resolution magic angle spinning nuclear magnetic resonance analysis of metabolic changes in melanoma cells after induction of melanogenesis. <i>Analytical Biochemistry</i> , 2009, 386, 282-284.	1.1	25
132	Discovery of Novel Second Mitochondria-Derived Activator of Caspase Mimetics as Selective Inhibitor of Apoptosis Protein Inhibitors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 349, 319-329.	1.3	25
133	Novel Silyl Ether-Based Acid-Cleavable Antibody-MMAE Conjugates with Appropriate Stability and Efficacy. <i>Cancers</i> , 2019, 11, 957.	1.7	25
134	Therapeutic efficacy of a novel β -tubulin inhibitor (VERU-111) in pancreatic cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 29.	3.5	25
135	Synthesis, biological evaluation, and structural studies on N1 and C5 substituted cycloalkyl analogues of the pyrazole class of CB1 and CB2 ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 393-404.	1.4	24
136	Discovery of Antiglioma Activity of Biaryl 1,2,3,4-Tetrahydroisoquinoline Derivatives and Conformationally Flexible Analogues. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 5845-5848.	2.9	24
137	Synthesis and pharmacological evaluation of the stereoisomers of 3-carba cyclic-phosphatidic acid. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 7525-7528.	1.0	24
138	Design, Synthesis and Biological Evaluation of Novel 5H-Chromenopyridines as Potential Anti-Cancer Agents. <i>Molecules</i> , 2015, 20, 17152-17165.	1.7	24
139	Promotion of ubiquitination-dependent survivin destruction contributes to xanthohumol-mediated tumor suppression and overcomes radioresistance in human oral squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 88.	3.5	24
140	Colchicine Binding Site Agent DJ95 Overcomes Drug Resistance and Exhibits Antitumor Efficacy. <i>Molecular Pharmacology</i> , 2019, 96, 73-89.	1.0	23
141	Chemical Synthesis and Biological Activities of 20 <i>S</i> ,24 <i>S</i> / <i>R</i> -Dihydroxyvitamin D3 Epimers and Their 1 α -Hydroxyl Derivatives. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 7881-7887.	2.9	22
142	A new steroidal 5,7-diene derivative, 3 β -hydroxyandrosta-5,7-diene-17 β -carboxylic acid, shows potent anti-proliferative activity. <i>Steroids</i> , 2010, 75, 230-239.	0.8	21
143	Design, Synthesis and Structure-Activity Relationship Studies of Novel Survivin Inhibitors with Potent Anti-Proliferative Properties. <i>PLoS ONE</i> , 2015, 10, e0129807.	1.1	21
144	Non-Musculoskeletal Benefits of Vitamin D beyond the Musculoskeletal System. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2128.	1.8	21

#	ARTICLE	IF	CITATIONS
145	Structure-activity relationship studies of arylthiazolidine amides as selective cytotoxic agents for melanoma. <i>Anticancer Research</i> , 2007, 27, 883-8.	0.5	21
146	Orally available tubulin inhibitor VERU-111 enhances antitumor efficacy in paclitaxel-resistant lung cancer. <i>Cancer Letters</i> , 2020, 495, 76-88.	3.2	20
147	Orally Bioavailable Tubulin Antagonists for Paclitaxel-Refractory Cancer. <i>Pharmaceutical Research</i> , 2012, 29, 3053-3063.	1.7	19
148	Synthesis and Biological Evaluation of Vitamin D3 Metabolite 20 <i>S</i> ,23 <i>S</i> -Dihydroxyvitamin D3 and Its 23 <i>R</i> Epimer. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 5102-5108.	2.9	19
149	Formulation and Characterization of Polyester/Polycarbonate Nanoparticles for Delivery of a Novel Microtubule Destabilizing Agent. <i>Pharmaceutical Research</i> , 2012, 29, 3064-3074.	1.7	18
150	Licochalcone A inhibits EGFR signalling and translationally suppresses survivin expression in human cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 813-826.	1.6	18
151	20 <i>S</i> -Hydroxyvitamin D3, a Secosteroid Produced in Humans, Is Anti-Inflammatory and Inhibits Murine Autoimmune Arthritis. <i>Frontiers in Immunology</i> , 2021, 12, 678487.	2.2	18
152	<p>Sinomenine Inhibits Non-Small Cell Lung Cancer via Downregulation of Hexokinases II-Mediated Aerobic Glycolysis</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 3209-3221.	1.0	17
153	Design, Synthesis and Biological Evaluation of Novel HIF1± Inhibitors. <i>Anticancer Research</i> , 2015, 35, 3849-59.	0.5	17
154	Medetomidine analogs as selective agonists for the human Î±2-adrenoceptors. <i>Biochemical Pharmacology</i> , 2004, 67, 87-96.	2.0	16
155	Calcium- and Voltage-Gated Potassium (BK) Channel Activators in the 5Î²-Cholanic Acid-ol Analogue Series with Modifications in the Lateral Chain. <i>ChemMedChem</i> , 2012, 7, 1784-1792.	1.6	16
156	Metabolism of 20-hydroxyvitamin D3 and 20,23-dihydroxyvitamin D3 by rat and human CYP24A1. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 149, 153-165.	1.2	16
157	YC-1 exerts inhibitory effects on MDA-MB-468 breast cancer cells by targeting EGFR in vitro and in vivo under normoxic condition. <i>Chinese Journal of Cancer</i> , 2012, 31, 248-256.	4.9	16
158	CYP11A1-derived vitamin D hydroxyderivatives as candidates for therapy of basal and squamous cell carcinomas. <i>International Journal of Oncology</i> , 2022, 61, .	1.4	16
159	Identifying Novel Molecular Structures for Advanced Melanoma by Ligand-Based Virtual Screening. <i>Journal of Chemical Information and Modeling</i> , 2009, 49, 1420-1427.	2.5	15
160	Rapid screening of transferrin-binders in the flowers of <i>Bauhinia blakeana</i> Dunn by on-line high-performance liquid chromatography-diode-array detector-electrospray ionization-ion-trap-time-of-flight-mass spectrometry-transferrin-fluorescence detection system. <i>Journal of Chromatography A</i> , 2016, 1450, 17-28.	1.8	15
161	Synthesis and biological evaluation of indole-based UC-112 analogs as potent and selective survivin inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2018, 149, 211-224.	2.6	15
162	Nanoparticulate delivery of potent microtubule inhibitor for metastatic melanoma treatment. <i>Journal of Controlled Release</i> , 2019, 309, 231-243.	4.8	15

#	ARTICLE	IF	CITATIONS
163	Cesium fluoride and tetra-n-butylammonium fluoride mediated 1,4-N ⁺ O shift of disubstituted phenyl ring of a bicalutamide derivative. <i>Tetrahedron Letters</i> , 2006, 47, 3941-3944.	0.7	14
164	HIF-1 α Is a Rational Target for Future Ovarian Cancer Therapies. <i>Frontiers in Oncology</i> , 2021, 11, 785111.	1.3	14
165	Determination of UDP-glucuronosyltransferase UGT2B7 activity in human liver microsomes by ultra-performance liquid chromatography with MS detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008, 870, 84-90.	1.2	13
166	Structure determination of chiral sulfoxide in diastereomeric bicalutamide derivatives. <i>Chirality</i> , 2009, 21, 578-583.	1.3	13
167	Inhibition of SN-38 glucuronidation by gefitinib and its metabolite. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 1253-1260.	1.1	13
168	Systemic delivery of nanoparticle formulation of novel tubulin inhibitor for treating metastatic melanoma. <i>Drug Delivery and Translational Research</i> , 2015, 5, 199-208.	3.0	13
169	X-ray Crystallography-Guided Design, Antitumor Efficacy, and QSAR Analysis of Metabolically Stable Cyclopenta-Pyrimidinyl Dihydroquinoxalinone as a Potent Tubulin Polymerization Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 13072-13095.	2.9	13
170	X-ray Crystal Structure Guided Discovery and Antitumor Efficacy of Dihydroquinoxalinone as Potent Tubulin Polymerization Inhibitors. <i>ACS Chemical Biology</i> , 2019, 14, 2810-2821.	1.6	12
171	Inhibition of breast cancer cell motility with a non-cyclooxygenase inhibitory derivative of sulindac by suppressing TGF β ² /miR-21 signaling. <i>Oncotarget</i> , 2016, 7, 7979-7992.	0.8	12
172	Recent Advances in Antibody-Drug Conjugates for Breast Cancer Treatment. <i>Current Medicinal Chemistry</i> , 2017, 24, 2505-2527.	1.2	12
173	Ultra-performance liquid chromatographic-electrospray mass spectrometric determination (UPLC-ESI-MS) of O-demethylated metabolite of paeonol in vitro: Assay development, human liver microsome activities and species differences. <i>Talanta</i> , 2009, 79, 1433-1440.	2.9	11
174	Structure Elucidation of Major Metabolites from Medroxyprogesterone Acetate by P450. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 835-839.	0.6	11
175	Total synthesis of biologically active 20S-hydroxyvitamin D ₃ . <i>Steroids</i> , 2015, 104, 153-162.	0.8	11
176	Berberine, A Phytoalkaloid, Inhibits Inflammatory Response Induced by LPS through NF-Kappa β Pathway: Possible Involvement of the IKK α . <i>Molecules</i> , 2021, 26, 4733.	1.7	11
177	Photochemistry of ketones adsorbed on size/shape selective zeolites. A supramolecular approach to persistent carbon centered radicals. <i>Chemical Communications</i> , 1998, , 697-698.	2.2	10
178	Polymeric Micellar Delivery of Novel Microtubule Destabilizer and Hedgehog Signaling Inhibitor for Treating Chemoresistant Prostate Cancer. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 370, 864-875.	1.3	10
179	VERU-111 suppresses tumor growth and metastatic phenotypes of cervical cancer cells through the activation of p53 signaling pathway. <i>Cancer Letters</i> , 2020, 470, 64-74.	3.2	10
180	Discovery of (3,4-Dimethylphenyl)-4-(4-isobutrylphenyl)-2,3,3a,4,5,9b-hexahydrofuro[3,2-c]quinoline-8-sulfonamide as a Potent Dual MDM2/XIAP Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 1930-1950.		10

#	ARTICLE	IF	CITATIONS
181	Design and synthesis of hydroxy-alkynoic acids and their methyl esters as novel activators of BK channels. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3427-3430.	1.0	9
182	MAPKs Are Not Involved in Triptolide-Induced Cell Growth Inhibition and Apoptosis in Prostate Cancer Cell Lines with Different p53 Status. <i>Planta Medica</i> , 2011, 77, 27-31.	0.7	9
183	Polymer conjugate of a microtubule destabilizer inhibits lung metastatic melanoma. <i>Journal of Controlled Release</i> , 2017, 249, 32-41.	4.8	9
184	Design, synthesis, and structure-activity relationships of pyrimido[4,5- b]indole-4-amines as microtubule depolymerizing agents that are effective against multidrug resistant cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3423-3430.	1.0	9
185	1,25-Dihydroxyvitamin D3 and 20-Hydroxyvitamin D3 Upregulate LAIR-1 and Attenuate Collagen Induced Arthritis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13342.	1.8	9
186	Adsorption of Cyclic Ketones on the External and Internal Surfaces of a Faujasite Zeolite (CaX). A Solid-State ² H NMR, ¹³ C NMR, FT-IR, and EPR Investigation. <i>Journal of the American Chemical Society</i> , 2000, 122, 12571-12581.	6.6	8
187	Design and Sample Size for Evaluating Combinations of Drugs of Linear and Loglinear Dose-Response Curves. <i>Journal of Biopharmaceutical Statistics</i> , 2009, 19, 625-640.	0.4	8
188	Kinetic characterizations of diallyl sulfide analogs for their novel role as CYP2E1 enzyme inhibitors. <i>Pharmacology Research and Perspectives</i> , 2017, 5, e00362.	1.1	8
189	Breakthroughs in Medicinal Chemistry: New Targets and Mechanisms, New Drugs, New Hopes-6. <i>Molecules</i> , 2020, 25, 119.	1.7	8
190	17,20S(OH)2pD Can Prevent the Development of Skin Fibrosis in the Bleomycin-Induced Scleroderma Mouse Model. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8926.	1.8	8
191	Discovery of novel 3-hydroxyandrost-5,7-Diene-17-Carboxylic acid derivatives as anti-inflammatory bowel diseases (IBD) agents. <i>European Journal of Medicinal Chemistry</i> , 2021, 220, 113468.	2.6	8
192	Inhibition of TRPC3 channels by a novel pyrazole compound confers antiseizure effects. <i>Epilepsia</i> , 2022, 63, 1003-1015.	2.6	8
193	Effects of sidechain length and composition on the kinetic conversion and product distribution of vitamin D analogs determined by real-time NMR. <i>Dermato-Endocrinology</i> , 2013, 5, 142-149.	1.9	7
194	Knockdown of survivin results in inhibition of epithelial to mesenchymal transition in retinal pigment epithelial cells by attenuating the TGF β ² pathway. <i>Biochemical and Biophysical Research Communications</i> , 2018, 498, 573-578.	1.0	7
195	Design, Synthesis and Biological Activities of Novel Gemini 20S-Hydroxyvitamin D3 Analogs. <i>Anticancer Research</i> , 2016, 36, 877-86.	0.5	7
196	Potential herb-drug interaction risk of thymoquinone and phenytoin. <i>Chemico-Biological Interactions</i> , 2022, 353, 109801.	1.7	7
197	Modulation by 17,20S(OH)2pD of Fibrosis-Related Mediators in Dermal Fibroblast Lines from Healthy Donors and from Patients with Systemic Sclerosis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 367.	1.8	7
198	Synthesis and evaluation of new 1,2,3,4-tetrahydroisoquinoline analogs as anti-glioma agents. <i>Medicinal Chemistry Research</i> , 2011, 20, 131-137.	1.1	6

#	ARTICLE	IF	CITATIONS
199	Drugs Targeting Tubulin Polymerization. <i>Pharmaceutical Research</i> , 2012, 29, 2939-2942.	1.7	6
200	The Tubulin Inhibitor VERU-111 in Combination With Vemurafenib Provides an Effective Treatment of Vemurafenib-Resistant A375 Melanoma. <i>Frontiers in Pharmacology</i> , 2021, 12, 637098.	1.6	6
201	In Silico Screening and In Vivo Evaluation of Potential CACNA2D1 Antagonists as Intraocular Pressure-Reducing Agents in Glaucoma Therapy. <i>Pharmaceuticals</i> , 2021, 14, 887.	1.7	6
202	TRPC channels as emerging targets for seizure disorders. <i>Trends in Pharmacological Sciences</i> , 2022, , .	4.0	6
203	Photochemistry and magnetic resonance spectroscopy as probes of supramolecular structures and migration pathways of organic molecules and radicals adsorbed on zeolites. <i>Chemical Communications</i> , 1998, , 695-696.	2.2	5
204	Synthesis and antitumor activity evaluation of asiatic acid derivatives as survivin inhibitor. <i>Journal of Asian Natural Products Research</i> , 2018, 20, 897-908.	0.7	5
205	Alteration of Androgen Receptor Protein Stability by Triptolide in LNCaP Cells. <i>Medicina (Lithuania)</i> , 2018, 54, 39.	0.8	5
206	Molecular modelling guided design, synthesis and QSAR analysis of new small molecule non-lipid autotaxin inhibitors. <i>Bioorganic Chemistry</i> , 2020, 103, 104188.	2.0	5
207	Nanoformulation design and therapeutic potential of a novel tubulin inhibitor in pancreatic cancer. <i>Journal of Controlled Release</i> , 2021, 329, 585-597.	4.8	5
208	Discovery of a Highly Selective and Potent TRPC3 Inhibitor with High Metabolic Stability and Low Toxicity. <i>ACS Medicinal Chemistry Letters</i> , 2021, 12, 572-578.	1.3	5
209	Design, synthesis and biological evaluation of selective survivin inhibitors. <i>Journal of Biomedical Research</i> , 2019, 33, 82.	0.7	5
210	Benzimidazole analogs as potent hypoxia inducible factor inhibitors: synthesis, biological evaluation, and profiling drug-like properties. <i>Anticancer Research</i> , 2014, 34, 3891-904.	0.5	5
211	Colchicine-Binding Site Agent CH-2-77 as a Potent Tubulin Inhibitor Suppressing Triple-Negative Breast Cancer. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 1103-1114.	1.9	5
212	Breakthroughs in Medicinal Chemistry: New Targets and Mechanisms, New Drugs, New Hopesâ€“4. <i>Molecules</i> , 2019, 24, 130.	1.7	4
213	Synthesis and biological evaluation of selective survivin inhibitors derived from the MX-106 hydroxyquinoline scaffold. <i>European Journal of Medicinal Chemistry</i> , 2021, 224, 113719.	2.6	4
214	Risk prediction of drug-drug interaction potential of phenytoin and miconazole topical formulations. <i>Chemico-Biological Interactions</i> , 2021, 343, 109498.	1.7	3
215	A Luminacin D Analog HL142 Inhibits Ovarian Tumor Growth and Metastasis by Reversing EMT and Attenuating the TGF β ² and FAK Pathways. <i>Journal of Cancer</i> , 2021, 12, 5654-5663.	1.2	3
216	Design, Synthesis, and Biological Evaluation of Apcin-Based CDC20 Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2022, 13, 188-195.	1.3	3

#	ARTICLE	IF	CITATIONS
217	Editorial Preface for Targeted Cancer Therapy. <i>Acta Pharmaceutica Sinica B</i> , 2018, 8, 501-502.	5.7	2
218	Emerging Drug Combination Approaches in Melanoma Therapy. , 0, , .		1
219	Discovery of agonist-antagonist pairs for the modulation of Ca ²⁺ and voltage-gated K ⁺ channels of large conductance that contain beta1 subunits. <i>Bioorganic and Medicinal Chemistry</i> , 2022, 68, 116876.	1.4	1