

Gilles Feron

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6951973/publications.pdf>

Version: 2024-02-01

111
papers

3,170
citations

136740

32
h-index

205818

48
g-index

116
all docs

116
docs citations

116
times ranked

2457
citing authors

#	ARTICLE	IF	CITATIONS
1	In-Mouth Mechanisms Leading to Flavor Release and Perception. <i>Critical Reviews in Food Science and Nutrition</i> , 2010, 51, 67-90.	5.4	175
2	Variability of human saliva composition: Possible relationships with fat perception and liking. <i>Archives of Oral Biology</i> , 2012, 57, 556-566.	0.8	161
3	Prospects for the microbial production of food flavours. <i>Trends in Food Science and Technology</i> , 1996, 7, 285-293.	7.8	86
4	Glucosamine measurement as indirect method for biomass estimation of <i>Cunninghamella elegans</i> grown in solid state cultivation conditions. <i>Biochemical Engineering Journal</i> , 2001, 7, 1-5.	1.8	71
5	Salivary Flow Decreases in Healthy Elderly People Independently of Dental Status and Drug Intake. <i>Journal of Texture Studies</i> , 2016, 47, 353-360.	1.1	70
6	Understanding Aroma Release from Model Cheeses by a Statistical Multiblock Approach on Oral Processing. <i>PLoS ONE</i> , 2014, 9, e93113.	1.1	65
7	Relationships between saliva and food bolus properties from model dairy products. <i>Food Hydrocolloids</i> , 2011, 25, 659-667.	5.6	63
8	Understanding the Role of Saliva in Aroma Release from Wine by Using Static and Dynamic Headspace Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 8274-8288.	2.4	62
9	Addition of oxidizing or reducing agents to the reaction medium influences amino acid conversion to aroma compounds by <i>Lactococcus lactis</i> . <i>Journal of Applied Microbiology</i> , 2006, 101, 1114-1122.	1.4	60
10	Salivary Composition Is Associated with Liking and Usual Nutrient Intake. <i>PLoS ONE</i> , 2015, 10, e0137473.	1.1	60
11	Combined effect of cheese characteristics and food oral processing on <i>in vivo</i> aroma release. <i>Flavour and Fragrance Journal</i> , 2012, 27, 414-423.	1.2	56
12	Production, Identification, and Toxicity of (γ)-Decalactone and 4-Hydroxydecanoic Acid from <i>Sporidiobolus</i> spp. <i>Applied and Environmental Microbiology</i> , 1996, 62, 2826-2831.	1.4	56
13	Production of 6-pentyl- δ -pyrone by <i>Trichoderma</i> sp. from vegetable oils. <i>Journal of Biotechnology</i> , 1997, 56, 143-150.	1.9	49
14	The degree of processing of foods which are most widely consumed by the French elderly population is associated with satiety and glycemic potentials and nutrient profiles. <i>Food and Function</i> , 2017, 8, 651-658.	2.1	49
15	Influence of Composition (CO_2 and Sugar) on Aroma Release and Perception of Mint-Flavored Carbonated Beverages. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 5891-5898.	2.4	47
16	Understanding the release and metabolism of aroma compounds using micro-volume saliva samples by ex vivo approaches. <i>Food Chemistry</i> , 2018, 240, 275-285.	4.2	47
17	Influence of cell immobilization on the production of benzaldehyde and benzyl alcohol by the white-rot fungi <i>Bjerkandera adusta</i> , <i>Ischnoderma benzoinum</i> and <i>Dichomitus squalens</i> . <i>Applied Microbiology and Biotechnology</i> , 1997, 47, 708-714.	1.7	46
18	Fat sensitivity in humans: oleic acid detection threshold is linked to saliva composition and oral volume. <i>Flavour and Fragrance Journal</i> , 2014, 29, 39-49.	1.2	46

#	ARTICLE	IF	CITATIONS
19	CONSEQUENCES OF INDIVIDUAL CHEWING STRATEGIES ON BOLUS RHEOLOGICAL PROPERTIES AT THE SWALLOWING THRESHOLD. <i>Journal of Texture Studies</i> , 2012, 43, 309-318.	1.1	45
20	Salivary markers of taste sensitivity to oleic acid: a combined proteomics and metabolomics approach. <i>Metabolomics</i> , 2014, 10, 688-696.	1.4	45
21	Behavioral and physiological determinants of food choice and consumption at sensitive periods of the life span, a focus on infants and elderly. <i>Innovative Food Science and Emerging Technologies</i> , 2018, 46, 91-106.	2.7	45
22	Purification and Characterization of Geranyl Diphosphate Synthase from <i>Vitis vinifera</i> L. cv Muscat de Frontignan Cell Cultures. <i>Plant Physiology</i> , 1993, 102, 205-211.	2.3	44
23	Eh and pH gradients in Camembert cheese during ripening: Measurements using microelectrodes and correlations with texture. <i>International Dairy Journal</i> , 2007, 17, 954-960.	1.5	44
24	How trigeminal, taste and aroma perceptions are affected in mint-flavored carbonated beverages. <i>Food Quality and Preference</i> , 2010, 21, 1026-1033.	2.3	44
25	Main effects of human saliva on flavour perception and the potential contribution to food consumption. <i>Proceedings of the Nutrition Society</i> , 2018, 77, 423-431.	0.4	44
26	New determinants of olfactory habituation. <i>Scientific Reports</i> , 2017, 7, 41047.	1.6	43
27	Yeast as an efficient biocatalyst for the production of lipid-derived flavours and fragrances. <i>Antonie Van Leeuwenhoek</i> , 2006, 89, 405-416.	0.7	39
28	Chewing bread: impact on alpha-amylase secretion and oral digestion. <i>Food and Function</i> , 2017, 8, 607-614.	2.1	38
29	Association between Salivary Hypofunction and Food Consumption in the Elderlies. A Systematic Literature Review. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 407-419.	1.5	37
30	In Situ Detoxification of the Fermentation Medium during $\hat{3}$ -Decalactone Production with the Yeast <i>Sporidiobolus salmonicolor</i> . <i>Biotechnology Progress</i> , 1999, 15, 135-139.	1.3	36
31	Evidence for a geranyl-diphosphate synthase located within the plastids of <i>Vitis vinifera</i> L. cultivated in vitro. <i>Planta</i> , 1992, 187, 171-5.	1.6	34
32	Metabolism of ricinoleic acid into $\hat{3}$ -decalactone: $\hat{2}$ -oxidation and long chain acyl intermediates of ricinoleic acid in the genus <i>Sporidiobolus</i> sp.. <i>FEMS Microbiology Letters</i> , 2000, 188, 69-74.	0.7	34
33	Relationships of oral comfort perception and bolus properties in the elderly with salivary flow rate and oral health status for two soft cereal foods. <i>Food Research International</i> , 2019, 118, 13-21.	2.9	34
34	Differences in the Density of Fungiform Papillae and Composition of Saliva in Patients With Taste Disorders Compared to Healthy Controls. <i>Chemical Senses</i> , 2017, 42, 699-708.	1.1	33
35	Contribution of exofacial thiol groups in the reducing activity of <i>Lactococcus lactis</i> . <i>FEBS Journal</i> , 2010, 277, 2282-2290.	2.2	32
36	Retro-Nasal Aroma Release Is Correlated with Variations in the In-Mouth Air Cavity Volume after Empty Deglutition. <i>PLoS ONE</i> , 2012, 7, e41276.	1.1	32

#	ARTICLE	IF	CITATIONS
37	Obese Subjects With Specific Gustatory Papillae Microbiota and Salivary Cues Display an Impairment to Sense Lipids. <i>Scientific Reports</i> , 2018, 8, 6742.	1.6	32
38	Oral Fat Sensitivity in Humans: Links to Saliva Composition Before and After Stimulation by Oleic Acid. <i>Chemosensory Perception</i> , 2013, 6, 118-126.	0.7	31
39	Model cheese aroma perception is explained not only by in vivo aroma release but also by salivary composition and oral processing parameters. <i>Food and Function</i> , 2017, 8, 615-628.	2.1	31
40	Production of $\hat{1}^3$ -decalactone and 4-hydroxy-decanoic acid in the genus <i>Sporidiobolus</i> . <i>Journal of Bioscience and Bioengineering</i> , 1998, 86, 169-173.	0.9	30
41	Assessment Wine Aroma Persistence by Using an in Vivo PTR-ToF-MS Approach and Its Relationship with Salivary Parameters. <i>Molecules</i> , 2019, 24, 1277.	1.7	30
42	Does interindividual variability of saliva affect the release and metabolization of aroma compounds ex vivo? The particular case of elderly suffering or not from hyposalivation. <i>Journal of Texture Studies</i> , 2019, 50, 36-44.	1.1	30
43	Using food comfortability to compare food's sensory characteristics expectations of elderly people with or without oral health problems. <i>Journal of Texture Studies</i> , 2017, 48, 280-287.	1.1	29
44	Binding of benzaldehyde by $\hat{1}^2$ -lactoglobulin, by static headspace and high performance liquid chromatography in different physico-chemical conditions. <i>Dairy Science and Technology</i> , 1999, 79, 577-586.	0.9	29
45	Main individual and product characteristics influencing in-mouth flavour release during eating masticated food products with different textures: Mechanistic modelling and experimental validation. <i>Journal of Theoretical Biology</i> , 2014, 340, 209-221.	0.8	28
46	Inter-individual retronasal aroma release variability during cheese consumption: Role of food oral processing. <i>Food Research International</i> , 2014, 64, 692-700.	2.9	28
47	Oral comfort: A new concept to understand elderly people's expectations in terms of food sensory characteristics. <i>Food Quality and Preference</i> , 2018, 70, 57-67.	2.3	28
48	Physiological mechanisms explaining human differences in fat perception and liking in food spreads-a review. <i>Trends in Food Science and Technology</i> , 2018, 74, 46-55.	7.8	27
49	Effect of redox potential on the growth of <i>Yarrowia lipolytica</i> and the biosynthesis and activity of heterologous hydroperoxide lyase. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2006, 39, 179-183.	1.8	26
50	Microbial production of 4-hydroxybenzylidene acetone, the direct precursor of raspberry ketone. <i>Letters in Applied Microbiology</i> , 2007, 45, 29-35.	1.0	26
51	Impact of solid medium composition on the conidiation in <i>Penicillium camemberti</i> . <i>Process Biochemistry</i> , 2006, 41, 1318-1324.	1.8	25
52	Nutri-metabolomics Applied to Taste Perception Phenotype: Human Subjects with High and Low Sensitivity to Taste of Fat Differ in Salivary Response to Oleic Acid. <i>OMICS A Journal of Integrative Biology</i> , 2014, 18, 666-672.	1.0	25
53	Fatty acid accumulation in the yeast <i>Sporidiobolus salmonicolor</i> during batch production of $\hat{1}^3$ -decalactone. <i>FEMS Microbiology Letters</i> , 1997, 149, 17-24.	0.7	24
54	Development of a rapid and highly sensitive biochemical method for the measurement of fungal spore viability. An alternative to the CFU method. <i>Enzyme and Microbial Technology</i> , 2001, 29, 560-566.	1.6	24

#	ARTICLE	IF	CITATIONS
55	Inter-individual variability in aroma release during sweet mint consumption. <i>Flavour and Fragrance Journal</i> , 2012, 27, 40-46.	1.2	24
56	Sex-Specific Sociodemographic Correlates of Dietary Patterns in a Large Sample of French Elderly Individuals. <i>Nutrients</i> , 2016, 8, 484.	1.7	24
57	Fragmentation of two soft cereal products during oral processing in the elderly: Impact of product properties and oral health status. <i>Food Hydrocolloids</i> , 2019, 91, 153-165.	5.6	24
58	Unstimulated saliva: Background noise in taste molecules. <i>Journal of Texture Studies</i> , 2019, 50, 6-18.	1.1	24
59	The Relationship Between Salivary Redox, Diet, and Food Flavor Perception. <i>Frontiers in Nutrition</i> , 2020, 7, 612735.	1.6	24
60	Associations between food consumption patterns and saliva composition: Specificities of eating difficulties children. <i>Physiology and Behavior</i> , 2017, 173, 116-123.	1.0	23
61	A procedure for reproducible measurement of redox potential (E h) in dairy processes. <i>Dairy Science and Technology</i> , 2013, 93, 675-690.	2.2	22
62	Salivary composition in obese vs normal-weight subjects: towards a role in postprandial lipid metabolism?. <i>International Journal of Obesity</i> , 2015, 39, 1425-1428.	1.6	22
63	Impact of blade tenderization, marinade and cooking temperature on oral comfort when eating meat in an elderly population. <i>Meat Science</i> , 2018, 145, 86-93.	2.7	22
64	Robots and transformations of work in farm: a systematic review of the literature and a research agenda. <i>Agronomy for Sustainable Development</i> , 2022, 42, .	2.2	22
65	Growth and activities of enzymes of primary metabolism in batch cultures of <i>Catharanthus roseus</i> cell suspension under different pCO ₂ conditions. <i>Plant Cell, Tissue and Organ Culture</i> , 1988, 13, 167-177.	1.2	21
66	In-mouth mechanism leading to the perception of fat in humans: from detection to preferences. The particular role of saliva. <i>Oleagineux Corps Gras Lipides</i> , 2013, 20, 102-107.	0.2	21
67	Bolus quality and food comfortability of model cheeses for the elderly as influenced by their texture. <i>Food Research International</i> , 2018, 111, 31-38.	2.9	21
68	Wine matrix composition affects temporal aroma release as measured by proton transfer reaction - time-of-flight - mass spectrometry. <i>Australian Journal of Grape and Wine Research</i> , 2015, 21, 367-375.	1.0	20
69	Molecular mechanisms of aroma persistence: From noncovalent interactions between aroma compounds and the oral mucosa to metabolization of aroma compounds by saliva and oral cells. <i>Food Chemistry</i> , 2022, 373, 131467.	4.2	20
70	Salt release monitoring with specific sensors in <i>in vitro</i> oral and digestive environments from soft cheeses. <i>Talanta</i> , 2012, 97, 171-180.	2.9	19
71	Impact of Oral Microbiota on Flavor Perception: From Food Processing to In-Mouth Metabolization. <i>Foods</i> , 2021, 10, 2006.	1.9	19
72	Prenyltransferase compartmentation in cells of <i>Vitis vinifera</i> cultivated in vitro. <i>FEBS Letters</i> , 1990, 271, 236-238.	1.3	18

#	ARTICLE	IF	CITATIONS
73	Addition of reducing agent dithiothreitol improves 4-decanolide synthesis by the genus <i>Sporidiobolus</i> . <i>Journal of Bioscience and Bioengineering</i> , 2000, 90, 338-340.	1.1	18
74	Metabolism of fatty acid in yeast: Characterisation of Δ^2 -oxidation and ultrastructural changes in the genus <i>Sporidiobolus</i> sp. cultivated on ricinoleic acid methyl ester. <i>FEMS Microbiology Letters</i> , 2005, 250, 63-69.	0.7	18
75	Physiological and oral parameters contribute prediction of retronasal aroma release in an elderly cohort. <i>Food Chemistry</i> , 2021, 342, 128355.	4.2	18
76	Role of the bolus degree of structure on the protein digestibility during in vitro digestion of a pea protein-enriched sponge cake chewed by elderly. <i>Journal of Texture Studies</i> , 2019, 51, 134-143.	1.1	17
77	Multi-omics profiling reveals that eating difficulties developed consecutively to artificial nutrition in the neonatal period are associated to specific saliva composition. <i>Journal of Proteomics</i> , 2015, 128, 105-112.	1.2	16
78	Chirality of the γ -lactones produced by <i>Sporidiobolus salmonicolor</i> grown in two different media. , 1997, 9, 667-671.		15
79	Conversion of oleic acid to 10-hydroxystearic acid by <i>Nocardia paraffinae</i> . <i>Biotechnology Letters</i> , 1997, 19, 715-718.	1.1	14
80	Saliva and Food Oral Processing. <i>Journal of Texture Studies</i> , 2019, 50, 4-5.	1.1	14
81	Oral processing and comfort perception of soft cereal foods fortified with pulse proteins in the elderly with different oral health status. <i>Food and Function</i> , 2020, 11, 4535-4547.	2.1	14
82	Oral enzymatic detoxification system: Insights obtained from proteome analysis to understand its potential impact on aroma metabolization. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 5516-5547.	5.9	14
83	Association of the Dietary Index Underpinning the Nutri-Score Label with Oral Health: Preliminary Evidence from a Large, Population-Based Sample. <i>Nutrients</i> , 2019, 11, 1998.	1.7	13
84	Gaseous environments modify physiology in the brewing yeast <i>Saccharomyces cerevisiae</i> during batch alcoholic fermentation. <i>Journal of Applied Microbiology</i> , 2008, 105, 858-874.	1.4	12
85	Adherence to National Dietary Guidelines in Association with Oral Health Impact on Quality of Life. <i>Nutrients</i> , 2018, 10, 527.	1.7	12
86	Role of human salivary enzymes in bitter taste perception. <i>Food Chemistry</i> , 2022, 386, 132798.	4.2	11
87	Fatty acid accumulation in the yeast <i>Sporidiobolus salmonicolor</i> during batch production of Δ^3 -decalactone. <i>FEMS Microbiology Letters</i> , 2006, 149, 17-24.	0.7	10
88	Solid cheese consumption: Quantification of oral coating. <i>Archives of Oral Biology</i> , 2012, 57, 81-86.	0.8	10
89	Oral lipolysis and its association with diet and the perception and digestion of lipids: A systematic literature review. <i>Archives of Oral Biology</i> , 2019, 108, 104550.	0.8	10
90	Metabolism of fatty acid in yeast: addition of reducing agents to the reaction medium influences Δ^2 -oxidation activities, Δ^3 -decalactone production, and cell ultrastructure in <i>Sporidiobolus ruinenii</i> cultivated on ricinoleic acid methyl ester. <i>Canadian Journal of Microbiology</i> , 2007, 53, 738-749.	0.8	9

#	ARTICLE	IF	CITATIONS
91	Acceptance of added fat to first complementary feeding purees: An exploration of fat type, feeding history and saliva composition. <i>Appetite</i> , 2018, 131, 160-168.	1.8	7
92	The association between changes of gustatory function and changes of salivary parameters: A pilot study. <i>Clinical Otolaryngology</i> , 2021, 46, 538-545.	0.6	7
93	Screening of lactic acid bacteria for reducing power using a tetrazolium salt reduction method on milk agar. <i>Journal of Bioscience and Bioengineering</i> , 2013, 115, 229-232.	1.1	6
94	Astringency Sensitivity to Tannic Acid: Effect of Ageing and Saliva. <i>Molecules</i> , 2022, 27, 1617.	1.7	6
95	Gaseous environments modify reserve carbohydrate contents and cell survival in the brewing yeast <i>Saccharomyces cerevisiae</i> . <i>Biotechnology Letters</i> , 2008, 30, 287-294.	1.1	5
96	A new masticatory performance assessment method for infants: A feasibility study. <i>Journal of Texture Studies</i> , 2019, 50, 237-247.	1.1	5
97	Addition of Reducing Agent Dithiothreitol Improves 4-Decanolide Synthesis by the Genus <i>Sporidiobolus</i> .. <i>Journal of Bioscience and Bioengineering</i> , 2000, 90, 338-340.	1.1	4
98	A Method to Evaluate Chewing Efficiency in Infants Through Food Bolus Characterization: A Preliminary Study. <i>Journal of Texture Studies</i> , 2015, 46, 113-119.	1.1	2
99	Impact de lâ€™incorporation en protÃ©ines de lâ€™gumineuses (pois et fÃ©ve) dans des produits cÃ©rÃ©aliers (brioche et gÃ©noise) Ã destination de personnes ÃgÃ©es sur la transformation orale et la digestibilitÃ© in vitro des protÃ©ines. <i>Cahiers De Nutrition Et De Dietetique</i> , 2020, 55, 317-324.	0.2	2
100	Influence of Prebiotic Fructans on Retronasal Aroma from Elderly Individuals. <i>Molecules</i> , 2021, 26, 2906.	1.7	2
101	Relationship among oral health status, bolus formation and food comfortability during consumption of model cheeses in elderly. <i>Food and Function</i> , 2021, 12, 7379-7389.	2.1	2
102	ActivitÃ©s oxydo-rÃ©ductrices dans la salive: modulation par lâ€™alimentation et importance pour la perception sensorielle des aliments. <i>Cahiers De Nutrition Et De Dietetique</i> , 2020, 55, 184-196.	0.2	2
103	The 2nd International Conference on Food Oral Processing â€œ Physics, Physiology, and Psychology of Eating, <sc>J</sc>uly 2012. <i>Journal of Texture Studies</i> , 2013, 44, 333-333.	1.1	1
104	Understanding the Dynamics of Flavor Compound Release During Food Mastication of Cheese Products in Relation to Perception. , 2014, , 493-498.		1
105	Experimental Approaches To Better Understand the Retention of Aroma Compounds in Oro-Naso-Pharyngeal Cavities. <i>ACS Symposium Series</i> , 2015, , 147-170.	0.5	1
106	An Application of Specific Sensors For The Monitoring of NaCl in Soft Cheeses. , 2011, , .		0
107	Relationships between Oral Characteristics, Bolus Formation, and Aroma Compound Releases during the Consumption of Fat Spread in Humans. , 2014, , 479-482.		0
108	Le comportement alimentaire, ses dÃ©terminants et son lien avec la santÃ© bucco-dentaire: rÃ©sultats Ã©pidÃ©miologiques chez les seniors inscrits Ã la cohorte NutriNet-SantÃ©. <i>Cahiers De Nutrition Et De Dietetique</i> , 2021, 56, 111-116.	0.2	0

#	ARTICLE	IF	CITATIONS
109	Rôle de la salive dans la perception sensorielle et introduction aux pratiques analytiques. Cahiers De Nutrition Et De Dietetique, 2021, 56, 234-248.	0.2	0
110	Le confort en bouche, un nouveau concept pour mieux comprendre les attentes des consommateurs seniors. Cahiers De Nutrition Et De Dietetique, 2020, 55, 305-316.	0.2	0
111	Guiding the formulation of soft cereal foods for the elderly population through food oral processing: Challenges and opportunities. Advances in Food and Nutrition Research, 2022, , .	1.5	0