

J Julian Blow

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6952777/j-julian-blow-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

12,976
citations

62
h-index

112
g-index

162
ext. papers

14,155
ext. citations

12.8
avg, IF

6.34
L-index

#	Paper	IF	Citations
147	The role of DDK and Treslin-MTBP in coordinating replication licensing and pre-initiation complex formation. <i>Open Biology</i> , 2021 , 11, 210121	7	2
146	Development of BromoTag: A "Bump-and-Hole"-PROTAC System to Induce Potent, Rapid, and Selective Degradation of Tagged Target Proteins. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 15477-15502	8.3	5
145	3 tera-basepairs as a fundamental limit for robust DNA replication. <i>Physical Biology</i> , 2020 , 17, 046002	3	0
144	Defects in the origin licensing checkpoint stresses cells exiting G0. <i>Journal of Cell Biology</i> , 2019 , 218, 2080-2081	7.3	5
143	Lgr5 intestinal stem cells reside in an unlicensed G phase. <i>Journal of Cell Biology</i> , 2018 , 217, 1667-1685	7.3	21
142	The Anthelmintic Drug Niclosamide and Its Analogues Activate the Parkinson's Disease Associated Protein Kinase PINK1. <i>ChemBioChem</i> , 2018 , 19, 425-429	3.8	25
141	Histone H4K20 methylation mediated chromatin compaction threshold ensures genome integrity by limiting DNA replication licensing. <i>Nature Communications</i> , 2018 , 9, 3704	17.4	49
140	Reversal of DDK-Mediated MCM Phosphorylation by Rif1-PP1 Regulates Replication Initiation and Replisome Stability Independently of ATR/Chk1. <i>Cell Reports</i> , 2017 , 18, 2508-2520	10.6	62
139	The High-Affinity Interaction between ORC and DNA that Is Required for Replication Licensing Is Inhibited by 2-Arylquinolin-4-Amines. <i>Cell Chemical Biology</i> , 2017 , 24, 981-992.e4	8.2	11
138	The KRAB Zinc Finger Protein Roma/Zfp157 Is a Critical Regulator of Cell-Cycle Progression and Genomic Stability. <i>Cell Reports</i> , 2016 , 15, 724-734	10.6	7
137	Chronic p53-independent p21 expression causes genomic instability by deregulating replication licensing. <i>Nature Cell Biology</i> , 2016 , 18, 777-89	23.4	165
136	Ubiquitinated Fancd2 recruits Fan1 to stalled replication forks to prevent genome instability. <i>Science</i> , 2016 , 351, 846-9	33.3	87
135	Cell Cycle Synchronization in Xenopus Egg Extracts. <i>Methods in Molecular Biology</i> , 2016 , 1342, 101-47	1.4	5
134	Xenopus cell-free extracts and their contribution to the study of DNA replication and other complex biological processes. <i>International Journal of Developmental Biology</i> , 2016 , 60, 201-207	1.9	12
133	The SMC-5/6 Complex and the HIM-6 (BLM) Helicase Synergistically Promote Meiotic Recombination Intermediate Processing and Chromosome Maturation during <i>Caenorhabditis elegans</i> Meiosis. <i>PLoS Genetics</i> , 2016 , 12, e1005872	6	21
132	Direct non transcriptional role of NF-Y in DNA replication. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016 , 1863, 673-85	4.9	10
131	Unreplicated DNA remaining from unperturbed S phases passes through mitosis for resolution in daughter cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E5757-64	11.5	78

130	Xenopus Mcm10 is a CDK-substrate required for replication fork stability. <i>Cell Cycle</i> , 2016 , 15, 2183-2195.	4.7	16
129	Inevitability and containment of replication errors for eukaryotic genome lengths spanning megabase to gigabase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E5765-74	11.5	24
128	Both Chromosome Decondensation and Condensation Are Dependent on DNA Replication in <i>C. elegans</i> Embryos. <i>Cell Reports</i> , 2015 , 12, 405-17	10.6	22
127	The contribution of dormant origins to genome stability: from cell biology to human genetics. <i>DNA Repair</i> , 2014 , 19, 182-9	4.3	71
126	Xenopus Cdc7 executes its essential function early in S phase and is counteracted by checkpoint-regulated protein phosphatase 1. <i>Open Biology</i> , 2014 , 4, 130138	7	21
125	Dynamic SUMO modification regulates mitotic chromosome assembly and cell cycle progression in <i>Caenorhabditis elegans</i> . <i>Nature Communications</i> , 2014 , 5, 5485	17.4	38
124	Buffered Qualitative Stability explains the robustness and evolvability of transcriptional networks. <i>ELife</i> , 2014 , 3, e02863	8.9	22
123	Deregulated origin licensing leads to chromosomal breaks by rereplication of a gapped DNA template. <i>Genes and Development</i> , 2013 , 27, 2537-42	12.6	65
122	PHD1 links cell-cycle progression to oxygen sensing through hydroxylation of the centrosomal protein Cep192. <i>Developmental Cell</i> , 2013 , 26, 381-92	10.2	57
121	Kinetochores coordinate pericentromeric cohesion and early DNA replication by Cdc7-Dbf4 kinase recruitment. <i>Molecular Cell</i> , 2013 , 50, 661-74	17.6	103
120	The Geminin and Idas coiled coils preferentially form a heterodimer that inhibits Geminin function in DNA replication licensing. <i>Journal of Biological Chemistry</i> , 2013 , 288, 31624-34	5.4	18
119	Combinatorial regulation of meiotic holliday junction resolution in <i>C. elegans</i> by HIM-6 (BLM) helicase, SLX-4, and the SLX-1, MUS-81 and XPF-1 nucleases. <i>PLoS Genetics</i> , 2013 , 9, e1003591	6	67
118	Stochastic association of neighboring replicons creates replication factories in budding yeast. <i>Journal of Cell Biology</i> , 2013 , 202, 1001-12	7.3	38
117	Replisome stall events have shaped the distribution of replication origins in the genomes of yeasts. <i>Nucleic Acids Research</i> , 2013 , 41, 9705-18	20.1	37
116	Mcm8 and Mcm9 form a dimeric complex in <i>Xenopus laevis</i> egg extract that is not essential for DNA replication initiation. <i>Cell Cycle</i> , 2013 , 12, 1225-32	4.7	21
115	Preparation and use of <i>Xenopus</i> egg extracts to study DNA replication and chromatin associated proteins. <i>Methods</i> , 2012 , 57, 203-13	4.6	44
114	Dormant origins, the licensing checkpoint, and the response to replicative stresses. <i>Cold Spring Harbor Perspectives in Biology</i> , 2012 , 4,	10.2	88
113	Optimal placement of origins for DNA replication. <i>Physical Review Letters</i> , 2012 , 108, 058101	7.4	12

112	Re-replication induced by geminin depletion occurs from G2 and is enhanced by checkpoint activation. <i>Journal of Cell Science</i> , 2012 , 125, 2436-45	5.3	48
111	Dynamic interactions of high Cdt1 and geminin levels regulate S phase in early <i>Xenopus</i> embryos. <i>Development (Cambridge)</i> , 2012 , 139, 63-74	6.6	20
110	The dynamics of replication licensing in live <i>Caenorhabditis elegans</i> embryos. <i>Journal of Cell Biology</i> , 2012 , 196, 233-46	7.3	57
109	A role for dormant origins in tumor suppression. <i>Molecular Cell</i> , 2011 , 41, 495-6	17.6	7
108	CDC-48/p97 coordinates CDT-1 degradation with GINS chromatin dissociation to ensure faithful DNA replication. <i>Molecular Cell</i> , 2011 , 44, 85-96	17.6	72
107	How dormant origins promote complete genome replication. <i>Trends in Biochemical Sciences</i> , 2011 , 36, 405-14	10.3	167
106	Biphasic chromatin binding of histone chaperone FACT during eukaryotic chromatin DNA replication. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011 , 1813, 1129-36	4.9	9
105	Evidence for a mammalian late-G1 phase inhibitor of replication licensing distinct from geminin or Cdk activity. <i>Nucleus</i> , 2011 , 2, 455-64	3.9	5
104	MCM2-7 form double hexamers at licensed origins in <i>Xenopus</i> egg extract. <i>Journal of Biological Chemistry</i> , 2011 , 286, 11855-64	5.4	98
103	Chk1 inhibits replication factory activation but allows dormant origin firing in existing factories. <i>Journal of Cell Biology</i> , 2010 , 191, 1285-97	7.3	148
102	Replication factory activation can be decoupled from the replication timing program by modulating Cdk levels. <i>Journal of Cell Biology</i> , 2010 , 188, 209-21	7.3	50
101	Histone acetylation by HBO1 tightens replication licensing. <i>Molecular Cell</i> , 2010 , 37, 5-6	17.6	10
100	Clusters, factories and domains: The complex structure of S-phase comes into focus. <i>Cell Cycle</i> , 2010 , 9, 3218-26	4.7	34
99	Quaternary structure of the human Cdt1-Geminin complex regulates DNA replication licensing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 19807-12	11.5	58
98	A model for DNA replication showing how dormant origins safeguard against replication fork failure. <i>EMBO Reports</i> , 2009 , 10, 406-12	6.5	77
97	The licensing checkpoint opens up. <i>Cell Cycle</i> , 2009 , 8, 2320-2	4.7	13
96	Replication licensing and cancer--a fatal entanglement?. <i>Nature Reviews Cancer</i> , 2008 , 8, 799-806	31.3	178
95	Rapid induction of pluripotency genes after exposure of human somatic cells to mouse ES cell extracts. <i>Experimental Cell Research</i> , 2008 , 314, 2634-42	4.2	68

94	Temporal profiling of the chromatin proteome reveals system-wide responses to replication inhibition. <i>Current Biology</i> , 2008 , 18, 838-43	6.3	32
93	PTIP/Swift is required for efficient PCNA ubiquitination in response to DNA damage. <i>DNA Repair</i> , 2008 , 7, 775-87	4.3	33
92	Replication forks, chromatin loops and dormant replication origins. <i>Genome Biology</i> , 2008 , 9, 244	18.3	11
91	The elusive determinants of replication origins. <i>EMBO Reports</i> , 2007 , 8, 332-4	6.5	21
90	ELYS/MEL-28 chromatin association coordinates nuclear pore complex assembly and replication licensing. <i>Current Biology</i> , 2007 , 17, 1657-62	6.3	110
89	Dormant origins licensed by excess Mcm2-7 are required for human cells to survive replicative stress. <i>Genes and Development</i> , 2007 , 21, 3331-41	12.6	396
88	Bod1, a novel kinetochore protein required for chromosome biorientation. <i>Journal of Cell Biology</i> , 2007 , 179, 187-97	7.3	44
87	Regulating the licensing of DNA replication origins in metazoa. <i>Current Opinion in Cell Biology</i> , 2006 , 18, 231-9	9	143
86	Excess Mcm2-7 license dormant origins of replication that can be used under conditions of replicative stress. <i>Journal of Cell Biology</i> , 2006 , 173, 673-83	7.3	271
85	Live-cell imaging reveals replication of individual replicons in eukaryotic replication factories. <i>Cell</i> , 2006 , 125, 1297-308	56.2	164
84	Deregulated replication licensing causes DNA fragmentation consistent with head-to-tail fork collision. <i>Molecular Cell</i> , 2006 , 24, 433-43	17.6	111
83	The requirement of yeast replication origins for pre-replication complex proteins is modulated by transcription. <i>Nucleic Acids Research</i> , 2005 , 33, 2410-20	20.1	42
82	Preventing re-replication of chromosomal DNA. <i>Nature Reviews Molecular Cell Biology</i> , 2005 , 6, 476-86	48.7	521
81	Cdt1 downregulation by proteolysis and geminin inhibition prevents DNA re-replication in <i>Xenopus</i> . <i>EMBO Journal</i> , 2005 , 24, 395-404	13	112
80	The chromosome cycle: coordinating replication and segregation. Second in the cycles review series. <i>EMBO Reports</i> , 2005 , 6, 1028-34	6.5	41
79	Functional domains of the <i>Xenopus</i> replication licensing factor Cdt1. <i>Nucleic Acids Research</i> , 2005 , 33, 316-24	20.1	50
78	Characterization of a novel ATR-dependent, Chk1-independent, intra-S-phase checkpoint that suppresses initiation of replication in <i>Xenopus</i> . <i>Journal of Cell Science</i> , 2004 , 117, 6019-30	5.3	76
77	The role of Cdc6 in ensuring complete genome licensing and S phase checkpoint activation. <i>Journal of Cell Biology</i> , 2004 , 165, 181-90	7.3	104

76	DNA replication licensing in somatic and germ cells. <i>Journal of Cell Science</i> , 2004 , 117, 5875-86	5.3	63
75	Negative Regulation of Geminin by CDK-Dependent Ubiquitination Controls Replication Licensing. <i>Cell Cycle</i> , 2004 , 3, 441-443	4.7	8
74	Non-proteolytic inactivation of geminin requires CDK-dependent ubiquitination. <i>Nature Cell Biology</i> , 2004 , 6, 260-7	23.4	65
73	A Xenopus Dbf4 homolog is required for Cdc7 chromatin binding and DNA replication. <i>BMC Molecular Biology</i> , 2004 , 5, 5	4.5	22
72	Optimisation of the two-dimensional gel electrophoresis protocol using the Taguchi approach. <i>Proteome Science</i> , 2004 , 2, 6	2.6	34
71	Negative regulation of geminin by CDK-dependent ubiquitination controls replication licensing. <i>Cell Cycle</i> , 2004 , 3, 443-5	4.7	5
70	A new role for Ran in ensuring precise duplication of chromosomal DNA. <i>Cell</i> , 2003 , 113, 2-4	56.2	3
69	The role of the replication licensing system in cell proliferation and cancer. <i>Progress in Cell Cycle Research</i> , 2003 , 5, 287-93		13
68	Geminin becomes activated as an inhibitor of Cdt1/RLF-B following nuclear import. <i>Current Biology</i> , 2002 , 12, 678-83	6.3	88
67	Replication licensing--defining the proliferative state?. <i>Trends in Cell Biology</i> , 2002 , 12, 72-8	18.3	213
66	Cell type-specific responses of human cells to inhibition of replication licensing. <i>Oncogene</i> , 2002 , 21, 6624-32	9.2	153
65	Mammalian nuclei become licensed for DNA replication during late telophase. <i>Journal of Cell Science</i> , 2002 , 115, 51-59	5.3	45
64	Mammalian nuclei become licensed for DNA replication during late telophase. <i>Journal of Cell Science</i> , 2002 , 115, 51-9	5.3	65
63	Plasma lipases and lipid transfer proteins increase phospholipid but not free cholesterol transfer from lipid emulsion to high density lipoproteins. <i>BMC Biochemistry</i> , 2001 , 2, 1	4.8	5
62	Reconstitution of licensed replication origins on Xenopus sperm nuclei using purified proteins. <i>BMC Biochemistry</i> , 2001 , 2, 15	4.8	123
61	Control of chromosomal DNA replication in the early Xenopus embryo. <i>EMBO Journal</i> , 2001 , 20, 3293-7	13	67
60	Repression of origin assembly in metaphase depends on inhibition of RLF-B/Cdt1 by geminin. <i>Nature Cell Biology</i> , 2001 , 3, 107-13	23.4	396
59	The origin of CDK regulation. <i>Nature Cell Biology</i> , 2001 , 3, E182-4	23.4	37

58	DNA replication: stable driving prevents fatal smashes. <i>Current Biology</i> , 2001 , 11, R979-82	6.3	11
57	Replication origins in <i>Xenopus</i> egg extract Are 5-15 kilobases apart and are activated in clusters that fire at different times. <i>Journal of Cell Biology</i> , 2001 , 152, 15-25	7.3	132
56	Use of peptides from p21 (Waf1/Cip1) to investigate PCNA function in <i>Xenopus</i> egg extracts. <i>Experimental Cell Research</i> , 2001 , 265, 242-51	4.2	13
55	Editorial overview. <i>Current Opinion in Cell Biology</i> , 2000 , 12, 655-7	9	1
54	The Cdc7/Dbf4 protein kinase: target of the S phase checkpoint?. <i>EMBO Reports</i> , 2000 , 1, 319-22	6.5	68
53	Sequential MCM/P1 subcomplex assembly is required to form a heterohexamer with replication licensing activity. <i>Journal of Biological Chemistry</i> , 2000 , 275, 2491-8	5.4	94
52	Nucleoplasmin-mediated chromatin remodelling is required for <i>Xenopus</i> sperm nuclei to become licensed for DNA replication. <i>Nucleic Acids Research</i> , 2000 , 28, 472-80	20.1	37
51	Interaction of <i>Xenopus</i> Cdc2 x cyclin A1 with the origin recognition complex. <i>Journal of Biological Chemistry</i> , 2000 , 275, 4239-43	5.4	30
50	The replication capacity of intact mammalian nuclei in <i>Xenopus</i> egg extracts declines with quiescence, but the residual DNA synthesis is independent of <i>Xenopus</i> MCM proteins. <i>Journal of Cell Science</i> , 2000 , 113, 683-695	5.3	25
49	<i>Xenopus</i> cdc7 function is dependent on licensing but not on XORC, XCdc6, or CDK activity and is required for XCdc45 loading. <i>Genes and Development</i> , 2000 , 14, 1528-40	12.6	66
48	<i>Xenopus</i> Cdc7 function is dependent on licensing but not on XORC, XCdc6, or CDK activity and is required for XCdc45 loading. <i>Genes and Development</i> , 2000 , 14, 1528-1540	12.6	105
47	The replication capacity of intact mammalian nuclei in <i>Xenopus</i> egg extracts declines with quiescence, but the residual DNA synthesis is independent of <i>Xenopus</i> MCM proteins. <i>Journal of Cell Science</i> , 2000 , 113 (Pt 4), 683-95	5.3	14
46	The RLF-B component of the replication licensing system is distinct from Cdc6 and functions after Cdc6 binds to chromatin. <i>Current Biology</i> , 1999 , 9, 211-4	6.3	33
45	The regulation of replication origin activation. <i>Current Opinion in Genetics and Development</i> , 1999 , 9, 62-8	4.9	88
44	Changes in association of the <i>Xenopus</i> origin recognition complex with chromatin on licensing of replication origins. <i>Journal of Cell Science</i> , 1999 , 112 (Pt 12), 2011-8	5.3	81
43	The replication licensing system. <i>Biological Chemistry</i> , 1998 , 379, 941-9	4.5	21
42	Cell cycle regulation of the replication licensing system: involvement of a Cdk-dependent inhibitor. <i>Journal of Cell Biology</i> , 1997 , 136, 125-35	7.3	142
41	Characterization of the <i>Xenopus</i> replication licensing system. <i>Methods in Enzymology</i> , 1997 , 283, 549-64	1.7	70

40	Chromatin proteins involved in the initiation of DNA replication. <i>Current Opinion in Genetics and Development</i> , 1997 , 7, 152-7	4.9	66
39	Biochemical and cellular effects of roscovitine, a potent and selective inhibitor of the cyclin-dependent kinases cdc2, cdk2 and cdk5. <i>FEBS Journal</i> , 1997 , 243, 527-36		1068
38	The RLF-M component of the replication licensing system forms complexes containing all six MCM/P1 polypeptides. <i>EMBO Journal</i> , 1997 , 16, 3312-9	13	120
37	The DNA replication licensing system. <i>Cancer Surveys</i> , 1997 , 29, 75-90		7
36	Chapter 2 DNA replication and its control. <i>Principles of Medical Biology</i> , 1996 , 11-31		1
35	Interaction between the origin recognition complex and the replication licensing system in <i>Xenopus</i> . <i>Cell</i> , 1996 , 87, 287-96	56.2	232
34	Cell cycle control of replication initiation in eukaryotes. <i>Current Opinion in Cell Biology</i> , 1996 , 8, 815-21	9	44
33	The <i>Xenopus</i> origin recognition complex is essential for DNA replication and MCM binding to chromatin. <i>Current Biology</i> , 1996 , 6, 1416-25	6.3	188
32	The role of MCM/P1 proteins in the licensing of DNA replication. <i>Trends in Biochemical Sciences</i> , 1996 , 21, 102-106	10.3	117
31	DNA replication licensing factor. <i>Progress in Cell Cycle Research</i> , 1996 , 2, 83-90		13
30	Both cyclin A and cyclin E have S-phase promoting (SPF) activity in <i>Xenopus</i> egg extracts. <i>Journal of Cell Science</i> , 1996 , 109 (Pt 6), 1555-63	5.3	51
29	The role of MCM/P1 proteins in the licensing of DNA replication. <i>Trends in Biochemical Sciences</i> , 1996 , 21, 102-6	10.3	53
28	Purification of an MCM-containing complex as a component of the DNA replication licensing system. <i>Nature</i> , 1995 , 375, 418-21	50.4	321
27	Cip1 blocks the initiation of DNA replication in <i>Xenopus</i> extracts by inhibition of cyclin-dependent kinases. <i>Current Biology</i> , 1994 , 4, 876-83	6.3	126
26	Cip1 inhibits DNA replication but not PCNA-dependent nucleotide excision-repair. <i>Current Biology</i> , 1994 , 4, 1062-8	6.3	137
25	Inhibition of cyclin-dependent kinases by purine analogues. <i>FEBS Journal</i> , 1994 , 224, 771-86		504
24	Preventing re-replication of DNA in a single cell cycle: evidence for a replication licensing factor. <i>Journal of Cell Biology</i> , 1993 , 122, 993-1002	7.3	172
23	Site-specific initiation of DNA replication in metazoan chromosomes and the role of nuclear organization. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1993 , 58, 475-85	3.9	17

22	DNA replication initiates at multiple sites on plasmid DNA in <i>Xenopus</i> egg extracts. <i>Nucleic Acids Research</i> , 1992 , 20, 1457-62	20.1	129
21	The use of field emission in-lens scanning electron microscopy to study the steps of assembly of the nuclear envelope in vitro. <i>Journal of Structural Biology</i> , 1992 , 108, 257-68	3.4	22
20	The regulation of chromosome replication. <i>Journal of Pathology</i> , 1992 , 167, 175-9	9.4	5
19	A protein complex present at origins of DNA replication in yeast cells. <i>BioEssays</i> , 1992 , 14, 561-3	4.1	2
18	The Involvement of cdc2 in Cell Cycle Control of DNA Replication in <i>Xenopus</i> Egg Extracts 1992 , 49-58		
17	Cell cycle control of DNA replication by p34cdc2. <i>Seminars in Cell Biology</i> , 1991 , 2, 243-50		1
16	A cdc2-like protein is involved in the initiation of DNA replication in <i>Xenopus</i> egg extracts. <i>Cell</i> , 1990 , 62, 855-62	56.2	206
15	Replication of purified DNA in <i>Xenopus</i> egg extract is dependent on nuclear assembly. <i>Journal of Cell Science</i> , 1990 , 95 (Pt 3), 383-91	5.3	28
14	Nuclear structure and the control of DNA replication in the <i>Xenopus</i> embryo. <i>Journal of Cell Science</i> , 1989 , 12, 183-95	5.3	13
13	S phase of the cell cycle. <i>Science</i> , 1989 , 246, 609-14	33.3	152
12	Eukaryotic chromosome replication requires both alpha and delta DNA polymerases. <i>Trends in Genetics</i> , 1989 , 5, 134-6	8.5	12
11	DNA replication and its control. <i>Current Opinion in Cell Biology</i> , 1989 , 1, 263-7	9	3
10	Translation of cyclin mRNA is necessary for extracts of activated <i>xenopus</i> eggs to enter mitosis. <i>Cell</i> , 1989 , 56, 947-56	56.2	429
9	Replication occurs at discrete foci spaced throughout nuclei replicating in vitro. <i>Journal of Cell Science</i> , 1989 , 94 (Pt 3), 471-7	5.3	57
8	Eukaryotic DNA replication reconstituted outside the cell. <i>BioEssays</i> , 1988 , 8, 149-52	4.1	11
7	A role for the nuclear envelope in controlling DNA replication within the cell cycle. <i>Nature</i> , 1988 , 332, 546-8	50.4	533
6	Steps in the assembly of replication-competent nuclei in a cell-free system from <i>Xenopus</i> eggs. <i>Journal of Cell Biology</i> , 1988 , 106, 1-12	7.3	232
5	Chromosome replication in cell-free systems from <i>Xenopus</i> eggs. <i>Philosophical Transactions of the Royal Society of London Series B, Biological Sciences</i> , 1987 , 317, 483-94		23

4	Nuclei act as independent and integrated units of replication in a <i>Xenopus</i> cell-free DNA replication system.. <i>EMBO Journal</i> , 1987 , 6, 1997-2002	13	77
3	A probe for nascent DNA in intact nuclei. <i>Trends in Genetics</i> , 1987 , 3, 233	8.5	
2	Nuclei act as independent and integrated units of replication in a <i>Xenopus</i> cell-free DNA replication system. <i>EMBO Journal</i> , 1987 , 6, 1997-2002	13	34
1	Initiation of DNA replication in nuclei and purified DNA by a cell-free extract of <i>Xenopus</i> eggs. <i>Cell</i> , 1986 , 47, 577-87	56.2	551