

Korada Viswanatha Sharma

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6954159/korada-viswanatha-sharma-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

4,190
citations

36
h-index

63
g-index

122
ext. papers

4,854
ext. citations

3.3
avg, IF

6.03
L-index

#	Paper	IF	Citations
115	Experimental determination of thermophysical properties of Indonesian fly-ash nanofluid for heat transfer applications. <i>Particulate Science and Technology</i> , 2021 , 39, 597-606	2	14
114	Experimental study on density and thermal conductivity properties of Indian coal fly ash water-based nanofluid. <i>International Journal of Ambient Energy</i> , 2020 , 1-6	2	8
113	Effect of ball milling on the thermal conductivity and viscosity of Indian coal fly ash nanofluid. <i>Heat Transfer</i> , 2020 , 49, 4475-4490	3.1	7
112	Thermophysical properties of fly ash-Cu hybrid nanofluid for heat transfer applications. <i>Heat Transfer</i> , 2020 , 49, 4491-4510	3.1	7
111	Stability and thermophysical properties of fly ash nanofluid for heat transfer applications. <i>Heat Transfer</i> , 2020 , 49, 4722-4737	3.1	5
110	Influence of nanofluid properties on turbulent forced convection heat transfer in different base liquids. <i>Mathematical Methods in the Applied Sciences</i> , 2020 ,	2.3	2
109	State of the Art of Techno-Economics of Nanofluid-Laden Flat-Plate Solar Collectors for Sustainable Accomplishment. <i>Sustainability</i> , 2020 , 12, 9119	3.6	4
108	Fluid dynamic simulations of EG-W (ethylene glycol-water) mixtures to predict nanofluid heat transfer coefficients. <i>Environmental Technology and Innovation</i> , 2020 , 20, 101113	7	1
107	Experimental determination of viscosity of Water-Glycerine based Cu nano-fluids. <i>Materials Today: Proceedings</i> , 2019 , 19, 517-520	1.4	2
106	Thermophysical profile of Si-CuO/C nanocomposite in base liquid ethylene glycol. <i>Powder Technology</i> , 2019 , 354, 540-551	5.2	9
105	Numerical investigation for turbulent heat transfer of TiO ₂ -BiO ₂ nanofluids with wire coil inserts. <i>Numerical Heat Transfer; Part A: Applications</i> , 2019 , 75, 271-289	2.3	5
104	Viscosity, electrical and thermal conductivities of ethylene and propylene glycol-based Bi-C nanofluids. <i>Journal of Molecular Liquids</i> , 2019 , 284, 780-792	6	30
103	Heat transfer performance of TiO ₂ -BiO ₂ nanofluids in a tube with wire coil inserts. <i>Applied Thermal Engineering</i> , 2019 , 152, 275-286	5.8	69
102	A numerical approach in describing ionanofluids behavior in laminar and turbulent flow. <i>Continuum Mechanics and Thermodynamics</i> , 2018 , 30, 657-666	3.5	25
101	Properties of glycerol and ethylene glycol mixture based SiO ₂ -CuO/C hybrid nanofluid for enhanced solar energy transport. <i>Solar Energy Materials and Solar Cells</i> , 2018 , 179, 118-128	6.4	72
100	Energetic and Exergetic Performance of a Solar Flat-Plate Collector Working With Cu Nanofluid. <i>Journal of Solar Energy Engineering, Transactions of the ASME</i> , 2018 , 140,	2.3	14
99	Application of nanomaterials in solar thermal energy storage. <i>Heat and Mass Transfer</i> , 2018 , 54, 1555-1577	2.3	14

98	The role of nanomaterials in the enhancement of non-concentrating solar collectors technology. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2018 , 49, 435-441	0.9	4
97	Application of High Conductive Nanoparticles to Enhance the Thermal and Mechanical Properties of Wood Composite. <i>Materials Today: Proceedings</i> , 2018 , 5, 3143-3149	1.4	7
96	Numerical simulation of nanofluids for improved cooling efficiency in a 3D copper microchannel heat sink (MCHS). <i>Physics and Chemistry of Liquids</i> , 2018 , 56, 311-331	1.5	15
95	Experimental investigation of thermal conductivity and dynamic viscosity on nanoparticle mixture ratios of TiO ₂ -SiO ₂ nanofluids. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 116, 1143-1152	4.9	151
94	Considerations on the Thermophysical Properties of Nanofluids. <i>Topics in Mining, Metallurgy and Materials Engineering</i> , 2017 , 33-70	0.4	5
93	Heat Transfer Enhancement with Nanofluids For Automotive Cooling. <i>Topics in Mining, Metallurgy and Materials Engineering</i> , 2017 , 71-100	0.4	3
92	Nanofluids for Enhanced Solar Thermal Energy Conversion. <i>Topics in Mining, Metallurgy and Materials Engineering</i> , 2017 , 115-148	0.4	
91	Thermal Spray Coatings for Hot Corrosion Resistance. <i>Topics in Mining, Metallurgy and Materials Engineering</i> , 2017 , 235-268	0.4	2
90	Thermo-physical properties of Al ₂ O ₃ -SiO ₂ /PAG composite nanolubricant for refrigeration system. <i>International Journal of Refrigeration</i> , 2017 , 80, 1-10	3.8	64
89	Numerical modeling of a fuel droplet for the evaluation of ignition temperature considering transport properties. <i>Case Studies in Thermal Engineering</i> , 2017 , 10, 121-130	5.6	4
88	Optimization of processing parameters of medium density fiberboard using response surface methodology for multiwalled carbon nanotubes as a nanofiller. <i>European Journal of Wood and Wood Products</i> , 2017 , 75, 203-213	2.1	8
87	Rheology and thermal conductivity of non-porous silica (SiO ₂) in viscous glycerol and ethylene glycol based nanofluids. <i>International Communications in Heat and Mass Transfer</i> , 2017 , 88, 245-253	5.8	42
86	Experimental determination of nanofluid specific heat with SiO ₂ nanoparticles in different base fluids 2017 ,		22
85	Comparison of nanofluid heat transfer properties with theory using generalized property relations for EG-water mixture. <i>MATEC Web of Conferences</i> , 2017 , 131, 03004	0.3	1
84	Experimental measurements of thermal conductivity and viscosity of ethylene glycol-based hybrid nanofluid with TiO ₂ -CuO/C inclusions. <i>Journal of Molecular Liquids</i> , 2017 , 246, 396-405	6	86
83	Force convection heat transfer of Al ₂ O ₃ nanofluids for different based ratio of water: Ethylene glycol mixture. <i>Applied Thermal Engineering</i> , 2017 , 112, 707-719	5.8	45
82	Hybrid nanofluids preparation, thermal properties, heat transfer and friction factor [A review]. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 68, 185-198	16.2	281
81	Investigation of thermal behaviour, pressure drop, and pumping power in a Cu nanofluid-filled solar flat-plate collector. <i>MATEC Web of Conferences</i> , 2017 , 131, 01003	0.3	4

80	Fouling and its effect on the thermal performance of heat exchanger tubes. <i>International Journal of Heat and Technology</i> , 2017 , 35, 509-519	2.2	8
79	Improvement in Material Properties of Thermal Energy Storage Medium with Nanostructured Materials. <i>Nanoscience and Nanotechnology - Asia</i> , 2017 , 7,	0.7	1
78	A decision-making approach for energy efficiency improvement in municipal water pumps during water scarcity scenario. <i>Energy Efficiency</i> , 2016 , 9, 141-151	3	
77	A review of thermophysical properties of water based composite nanofluids. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 66, 654-678	16.2	118
76	Temperature Dependent Properties of Silicon Carbide Nanofluid in Binary Mixtures of Glycerol-Ethylene Glycol. <i>Procedia Engineering</i> , 2016 , 148, 774-778		5
75	Effects of working temperature on thermo-physical properties and forced convection heat transfer of TiO ₂ nanofluids in water-Ethylene glycol mixture. <i>Applied Thermal Engineering</i> , 2016 , 106, 1190-1199	5.8	73
74	Wear analysis when machining AISI 304 with ethylene glycol/TiO ₂ nanoparticle-based coolant. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 82, 327-340	3.2	27
73	The enhancement of effective thermal conductivity and effective dynamic viscosity of nanofluids □ A review. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 53, 1046-1058	16.2	198
72	Nanofluid heat transfer under mixed convection flow in a tube for solar thermal energy applications. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 9411-7	5.1	5
71	Experimental investigation of thermal conductivity and electrical conductivity of BioGlycol□water mixture based Al ₂ O ₃ nanofluid. <i>Applied Thermal Engineering</i> , 2016 , 102, 932-941	5.8	74
70	Experimental investigation on heat transfer performance of TiO ₂ nanofluids in water□ethylene glycol mixture. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 73, 16-24	5.8	58
69	Heat transfer enhancement with elliptical tube under turbulent flow TiO ₂ -water nanofluid. <i>Thermal Science</i> , 2016 , 20, 89-97	1.2	14
68	Theoretical analysis of heat transfer and friction factor for turbulent flow of nanofluids through pipes. <i>Canadian Journal of Chemical Engineering</i> , 2016 , 94, 565-575	2.3	9
67	Heat transfer augmentation of ethylene glycol: water nanofluids and applications □A review. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 75, 13-23	5.8	42
66	Catalyst-free synthesis of carbon nanospheres for potential biomedical applications: waste to wealth approach. <i>RSC Advances</i> , 2015 , 5, 24528-24533	3.7	20
65	Biowaste Sago Bark Based Catalyst Free Carbon Nanospheres: Waste to Wealth Approach. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 2247-2253	8.3	94
64	Thermal and mechanical properties of urea-formaldehyde (UF) resin combined with multiwalled carbon nanotubes (MWCNT) as nanofiller and fiberboards prepared by UF-MWCNT. <i>Holzforschung</i> , 2015 , 69, 199-205	2	21
63	GO-TiO ₂ Nano Composites for Silicon PV Cell Application. <i>Materials Today: Proceedings</i> , 2015 , 2, 4557-4562		5

62	Study of viscosity and specific heat capacity characteristics of water-based Al ₂ O ₃ nanofluids at low particle concentrations. <i>Journal of Experimental Nanoscience</i> , 2015 , 10, 86-102	1.9	111
61	Hot corrosion behavior of thermal spray coatings on superalloy in coal-fired boiler environment. <i>Journal of Materials Research</i> , 2015 , 30, 2829-2843	2.5	7
60	Heat transfer enhancement using nanofluids in an automotive cooling system. <i>International Communications in Heat and Mass Transfer</i> , 2014 , 53, 195-202	5.8	86
59	Heat transfer augmentation of a car radiator using nanofluids. <i>Heat and Mass Transfer</i> , 2014 , 50, 1553-1561	5.6	30
58	A review of forced convection heat transfer enhancement and hydrodynamic characteristics of a nanofluid. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 29, 734-743	16.2	141
57	Catalyst free silica templated porous carbon nanoparticles from bio-waste materials. <i>Chemical Communications</i> , 2014 , 50, 12702-5	5.8	66
56	Heat transfer and friction factor of water based TiO ₂ and SiO ₂ nanofluids under turbulent flow in a tube. <i>International Communications in Heat and Mass Transfer</i> , 2014 , 59, 30-38	5.8	82
55	Turbulent Forced Convection Heat Transfer of Nanofluids with Twisted Tape Insert in a Plain Tube. <i>Energy Procedia</i> , 2014 , 52, 296-307	2.3	19
54	Numerical validation of experimental heat transfer coefficient with SiO ₂ nanofluid flowing in a tube with twisted tape inserts. <i>Applied Thermal Engineering</i> , 2014 , 73, 296-306	5.8	56
53	Comparison of convective heat transfer coefficient and friction factor of TiO ₂ nanofluid flow in a tube with twisted tape inserts. <i>International Journal of Thermal Sciences</i> , 2014 , 81, 84-93	4.1	99
52	Natural Convection-Radiation from a Vertical Base-Fin Array with Emissivity Determination. <i>MATEC Web of Conferences</i> , 2014 , 13, 02018	0.3	
51	The effect of cross sectional area of tube on friction factor and heat transfer nanofluid turbulent flow. <i>International Communications in Heat and Mass Transfer</i> , 2013 , 47, 49-55	5.8	35
50	Experimental determination of turbulent forced convection heat transfer and friction factor with SiO ₂ nanofluid. <i>Experimental Thermal and Fluid Science</i> , 2013 , 51, 103-111	3	154
49	Influence of activated charcoal as filler on the properties of wood composites. <i>International Journal of Adhesion and Adhesives</i> , 2013 , 46, 34-39	3.4	22
48	Heat Transfer Enhancement with Al ₂ O ₃ Nanofluids and Twisted Tapes in a Pipe for Solar Thermal Applications. <i>Procedia Engineering</i> , 2013 , 64, 1474-1484		43
47	New correlations for estimation of monthly average daily solar radiation on a horizontal surface using meteorological data. <i>International Journal of Ambient Energy</i> , 2013 , 34, 160-174	2	6
46	Empirical and theoretical correlations on viscosity of nanofluids: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 25, 670-686	16.2	148
45	Use of aluminum oxide nanoparticles in wood composites to enhance the heat transfer during hot-pressing. <i>European Journal of Wood and Wood Products</i> , 2013 , 71, 193-198	2.1	23

44	Heat Transfer Enhancement with Nanofluids A Review. <i>Journal of Mechanical Engineering and Sciences</i> , 2013 , 4, 452-461	2	14
43	The Effect of Nanofluid Volume Concentration on Heat Transfer and Friction Factor inside a Horizontal Tube. <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-12	3.2	42
42	Simulation study of turbulent convective heat transfer enhancement in heated tube flow using TiO ₂ -water nanofluid. <i>IOP Conference Series: Materials Science and Engineering</i> , 2013 , 50, 012035	0.4	4
41	Experimental Measurements of Nanofluids Thermal Properties. <i>International Journal of Automotive and Mechanical Engineering</i> , 2013 , 7, 850-863	1.4	39
40	Nanofluid Properties for Forced Convection Heat Transfer: An Overview. <i>Journal of Mechanical Engineering and Sciences</i> , 2013 , 4, 397-408	2	11
39	Influence of Aluminum Oxide Nanoparticles on the Physical and Mechanical Properties of Wood Composites. <i>BioResources</i> , 2013 , 8,	1.3	16
38	Experimental investigation for enhancement of heat transfer from cooling of electronic components by circular air jet impingement. <i>Heat and Mass Transfer</i> , 2012 , 48, 1627-1635	2.2	18
37	Correlations for thermal conductivity and viscosity of water based nanofluids. <i>IOP Conference Series: Materials Science and Engineering</i> , 2012 , 36, 012029	0.4	35
36	Application of Natural Gas for Internal Combustion Engines 2012 ,		1
35	Experimental investigation of forced convection heat transfer and friction factor in a tube with Fe ₃ O ₄ magnetic nanofluid. <i>Experimental Thermal and Fluid Science</i> , 2012 , 37, 65-71	3	159
34	Effect of full length twisted tape inserts on heat transfer and friction factor enhancement with Fe ₃ O ₄ magnetic nanofluid inside a plain tube: An experimental study. <i>International Journal of Heat and Mass Transfer</i> , 2012 , 55, 2761-2768	4.9	76
33	Experimental investigations on thermal conductivity of water and Al ₂ O ₃ nanofluids at low concentrations. <i>International Journal of Nanoparticles</i> , 2012 , 5, 300	0.4	3
32	Performance of Evacuated Tube Solar Collector using Water-Based Titanium Oxide Nanofluid. <i>Journal of Mechanical Engineering and Sciences</i> , 2012 , 3, 301-310	2	61
31	Influence of Palm Methyl Ester (PME) as an Alternative Fuel in Multicylinder Diesel Engine. <i>Journal of Mechanical Engineering and Sciences</i> , 2012 , 3, 331-339	2	4
30	Heat transfer from a vertical fin array by laminar natural convection and radiation A quasi-3D approach. <i>Heat Transfer - Asian Research</i> , 2011 , 40, 524-549	2.8	3
29	Tool life and wear mechanism when machining Hastelloy C-22HS. <i>Wear</i> , 2011 , 270, 258-268	3.5	54
28	A Comparison Study on Fuel Properties of Pretreated Pongamia and Jatropha Methyl Esters for C.I. Engine Usage. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2011 , 34, 316-323	1.6	
27	Laminar Convective Heat Transfer and Friction Factor of Al ₂ O ₃ Nanofluid in Circular Tube Fitted with Twisted Tape Inserts. <i>International Journal of Automotive and Mechanical Engineering</i> , 2011 , 3, 265-278	1.4	22

26	Turbulent Film Condensation of Pure Vapors Flowing Normal to A Horizontal Condenser Tube - Constant Heat Flux at the Tube Wall. <i>International Journal of Automotive and Mechanical Engineering</i> , 2011 , 4, 455-470	1.4	5
25	Experimental Study on Heat Transfer Coefficient and Friction Factor of Al ₂ O ₃ Nanofluid in A Packed Bed Column. <i>Journal of Mechanical Engineering and Sciences</i> , 2011 , 1, 1-15	2	6
24	An Experimental Study on Heat Transfer and Friction Factor of Al ₂ O ₃ Nanofluid. <i>Journal of Mechanical Engineering and Sciences</i> , 2011 , 1, 99-112	2	6
23	The potential of wind and solar energy in Malaysia east coast: preliminary study at Universiti Malaysia Pahang (UMP) 2011 ,		4
22	Correlation for Heat Transfer in Nucleate Boiling on Horizontal Cylindrical Surface. <i>Heat Transfer Engineering</i> , 2010 , 31, 449-457	1.7	4
21	Oxygen stripping in deaerator feed water: condensation on spray droplets. <i>Heat and Mass Transfer</i> , 2010 , 46, 665-673	2.2	
20	Turbulent heat transfer and friction factor of Al ₂ O ₃ Nanofluid in circular tube with twisted tape inserts. <i>International Journal of Heat and Mass Transfer</i> , 2010 , 53, 1409-1416	4.9	191
19	Heat transfer enhancements of low volume concentration Al ₂ O ₃ nanofluid and with longitudinal strip inserts in a circular tube. <i>International Journal of Heat and Mass Transfer</i> , 2010 , 53, 4280-4286	4.9	70
18	Convective Condensation of Vapor in Laminar Flow in a Vertical Parallel Plate Channel in the Presence of a High-Concentration Noncondensable Gas. <i>Journal of Heat Transfer</i> , 2009 , 131,	1.8	5
17	Estimation of heat transfer coefficient and friction factor in the transition flow with low volume concentration of Al ₂ O ₃ nanofluid flowing in a circular tube and with twisted tape insert. <i>International Communications in Heat and Mass Transfer</i> , 2009 , 36, 503-507	5.8	181
16	Turbulent forced convection of Al ₂ O ₃ nanofluid in a circular tube with tape inserts at low volume concentration. <i>International Journal of Nano and Biomaterials</i> , 2009 , 2, 60	0.2	3
15	Laminar convective heat transfer of nanofluids in a circular tube under constant heat flux. <i>International Journal of Nanoparticles</i> , 2009 , 2, 314	0.4	3
14	Thermal conductivity enhancement of nanoparticles in distilled water. <i>International Journal of Nanoparticles</i> , 2008 , 1, 66	0.4	49
13	Convective condensation of vapor in the presence of a non-condensable gas of high concentration in laminar flow in a vertical pipe. <i>International Journal of Heat and Mass Transfer</i> , 2008 , 51, 6090-6101	4.9	59
12	A correlation to predict heat transfer coefficient in nucleate boiling on cylindrical heating elements. <i>International Journal of Thermal Sciences</i> , 2008 , 47, 347-354	4.1	16
11	Experimental Investigation of Heat Transfer and Friction Factor Characteristics in a Circular Tube with Longitudinal Strip Inserts. <i>Journal of Enhanced Heat Transfer</i> , 2008 , 15, 325-333	1.7	7
10	A Theoretical Study on Convective Condensation of Water Vapor From Humid Air in Turbulent Flow in a Vertical Duct. <i>Journal of Heat Transfer</i> , 2007 , 129, 1627-1637	1.8	16
9	Performance study of an evaporator tube working under high heat fluxes. <i>International Journal of Heat and Mass Transfer</i> , 2006 , 49, 5027-5034	4.9	1

8	A correlation to evaluate critical heat flux in small diameter tubes under subcooled conditions of the coolant. <i>International Journal of Heat and Mass Transfer</i> , 2006 , 49, 42-51	4.9	14
7	Heat transfer from a horizontal fin array by natural convection and radiation – conjugate analysis. <i>International Journal of Heat and Mass Transfer</i> , 2006 , 49, 3379-3391	4.9	36
6	Turbulent film boiling from a vertical non-isothermal surface. <i>Heat and Mass Transfer</i> , 1990 , 25, 93-99		1
5	Laminar film boiling on a vertical fin. <i>Heat and Mass Transfer</i> , 1989 , 24, 19-23		1
4	LAMINAR FILM BOILING ON A VERTICAL SURFACE WITH THERMAL LEAKAGE AT ITS ENDS. <i>Chemical Engineering Communications</i> , 1987 , 61, 169-179	2.2	
3	Experimental investigation on thermal conductivity of fly ash nanofluid and fly ash-Cu hybrid nanofluid: prediction and optimization via ANN and MGGP model. <i>Particulate Science and Technology</i> , 1-14	2	7
2	Experimental determination for viscosity of fly ash nanofluid and fly ash-Cu hybrid nanofluid: Prediction and optimization using artificial intelligent techniques. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 1-20	1.6	6
1	Effect of base fluids on thermo-physical properties of SiO ₂ nanofluids and development of new correlations. <i>Mathematical Methods in the Applied Sciences</i> ,	2.3	3