
## **Philip Enders**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6954165/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	One-year outcome after Descemet membrane endothelial keratoplasty (DMEK) comparing sulfur hexafluoride (SF <sub>6</sub> ) 20% versus 100% air for anterior chamber tamponade. British Journal of Ophthalmology, 2017, 101, 902-908.	2.1	67
2	Novel Bruch's Membrane Opening Minimum Rim Area Equalizes Disc Size Dependency and Offers High Diagnostic Power for Glaucoma. , 2016, 57, 6596.		53
3	Impact of Donor Age on Descemet Membrane Endothelial Keratoplasty Outcome: Evaluation of Donors Aged 17–55 Years. American Journal of Ophthalmology, 2016, 170, 119-127.	1.7	45
4	Telemetric Intraocular Pressure Monitoring after Boston Keratoprosthesis Surgery Using the Eyemate-IO Sensor: Dynamics in the First Year. American Journal of Ophthalmology, 2019, 206, 256-263.	1.7	37
5	Corneal Densitometry as a Predictive Diagnostic Tool for Visual Acuity Results After Descemet Membrane Endothelial Keratoplasty. American Journal of Ophthalmology, 2019, 198, 124-129.	1.7	34
6	The use of Bruch's membrane opening-based optical coherence tomography of the optic nerve head for glaucoma detection in microdiscs. British Journal of Ophthalmology, 2017, 101, 530-535.	2.1	33
7	Two-Year Course of Corneal Densitometry After Descemet Membrane Endothelial Keratoplasty. American Journal of Ophthalmology, 2017, 175, 60-67.	1.7	32
8	Preexisting epiretinal membrane is associated with pseudophakic cystoid macular edema. Graefe's Archive for Clinical and Experimental Ophthalmology, 2018, 256, 909-917.	1.0	31
9	Bruch's membrane opening-based optical coherence tomography of the optic nerve head: a useful diagnostic tool to detect glaucoma in macrodiscs. Eye, 2018, 32, 314-323.	1.1	28
10	Evaluation of twoâ€dimensional Bruch's membrane opening minimum rim area for glaucoma diagnostics in a large patient cohort. Acta Ophthalmologica, 2019, 97, 60-67.	0.6	28
11	Neuroretinal rim in non-glaucomatous large optic nerve heads: a comparison of confocal scanning laser tomography and spectral domain optical coherence tomography. British Journal of Ophthalmology, 2017, 101, 138-142.	2.1	25
12	Intraday Repeatability of Bruch's Membrane Opening-Based Neuroretinal Rim Measurements. , 2017, 58, 5195.		23
13	Structural Reversal of Disc Cupping After Trabeculectomy Alters Bruch Membrane Opening–Based Parameters to Assess Neuroretinal Rim. American Journal of Ophthalmology, 2018, 194, 143-152.	1.7	21
14	Retinal Nerve Fiber Loss in Anti-VEGF Therapy for Age-Related Macular Degeneration Can Be Decreased by Anterior Chamber Paracentesis. Ophthalmologica, 2017, 237, 111-118.	1.0	19
15	Telemetric Intraocular Pressure Monitoring after Boston Keratoprosthesis Surgery. Ophthalmology, 2019, 126, 322-324.	2.5	19
16	Impact of donor graft quality on deep anterior lamellar Keratoplasty (DALK). BMC Ophthalmology, 2017, 17, 204.	0.6	15
17	Device profile of the EYEMATE-IOâ,,¢ system for intraocular pressure monitoring: overview of its safety and efficacy. Expert Review of Medical Devices, 2020, 17, 491-497.	1.4	15
18	Outcome of autologous platelet concentrate and gas tamponade compared to heavy silicone oil tamponade in persistent macular hole surgery. European Journal of Ophthalmology, 2021, 31, 664-672.	0.7	14

Philip Enders

#	Article	IF	CITATIONS
19	Association of imaging biomarkers and local activation of complement in aqueous humor of patients with early forms of age-related macular degeneration. Graefe's Archive for Clinical and Experimental Ophthalmology, 2021, 259, 623-632.	1.0	13
20	Impact of corneal donor lens status on two-year course and outcome of Descemet membrane endothelial keratoplasty (DMEK). Graefe's Archive for Clinical and Experimental Ophthalmology, 2017, 255, 2407-2414.	1.0	12
21	Dynamics of structural reversal in Bruch's membrane opening-based morphometrics after glaucoma drainage device surgery. Graefe's Archive for Clinical and Experimental Ophthalmology, 2020, 258, 1227-1236.	1.0	12
22	LONG-TERM ALTERATIONS OF SYSTEMIC VASCULAR ENDOTHELIAL GROWTH FACTOR LEVELS IN PATIENTS TREATED WITH RANIBIZUMAB FOR AGE-RELATED MACULAR DEGENERATION. Retina, 2015, 35, 454-458.	1.0	10
23	Major Predictive Factors for Progression of Early to Late Age-Related Macular Degeneration. Ophthalmologica, 2020, 243, 444-452.	1.0	10
24	Effect of corneal collagen crosslinking on subsequent deep anterior lamellar keratoplasty (DALK) in keratoconus. Graefe's Archive for Clinical and Experimental Ophthalmology, 2017, 255, 811-816.	1.0	9
25	Effect of Symptom Duration until Surgery on First-Year Outcome in Pseudophakic Primary Rhegmatogenous Retinal Detachment. Ophthalmologica, 2017, 237, 73-77.	1.0	9
26	Combined Ab Interno Glaucoma Surgery Does not Increase the Risk of Pseudophakic Cystoid Macular Edema in Uncomplicated Eyes. Journal of Glaucoma, 2017, 26, 227-232.	0.8	8
27	Onset of Retinal Pigment Epithelium Atrophy Subsequent to Anti-VEGF Therapy in Patients with Neovascular Age-Related Macular Degeneration. Ophthalmologica, 2019, 241, 154-160.	1.0	7
28	Impact of ab-interno trabeculectomy on Bruch's membrane opening-based morphometry of the optic nerve head for glaucoma progression analysis. Graefe's Archive for Clinical and Experimental Ophthalmology, 2019, 257, 339-347.	1.0	7
29	Split-cornea transplantation — a microbiologically safe approach?. Graefe's Archive for Clinical and Experimental Ophthalmology, 2016, 254, 1441-1442.	1.0	5
30	Singleâ€pass Ultrathin <scp>DSAEK</scp> ( <scp>UT</scp> â€ <scp>DSAEK</scp> ) with the <scp>SL</scp> c Expert Microkeratome <sup>®</sup> . Acta Ophthalmologica, 2017, 95, e160-e161.	0.6	5
31	Anterior chamber aqueous flare is not a predictor for surgical closure of full-thickness idiopathic macular holes. European Journal of Ophthalmology, 2020, 30, 1127-1134.	0.7	4
32	Analysis of peripapillary vessel density and Bruch's membrane opening-based neuroretinal rim parameters in glaucoma using OCT and OCT-angiography. Eye, 2020, 34, 1086-1093.	1.1	4
33	Spectral-Domain Optical Coherence Tomography–Derived Characteristics of Bruch Membrane Opening in a Young Adult Australian Population. American Journal of Ophthalmology, 2017, 174, 178-179.	1.7	3
34	Optimization Strategies for Bruch's Membrane Opening Minimum Rim Area Calculation: Sequential versus Simultaneous Minimization. Scientific Reports, 2017, 7, 13874.	1.6	3
35	Short-term changes in Bruch's membrane opening-based morphometrics during the first week after trabeculectomy. Graefe's Archive for Clinical and Experimental Ophthalmology, 2022, 260, 3321-3329.	1.0	3
36	Impact of allergy and atopy on the risk of pseudophakic cystoid macular edema. Graefe's Archive for Clinical and Experimental Ophthalmology, 2016, 254, 2417-2423.	1.0	2

Philip Enders

#	Article	IF	CITATIONS
37	The Optimal Diameter for Circumpapillary Retinal Nerve Fiber Layer Thickness Measurement by SD-OCT in Glaucoma. Journal of Glaucoma, 2018, 27, 1086-1093.	0.8	2
38	Temporary Filtering Bleb Failure Induced by Anterior Chamber Sulfur Hexafluoride Gas: A Complication after Descemet Membrane Endothelial Keratoplasty. Case Reports in Ophthalmology, 2019, 10, 120-126.	0.3	2
39	Crystalline deposits in the cornea and various areas of the kidney as symptoms of an underlying monoclonal gammopathy: a case report. BMC Nephrology, 2021, 22, 117.	0.8	2
40	Ocular and systemic complement activation during anti-VEGF treatment and AREDS2 dietary supplementation in neovascular age-related macular degeneration. Ophthalmologica, 2021, , .	1.0	1
41	Early Changes of Retinal Morphology in Therapy of Neovascular Age-Related Macular Degeneration with Three Commonly Used Anti-VEGF Agents. Ophthalmologica, 2018, 239, 45-51.	1.0	0
42	Correspondence. Retina, 2019, 39, e47-e47.	1.0	0
43	Combined ab-interno trabeculectomy and cataract surgery induces comparable intraocular pressure reduction in supine and sitting positions. International Journal of Ophthalmology, 2021, 14, 1192-1198.	0.5	0