

Ramon Portillo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/695488/publications.pdf>

Version: 2024-02-01

37
papers

7,214
citations

516561

16
h-index

794469

19
g-index

37
all docs

37
docs citations

37
times ranked

4882
citing authors

#	ARTICLE	IF	CITATIONS
1	Hybrid SHM-PWM for Common-Mode Voltage Reduction in Three-Phase Three-Level NPC Inverter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 4826-4838.	3.7	13
2	Common-Mode Voltage Mitigation Technique in Motor Drive Applications by Applying a Sampling-Time Adaptive Multi-Carrier PWM Method. IEEE Access, 2021, 9, 56115-56126.	2.6	10
3	Variable-Angle PS-PWM Technique for Multilevel Cascaded H-Bridge Converters With Large Number of Power Cells. IEEE Transactions on Industrial Electronics, 2021, 68, 6773-6783.	5.2	28
4	Real-Time Selective Harmonic Mitigation Technique for Power Converters Based on the Exchange Market Algorithm. Energies, 2020, 13, 1659.	1.6	8
5	Variable-Angle Phase-Shifted PWM for Multilevel Three-Cell Cascaded H-Bridge Converters. IEEE Transactions on Industrial Electronics, 2017, 64, 3619-3628.	5.2	84
6	Selective harmonic mitigation technique based on the exchange market algorithm for high-power applications. , 2017, , .		6
7	Hybrid SHM-SHE Pulse-Amplitude Modulation for High-Power Four-Leg Inverter. IEEE Transactions on Industrial Electronics, 2016, 63, 7234-7242.	5.2	66
8	Adaptive phase-shifted PWM for multilevel cascaded H-bridge converters for balanced or unbalanced operation. , 2015, , .		4
9	Improved hybrid SHM-SHE modulation technique for four-leg three-level NPC inverters. , 2015, , .		14
10	Voltage balancing in three-level neutral-point-clamped converters via Luenberger observer. Control Engineering Practice, 2014, 25, 36-44.	3.2	17
11	Model Based Adaptive Direct Power Control for Three-Level NPC Converters. IEEE Transactions on Industrial Informatics, 2013, 9, 1148-1157.	7.2	85
12	Wind Turbine Applications. , 2011, , 791-822.		4
13	Multidimensional Modulation Technique for Cascaded Multilevel Converters. IEEE Transactions on Industrial Electronics, 2011, 58, 412-420.	5.2	110
14	Two-dimensional modulation technique with dc voltage control for single-phase two-cell cascaded converters. , 2010, , .		13
15	Conventional Space-Vector Modulation Techniques Versus the Single-Phase Modulator for Multilevel Converters. IEEE Transactions on Industrial Electronics, 2010, 57, 2473-2482.	5.2	95
16	Selective Harmonic Mitigation Technique for High-Power Converters. IEEE Transactions on Industrial Electronics, 2010, 57, 2315-2323.	5.2	201
17	Two-dimensional modulation technique for multilevel cascaded H-bridge converters. , 2009, , .		4
18	Multilevel Converters: An Enabling Technology for High-Power Applications. Proceedings of the IEEE, 2009, 97, 1786-1817.	16.4	970

#	ARTICLE	IF	CITATIONS
19	Selective harmonic mitigation technique for multilevel cascaded H-bridge converters. , 2009, , .		14
20	Three-Dimensional Feedforward Space Vector Modulation Applied to Multilevel Diode-Clamped Converters. IEEE Transactions on Industrial Electronics, 2009, 56, 101-109.	5.2	76
21	The age of multilevel converters arrives. IEEE Industrial Electronics Magazine, 2008, 2, 28-39.	2.3	1,630
22	Simple Unified Approach to Develop a Time-Domain Modulation Strategy for Single-Phase Multilevel Converters. IEEE Transactions on Industrial Electronics, 2008, 55, 3239-3248.	5.2	89
23	Implementation of a closed loop SHMPWM technique for three level converters. , 2008, , .		17
24	Wind Turbine Applications. , 2007, , 737-768.		0
25	New Space Vector Modulation Technique for Single-Phase Multilevel Converters. , 2007, , .		21
26	Power Electronic Systems for the Grid Integration of Wind Turbines. Industrial Electronics Society (IECON), Annual Conference of IEEE, 2006, , .	0.0	27
27	Three-dimensional space-vector modulation algorithm for four-leg multilevel converters using abc coordinates. IEEE Transactions on Industrial Electronics, 2006, 53, 458-466.	5.2	110
28	Power-Electronic Systems for the Grid Integration of Renewable Energy Sources: A Survey. IEEE Transactions on Industrial Electronics, 2006, 53, 1002-1016.	5.2	3,182
29	Modeling Strategy for Back-to-Back Three-Level Converters Applied to High-Power Wind Turbines. IEEE Transactions on Industrial Electronics, 2006, 53, 1483-1491.	5.2	191
30	New State Vectors Selection Using Space Vector Modulation in Three Dimensional Control Regions for Multilevel Converters. , 2006, , .		4
31	DC-link capacitors voltage balancing in multilevel four-leg diode-clamped converters. , 2005, , .		20
32	New fast space-vector modulation for multilevel converters based on geometrical considerations. , 0, , .		25
33	A SVM-3D generalized algorithm for multilevel converters. , 0, , .		30
34	Control of a three level converter used as a synchronous rectifier. , 0, , .		15
35	Modeling of a three level converter used in a synchronous rectifier application. , 0, , .		18
36	Simple and advanced three dimensional spacevector modulation algorithm for four-leg multilevel converters topology. , 0, , .		4

#	ARTICLE	IF	CITATIONS
37	Modeling of Five-Level Converter Used in a Synchronous Rectifier Application. , 0, , .		9