Rebecca C Rossom

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6956251/publications.pdf

Version: 2024-02-01

99 papers 5,017 citations

126858 33 h-index 98753 67 g-index

101 all docs

101 does citations

times ranked

101

7469 citing authors

#	Article	IF	CITATIONS
1	Understanding TBI as a Risk Factor Versus a Means of Suicide Death Using Electronic Health Record Data. Archives of Suicide Research, 2023, 27, 599-612.	1.2	2
2	Connecting Research and Practice: Implementation of Suicide Prevention Strategies in Learning Health Care Systems. Psychiatric Services, 2022, 73, 219-222.	1.1	7
3	A Smartphone-Based Self-management Intervention for Individuals With Bipolar Disorder (LiveWell): Empirical and Theoretical Framework, Intervention Design, and Study Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e30710.	0.5	4
4	Effect of Offering Care Management or Online Dialectical Behavior Therapy Skills Training vs Usual Care on Self-harm Among Adult Outpatients With Suicidal Ideation. JAMA - Journal of the American Medical Association, 2022, 327, 630.	3.8	40
5	Effect of Clinical Decision Support on Cardiovascular Risk Among Adults With Bipolar Disorder, Schizoaffective Disorder, or Schizophrenia. JAMA Network Open, 2022, 5, e220202.	2.8	11
6	Cardiovascular Risk for Patients With and Without Schizophrenia, Schizoaffective Disorder, or Bipolar Disorder. Journal of the American Heart Association, 2022, 11, e021444.	1.6	28
7	Opioid-related variables did not improve suicide risk prediction models in samples with mental health diagnoses. Journal of Affective Disorders Reports, 2022, 8, 100346.	0.9	1
8	Depression and cardiovascular risk in primary care patients. Journal of Psychosomatic Research, 2022, 158, 110920.	1.2	7
9	Are People Who Die by Intentional Medication Poisoning Dispensed Those Medications in the Year Prior to Death?. Archives of Suicide Research, 2022, , 1-8.	1.2	0
10	Kidney-Metabolic Factors Associated with Cognitive Impairment in Chronic Kidney Disease: A Pilot Study. American Journal of Nephrology, 2022, 53, 435-445.	1.4	4
11	Sex Differences in Comorbid Mental and Substance Use Disorders Among Primary Care Patients With Opioid Use Disorder. Psychiatric Services, 2022, 73, 1330-1337.	1.1	4
12	Detecting and distinguishing indicators of risk for suicide using clinical records. Translational Psychiatry, 2022, 12, .	2.4	1
13	Comparisons Between Patients Diagnosed with PTSD in Primary Care Versus Mental Health Care in Five Large Civilian Health Care Systems. Journal of Clinical Psychology in Medical Settings, 2021, 28, 221-228.	0.8	1
14	Prevalence and Medication Treatment of Opioid Use Disorder Among Primary Care Patients with Hepatitis C and HIV. Journal of General Internal Medicine, 2021, 36, 930-937.	1.3	7
15	A pilot study of the functionality and clinician acceptance of a clinical decision support tool to improve primary care of opioid use disorder. Addiction Science & Elinical Practice, 2021, 16, 37.	1.2	4
16	Utility of item 9 of the patient health questionnaire in the prospective identification of adolescents at risk of suicide attempt. Suicide and Life-Threatening Behavior, 2021, 51, 854-863.	0.9	13
17	Receipt of medications for opioid use disorder among youth engaged in primary care: data from 6 health systems. Addiction Science & Clinical Practice, 2021, 16, 46.	1.2	14
18	Weighing the Association Between BMI Change and Suicide Mortality. Psychiatric Services, 2021, 72, 920-925.	1.1	5

#	Article	IF	CITATIONS
19	Evaluation of Electronic Health Record-Based Suicide Risk Prediction Models on Contemporary Data. Applied Clinical Informatics, 2021, 12, 778-787.	0.8	6
20	Serious Suicide Attempts and Risk of Suicide Death. Crisis, 2021, 42, 343-350.	0.9	4
21	Identifying People at Risk for Suicide. Advances in Psychiatry and Behavioral Health, 2021, 1, 67-76.	0.4	0
22	Predicting suicide attempts and suicide deaths among adolescents following outpatient visits. Journal of Affective Disorders, 2021, 294, 39-47.	2.0	10
23	Prediction of suicidal behavior using self-reported suicidal ideation among patients with bipolar disorder. Journal of Affective Disorders, 2021, 295, 410-415.	2.0	5
24	Suicide Behavior Following PHQ-9 Screening Among Individuals With Substance Use Disorders. Journal of Addiction Medicine, 2021, 15, 55-60.	1.4	11
25	Clinician Perceptions About a Decision Support System to Identify and Manage Opioid Use Disorder. Journal of the American Board of Family Medicine, 2021, 34, 1096-1102.	0.8	4
26	Prevalence and treatment of opioid use disorders among primary care patients in six health systems. Drug and Alcohol Dependence, 2020, 207, 107732.	1.6	55
27	Association between suicide death and concordance with benzodiazepine treatment guidelines for anxiety and sleep disorders. General Hospital Psychiatry, 2020, 62, 21-27.	1.2	5
28	The Role of the Patient-Centered Medical Home in Treating Depression. Current Psychiatry Reports, 2020, 22, 47.	2.1	2
29	Provider Contributions to Disparities in Mental Health Care. Psychiatric Services, 2020, 71, 765-771.	1.1	4
30	Screening for Cognitive Impairment in Older Adults. JAMA - Journal of the American Medical Association, 2020, 323, 764.	3.8	168
31	Substance use disorders and risk of suicide in a general US population: a case control study. Addiction Science & Elinical Practice, 2020, 15, 14.	1.2	76
32	Pragmatic trial design of an intervention to reduce cardiovascular risk in people with serious mental illness. Contemporary Clinical Trials, 2020, 91, 105964.	0.8	6
33	Chronic pain diagnoses and opioid dispensings among insured individuals with serious mental illness. BMC Psychiatry, 2020, 20, 40.	1.1	29
34	Documented opioid use disorder and its treatment in primary care patients across six U.S. health systems. Journal of Substance Abuse Treatment, 2020, 112, 41-48.	1.5	34
35	Variation in patterns of health care before suicide: A population case-control study. Preventive Medicine, 2019, 127, 105796.	1.6	70
36	Priorities Wizard: Multisite Web-Based Primary Care Clinical Decision Support Improved Chronic Care Outcomes with High Use Rates and High Clinician Satisfaction Rates. EGEMS (Washington, DC), 2019, 7, 9.	2.0	28

#	Article	IF	CITATIONS
37	What health records data are required for accurate prediction of suicidal behavior?. Journal of the American Medical Informatics Association: JAMIA, 2019, 26, 1458-1465.	2.2	22
38	Managing mental health disorders requires attending to both primary care and its specialty mental health collaborators. Family Practice, 2019, 36, 1-2.	0.8	4
39	A candidate gene study of risk for dementia in older, postmenopausal women: Results from the Women's Health Initiative Memory Study. International Journal of Geriatric Psychiatry, 2019, 34, 692-699.	1.3	13
40	Diagnosed Mental Health Conditions and Risk of Suicide Mortality. Psychiatric Services, 2019, 70, 750-757.	1.1	51
41	Principles and procedures for data and safety monitoring in pragmatic clinical trials. Trials, 2019, 20, 690.	0.7	15
42	The Mediating Effect of Sleep Disturbance on the Relationship Between Nonmalignant Chronic Pain and Suicide Death. Pain Practice, 2019, 19, 382-389.	0.9	16
43	Self-Reported Suicidal Ideation as a Predictor of Suicidal Behavior Among Outpatients With Diagnoses of Psychotic Disorders. Psychiatric Services, 2019, 70, 176-183.	1.1	23
44	Are wishes for death or suicidal ideation symptoms of depression in older adults?. Aging and Mental Health, 2019, 23, 912-918.	1.5	17
45	Predicting Suicide Attempts for Racial and Ethnic Groups of Patients During Routine Clinical Care. Suicide and Life-Threatening Behavior, 2019, 49, 724-734.	0.9	16
46	Assessing and Minimizing Re-identification Risk in Research Data Derived from Health Care Records. EGEMS (Washington, DC), 2019, 7, 6.	2.0	22
47	Near Real-time Surveillance for Consequences of Health Policies Using Sequential Analysis. Medical Care, 2018, 56, 365-372.	1.1	9
48	General Medical, Mental Health, and Demographic Risk Factors Associated With Suicide by Firearm Compared With Other Means. Psychiatric Services, 2018, 69, 677-684.	1.1	22
49	Opioid Use During Pregnancy, Observations of Opioid Use, and Secular Trend From 2006 to 2014 at HealthPartners Medical Group. Clinical Journal of Pain, 2018, 34, 707-712.	0.8	9
50	Treatment Initiation for New Episodes of Depression in Primary Care Settings. Journal of General Internal Medicine, 2018, 33, 1283-1291.	1.3	50
51	Prevalence and Risk of Severe Cognitive Impairment in Advanced Chronic Kidney Disease. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 393-399.	1.7	27
52	Dermatologic Conditions and Risk of Suicide: A Case-Control Study. Psychosomatics, 2018, 59, 58-61.	2.5	10
53	Large-Scale Implementation of Collaborative Care Management for Depression and Diabetes and/or Cardiovascular Disease. Journal of the American Board of Family Medicine, 2018, 31, 702-711.	0.8	15
54	Predicting Suicide Attempts and Suicide Deaths Following Outpatient Visits Using Electronic Health Records. American Journal of Psychiatry, 2018, 175, 951-960.	4.0	273

#	Article	IF	Citations
55	Does Patient Adherence to Antidepressant Medication Actually Vary Between Physicians?. Journal of Clinical Psychiatry, 2018, 79, .	1.1	4
56	Between-visit changes in suicidal ideation and risk of subsequent suicide attempt. Depression and Anxiety, 2017, 34, 794-800.	2.0	19
57	Major Physical Health Conditions and Risk of Suicide. American Journal of Preventive Medicine, 2017, 53, 308-315.	1.6	182
58	Suicidal ideation reported on the PHQ9 and risk of suicidal behavior across age groups. Journal of Affective Disorders, 2017, 215, 77-84.	2.0	184
59	Impact of A National Collaborative Care Initiative for Patients With Depression and Diabetes or Cardiovascular Disease. Focus (American Psychiatric Publishing), 2017, 15, 324-332.	0.4	4
60	The impact of race and ethnicity on rates of return to psychotherapy for depression. Depression and Anxiety, 2017, 34, 1157-1163.	2.0	6
61	Clinician burnout and satisfaction with resources in caring for complex patients. General Hospital Psychiatry, 2017, 44, 91-95.	1.2	29
62	Understanding the experience of care managers and relationship with patient outcomes: the COMPASS initiative. General Hospital Psychiatry, 2017, 44, 86-90.	1.2	17
63	Impact of a national collaborative care initiative for patients with depression and diabetes or cardiovascular disease. General Hospital Psychiatry, 2017, 44, 77-85.	1.2	65
64	Antidepressant Use by Youth with Minimal or Mild Depression: Evidence from 3 Health Systems. Pediatric Quality & Safety, 2017, 2, e017.	0.4	0
65	IntelliCare: An Eclectic, Skills-Based App Suite for the Treatment of Depression and Anxiety. Journal of Medical Internet Research, 2017, 19, e10.	2.1	246
66	ANTIDEPRESSANT ADHERENCE ACROSS DIVERSE POPULATIONS AND HEALTHCARE SETTINGS. Depression and Anxiety, 2016, 33, 765-774.	2.0	49
67	Facilitating Action for Suicide Prevention by Learning Health Care Systems. Psychiatric Services, 2016, 67, 830-832.	1.1	28
68	Population-based outreach versus care as usual to prevent suicide attempt: study protocol for a randomized controlled trial. Trials, 2016, 17, 452.	0.7	39
69	Predictors of Optimal Cognitive Aging in 80+ Women: The Women's Health Initiative Memory Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, S62-S71.	1.7	37
70	Relationships Between Caffeine Intake and Risk for Probable Dementia or Global Cognitive Impairment: The Women's Health Initiative Memory Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1596-1602.	1.7	37
71	The effects of patient-centered depression care on patient satisfaction and depression remission. Family Practice, 2016, 33, 649-655.	0.8	21
72	Predictors of Poor Response to Depression Treatment in Primary Care. Psychiatric Services, 2016, 67, 1362-1367.	1.1	18

#	Article	IF	CITATIONS
73	A Statewide Effort to Implement Collaborative Care for Depression. Medical Care, 2016, 54, 992-997.	1.1	13
74	Adherence to common cardiovascular medications in patients with schizophrenia vs. patients without psychiatric illness. General Hospital Psychiatry, 2016, 38, 9-14.	1.2	23
75	The Brain in Kidney Disease (BRINK) Cohort Study: Design and Baseline Cognitive Function. American Journal of Kidney Diseases, 2016, 67, 593-600.	2.1	42
76	Primary Care Screening for and Treatment of Depression in Pregnant and Postpartum Women. JAMA - Journal of the American Medical Association, 2016, 315, 388.	3.8	393
77	Risk of Suicide Attempt and Suicide Death Following Completion of the Patient Health Questionnaire Depression Module in Community Practice. Journal of Clinical Psychiatry, 2016, 77, 221-227.	1.1	136
78	Newly Developed Chronic Conditions and Changes in Healthâ€Related Quality of Life in Postmenopausal Women. Journal of the American Geriatrics Society, 2015, 63, 2349-2357.	1.3	12
79	A Stepped-Wedge Evaluation of an Initiative to Spread the Collaborative Care Model for Depression in Primary Care. Annals of Family Medicine, 2015, 13, 412-420.	0.9	48
80	Racial/Ethnic Differences in Health Care Visits Made Before Suicide Attempt Across the United States. Medical Care, 2015, 53, 430-435.	1.1	89
81	High glycemic index diet as a risk factor for depression: analyses from the Women's Health Initiative. American Journal of Clinical Nutrition, 2015, 102, 454-463.	2.2	159
82	Adjusting Antidepressant Quality Measures for Race and Ethnicity. JAMA Psychiatry, 2015, 72, 1055.	6.0	10
83	Psychiatric Comorbidity and 30-Day Readmissions After Hospitalization for Heart Failure, AMI, and Pneumonia. Psychiatric Services, 2015, 66, 134-140.	1.1	83
84	Antidepressants Are Not Overprescribed for Mild Depression. Journal of Clinical Psychiatry, 2015, 76, 1627-1632.	1.1	24
85	Changes in antidepressant use by young people and suicidal behavior after FDA warnings and media coverage: quasi-experimental study. BMJ, The, 2014, 348, g3596-g3596.	3.0	172
86	Health Care Contacts in the Year Before Suicide Death. Journal of General Internal Medicine, 2014, 29, 870-877.	1.3	468
87	Use of Antipsychotic Medications in Pediatric Populations: What do the Data Say?. Current Psychiatry Reports, 2013, 15, 426.	2.1	63
88	The DIAMOND initiative: implementing collaborative care for depression in 75 primary care clinics. Implementation Science, 2013, 8, 135.	2.5	81
89	Influence of Type 2 Diabetes on Brain Volumes and Changes in Brain Volumes. Diabetes Care, 2013, 36, 90-97.	4.3	113
90	Stress, Burnout, Compassion Fatigue, and Mental Health in Hospice Workers in Minnesota. Journal of Palliative Medicine, 2013, 16, 1534-1539.	0.6	82

#	Article	IF	CITATIONS
91	Response to <scp>A</scp> nnweiler and <scp>B</scp> eauchet. Journal of the American Geriatrics Society, 2013, 61, 1050-1051.	1.3	0
92	Screening for Cognitive Impairment in Older Adults: A Systematic Review for the U.S. Preventive Services Task Force. Annals of Internal Medicine, 2013, 159, 601-12.	2.0	301
93	Association Between Serum 25(OH) Vitamin D and the Risk of Cognitive Decline in Older Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2012, 67, 1092-1098.	1.7	93
94	Calcium and Vitamin $\langle scp \rangle D \langle scp \rangle$ Supplementation and Cognitive Impairment in the Women's Health Initiative. Journal of the American Geriatrics Society, 2012, 60, 2197-2205.	1.3	142
95	Are All Commonly Prescribed Antipsychotics Associated with Greater Mortality in Elderly Male Veterans with Dementia?. Journal of the American Geriatrics Society, 2010, 58, 1027-1034.	1.3	55
96	Correlates of Daytime Sleepiness in Patients With Posttraumatic Stress Disorder and Sleep Disturbance. Primary Care Companion To the Journal of Clinical Psychiatry, 2010, 12, .	0.6	12
97	Quality of sleep in patients with posttraumatic stress disorder. Psychiatry, 2010, 7, 21-7.	0.3	7
98	Reliability of sleep log data versus actigraphy in veterans with sleep disturbance and PTSD. Journal of Anxiety Disorders, 2007, 21, 966-975.	1.5	33
99	Efficacy and tolerability of memantine in the treatment of dementia. American Journal of Geriatric Pharmacotherapy, 2004, 2, 303-312.	3.0	26