

# Margherita Gavagnin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6956509/publications.pdf>

Version: 2024-02-01

173  
papers

4,839  
citations

81900  
39  
h-index

182427  
51  
g-index

192  
all docs

192  
docs citations

192  
times ranked

3108  
citing authors

#	ARTICLE	IF	CITATIONS
1	The chemical and chemo-ecological studies on Weizhou nudibranch <i>Glossodoris atromarginata</i>. Magnetic Resonance in Chemistry, 2021, 59, 554-560.	1.9	10
2	Sesquiterpene Lactones with the 12,8-Guaianolide Skeleton from Algerian Centaurea omphalotricha. Biomolecules, 2021, 11, 1053.	4.0	6
3	A new bis- $\beta$ -pyrone polypropionate of onchidol family from marine pulmonate mollusk <i>Onchidium</i> sp. Natural Product Research, 2020, 34, 1971-1976.	1.8	7
4	Chemical constituents of the aerial parts of Algerian Galium brunneum: Isolation of new hydroperoxy sterol glucosyl derivatives. Phytochemistry Letters, 2020, 38, 39-45.	1.2	3
5	Oxygenated C17 polyacetylene metabolites from Algerian Eryngium tricuspidatum L. roots: Structure and biological activity. FÃ©toterapÃ¢, 2019, 138, 104355.	2.2	6
6	Cytotoxic Nitrogenous Terpenoids from Two South China Sea Nudibranchs Phyllidiella pustulosa, Phyllidia coelestis, and Their Sponge-Prey Acanthella cavernosa. Marine Drugs, 2019, 17, 56.	4.6	22
7	Occurrence of symmetrical diacylguanidines triophamine and limaciamine in three polyceridae species from Canary Islands: are they chemical markers of these nudibranchs?. Biochemical Systematics and Ecology, 2019, 83, 62-65.	1.3	2
8	In Silico Identification and Experimental Validation of ( $\alpha$ )-Muqubilin A, a Marine Norterpene Peroxide, as PPAR $\pm/\beta^3$ -RXR $\pm$ Agonist and RAR $\pm$ Positive Allosteric Modulator. Marine Drugs, 2019, 17, 110.	4.6	11
9	Amphilectene Diterpene Isonitriles and Formamido Derivatives from the Hainan Nudibranch Phyllidia Coelestis. Marine Drugs, 2019, 17, 603.	4.6	7
10	Natural Products from Marine Heterobranchs: an Overview of Recent Results. Chemistry Journal of Moldova, 2019, 14, 9-31.	0.6	5
11	Marine bis- $\beta$ -pyrone polypropionates of oncidione family and their effects on the XBP1 gene expression. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 1093-1096.	2.2	16
12	<i>In Silico</i> Identification and Experimental Validation of Novel Anti-Alzheimerâ€™s Multitargeted Ligands from a Marine Source Featuring a 2-Aminoimidazole plus Aromatic Groupâ€•Scaffold. ACS Chemical Neuroscience, 2018, 9, 1290-1303.	3.5	14
13	Sarinfacetamides A and B, Nitrogenous Diterpenoids with Tricyclo[6.3.1.0<sup>1,5</sup>]dodecane Scaffold from the South China Sea Soft Coral <i>Sarcophyton infundibuliforme</i>. Organic Letters, 2018, 20, 2637-2640.	4.6	56
14	Prenylated Flavonoids and Phenolic Compounds from the Rhizomes of Marine Phanerogam Cymodocea nodosa. Planta Medica, 2018, 84, 704-709.	1.3	4
15	Exploring the Chemical Diversity of Algerian Plants: Three New Pentacyclic Triterpenoids from Launaea acanthoclada Roots. Molecules, 2018, 23, 80.	3.8	6
16	Structure-activity relationships of fraxamoside as an unusual xanthine oxidase inhibitor. Journal of Enzyme Inhibition and Medicinal Chemistry, 2017, 32, 345-354.	5.2	21
17	5-Alkylpyrrole-2-carboxaldehyde derivatives from the Chinese sponge Mycale lissochela and their PTP1B inhibitory activities. Chinese Chemical Letters, 2017, 28, 1190-1193.	9.0	15
18	Marine Terpenoid Diacylguanidines: Structure, Synthesis, and Biological Evaluation of Naturally Occurring Actinofide and Synthetic Analogue. Journal of Natural Products, 2017, 80, 1339-1346.	3.0	15

#	ARTICLE	IF	CITATIONS
19	Volatile secondary metabolites as aposematic olfactory signals and defensive weapons in aquatic environments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 3451-3456.	7.1	41
20	Marine Mollusk-Derived Agents with Antiproliferative Activity as Promising Anticancer Agents to Overcome Chemotherapy Resistance. <i>Medicinal Research Reviews</i> , 2017, 37, 702-801.	10.5	46
21	Exploring the Bioactive Terpenoid Content of an Algerian Plant of the Genus <i>&lt; i&gt;Pulicaria&lt;/i&gt;</i> : The <i>&lt; i&gt;ent&lt;/i&gt;</i> -Series of Asteriscunolides. <i>Journal of Natural Products</i> , 2017, 80, 82-89.	3.0	16
22	Chemistry of Two Distinct Aeolid <i>&lt; i&gt;Spurilla&lt;/i&gt;</i> Species: Ecological Implications. <i>Chemistry and Biodiversity</i> , 2017, 14, e1700125.	2.1	10
23	In VitroGrowth Inhibitory Activities of Natural Products from Irciniid Sponges against Cancer Cells: A Comparative Study. <i>BioMed Research International</i> , 2016, 2016, 1-6.	1.9	1
24	Phytochemical Study of Eryngium triquetrum: Isolation of Polyacetylenes and Lignans. <i>Planta Medica</i> , 2016, 82, 1438-1445.	1.3	14
25	Kahalalide F analogues from the mucous secretion of Indian sacoglossan mollusc <i>Elysia ornata</i> . <i>Tetrahedron</i> , 2016, 72, 625-631.	1.9	18
26	Is phototridachiahydropyrone a true natural product?. <i>Revista Brasileira De Farmacognosia</i> , 2015, 25, 588-591.	1.4	19
27	Occurrence of a Taurine Derivative in an Antarctic Glass Sponge. <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.5	27
28	Identification of thuridillin-related aldehydes from Mediterranean sacoglossan mollusk <i>Thuridilla hopei</i> . <i>Tetrahedron</i> , 2014, 70, 3770-3773.	1.9	9
29	Sequestered Fulvinol-Related Polyacetylenes in <i>&lt; i&gt;Peltodoris atromaculata&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2014, 77, 1678-1684.	3.0	11
30	New isoquinolinequinone alkaloids from the South China Sea nudibranch <i>Jorunna funebris</i> and its possible sponge-prey <i>Xestospongia</i> sp.. <i>FÃ¬toterapÃ¬A¢</i> , 2014, 96, 109-114.	2.2	35
31	Lipophilic Defenses From Alcyonium Soft Corals of Antarctica. <i>Journal of Chemical Ecology</i> , 2013, 39, 675-685.	1.8	42
32	First chemical study of the sacoglossan <i>Elysia patagonica</i> : Isolation of a $\beta^3$ -pyrone propionate hydroperoxide. <i>Biochemical Systematics and Ecology</i> , 2013, 49, 172-175.	1.3	13
33	Minimalist Hybrid Ligand/Receptor-Based Pharmacophore Model for CXCR4 Applied to a Small-Library of Marine Natural Products Led to the Identification of Phidianidine A as a New CXCR4 Ligand Exhibiting Antagonist Activity. <i>ACS Chemical Biology</i> , 2013, 8, 2762-2770.	3.4	54
34	Extending the Record of Bis- $\beta^3$ -pyrone Polypropionates from Marine Pulmonate Mollusks. <i>Journal of Natural Products</i> , 2013, 76, 2065-2073.	3.0	28
35	Packaging and Delivery of Chemical Weapons: A Defensive Trojan Horse Stratagem in Chromodorid Nudibranchs. <i>PLoS ONE</i> , 2013, 8, e62075.	2.5	37
36	Synthesis of Phidianidine B, a highly cytotoxic 1,2,4-oxadiazole marine metabolite. <i>Arkivoc</i> , 2013, 2012, 220-228.	0.5	16

#	ARTICLE	IF	CITATIONS
37	Chemistry of the Nudibranch <i>Aldisa andersoni</i> : Structure and Biological Activity of Phorbazole Metabolites. <i>Marine Drugs</i> , 2012, 10, 1799-1811.	4.6	25
38	Recent Sino-Italian collaborative studies on marine organisms from the South China Sea. <i>Pure and Applied Chemistry</i> , 2012, 84, 1391-1405.	1.9	4
39	Natural Products from Antarctic Colonial Ascidians of the Genera <i>Aplidium</i> and <i>Synoicum</i> : Variability and Defensive Role. <i>Marine Drugs</i> , 2012, 10, 1741-1764.	4.6	68
40	Biosynthetic Studies Through Feeding Experiments in Marine Organisms—. , 2012, , 895-946.		3
41	Isolation of Thuridillins D–F, Diterpene Metabolites from the Australian Sacoglossan Mollusk <i>&lt; i&gt;Thuridilla splendens</i> ; Relative Configuration of the Epoxylactone Ring. <i>Journal of Natural Products</i> , 2012, 75, 1618-1624.	3.0	30
42	The first record of neolignans from the marine phanerogam <i>Posidonia oceanica</i> . <i>Phytochemistry Letters</i> , 2012, 5, 696-699.	1.2	11
43	First synthesis of parazoanthine-A and its O-Me derivative. <i>Tetrahedron Letters</i> , 2012, 53, 7083-7084.	1.4	9
44	Chemo-ecological studies on hexactinellid sponges from the Southern Ocean. <i>Die Naturwissenschaften</i> , 2012, 99, 353-368.	1.6	48
45	Fulvynes, antimicrobial polyoxyxygenated acetylenes from the Mediterranean sponge <i>Haliclona fulva</i> . <i>Tetrahedron</i> , 2012, 68, 754-760.	1.9	39
46	Rossinone-related meroterpenes from the Antarctic ascidian <i>Aplidium fuegiense</i> . <i>Tetrahedron</i> , 2012, 68, 3541-3544.	1.9	45
47	Assignment of Absolute Configuration of Bis- $\beta$ -pyrone Polypropionates from Marine Pulmonate Molluscs. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 1107-1111.	2.4	20
48	Bioactive Terpenes from <i>&lt; i&gt;Spongia officinalis</i> . <i>Journal of Natural Products</i> , 2011, 74, 1241-1247.	3.0	27
49	Structure and Cytotoxicity of Phidianidines A and B: First Finding of 1,2,4-Oxadiazole System in a Marine Natural Product. <i>Organic Letters</i> , 2011, 13, 2516-2519.	4.6	122
50	Diterpenes from the Hainan Soft Coral <i>&lt; i&gt;Lobophytum cristatum</i> Tixier-Durivault. <i>Journal of Natural Products</i> , 2011, 74, 2089-2094.	3.0	39
51	Structure and Synthesis of a Unique Isonitrile Lipid Isolated from the Marine Mollusk <i>Actinocyclus papillatus</i> . <i>Organic Letters</i> , 2011, 13, 1897-1899.	4.6	21
52	Tritoniopsins A–D, Cladiellane-Based Diterpenes from the South China Sea Nudibranch <i>&lt; i&gt;Tritoniopsis elegans</i> and Its Prey <i>&lt; i&gt;Cladiella krempfi</i> . <i>Journal of Natural Products</i> , 2011, 74, 1902-1907.	3.0	33
53	Chemical defense against predators and bacterial fouling in the Mediterranean sponges <i>Axinella polypoides</i> and <i>A. verrucosa</i> . <i>Marine Ecology - Progress Series</i> , 2011, 422, 113-122.	1.9	27
54	A new rare asteriscane sesquiterpene and other related derivatives from the Hainan aeolid nudibranch <i>Phyllodesmium magnum</i> . <i>Biochemical Systematics and Ecology</i> , 2011, 39, 408-411.	1.3	23

#	ARTICLE	IF	CITATIONS
55	Exploring the Chemistry of Marine Opisthobranchs: Recent Results. <i>Chemistry Journal of Moldova</i> , 2011, 6, 19-23.	0.6	0
56	Continuous Evolution in Collaborations between Moldovan and Italian Chemists. <i>Chemistry Journal of Moldova</i> , 2011, 6, 7-8.	0.6	0
57	Coloration and Defense in the Nudibranch Gastropod <i>&lt; i&gt;Hypselodoris fontandraui&lt;/i&gt;</i> . <i>Biological Bulletin</i> , 2010, 218, 181-188.	1.8	42
58	Chemical defenses of tunicates of the genus <i>Aplidium</i> from the Weddell Sea (Antarctica). <i>Polar Biology</i> , 2010, 33, 1319-1329.	1.2	54
59	Crucigasterins A-E, antimicrobial amino alcohols from the Mediterranean colonial ascidian <i>Pseudodistoma crucigaster</i> . <i>Tetrahedron</i> , 2010, 66, 7533-7538.	1.9	20
60	Chemical characterisation of oxidative degradation products of $\Delta^9$ -THC. <i>Tetrahedron</i> , 2010, 66, 9497-9501.	1.9	30
61	Chemical analysis of flavonoid constituents of the seagrass <i>Halophila stipulacea</i> : First finding of malonylated derivatives in marine phanerogams. <i>Biochemical Systematics and Ecology</i> , 2010, 38, 686-690.	1.3	31
62	A new cytotoxic tambjamine alkaloid from the Azorean nudibranch <i>Tambja ceutae</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 2668-2670.	2.2	40
63	Rare Casbane Diterpenoids from the Hainan Soft Coral <i>&lt; i&gt;Sinularia depressa&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2010, 73, 133-138.	3.0	70
64	Structure of debromo-carteramine A, a novel bromopyrrole alkaloid from the Mediterranean sponge <i>Axinella verrucosa</i> . <i>Arkivoc</i> , 2010, 2010, 233-239.	0.5	12
65	Terpenoid Content of the Antarctic Soft Coral <i>Alcyonium antarcticum</i> . <i>Natural Product Communications</i> , 2009, 4, 1934578X0900401.	0.5	3
66	Diterpenoids from the Hainan Soft Coral <i>&lt; i&gt;Sinularia parva&lt;/i&gt;</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1341-1348.	1.6	18
67	Diterpene content of the alga <i>Dictyota ciliolata</i> from a Moroccan lagoon. <i>Phytochemistry Letters</i> , 2009, 2, 211-215.	1.2	22
68	Aplysiopenes: an additional example of marine polyketides with a mixed acetate/propionate pathway. <i>Tetrahedron Letters</i> , 2009, 50, 527-529.	1.4	15
69	Structure of onchidione, a bis- $\beta$ -pyrone polypropionate from a marine pulmonate mollusk. <i>Tetrahedron</i> , 2009, 65, 4404-4409.	1.9	26
70	Aromatic Cyclic Peroxides and Related Keto-Compounds from the <i>&lt; i&gt;Plakortis&lt;/i&gt;</i> sp. Component of a Sponge Consortium. <i>Journal of Natural Products</i> , 2009, 72, 1547-1551.	3.0	19
71	Illudalane Sesquiterpenoids of the Alcyopterosin Series from the Antarctic Marine Soft Coral <i>&lt; i&gt;Alcyonium grandis&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2009, 72, 1357-1360.	3.0	60
72	Terpenoid content of the Antarctic soft coral <i>Alcyonium antarcticum</i> . <i>Natural Product Communications</i> , 2009, 4, 1615-9.	0.5	8

#	ARTICLE	IF	CITATIONS
73	A Biomimetic Synthesis of Sacculatane Diterpenoids. <i>Helvetica Chimica Acta</i> , 2008, 91, 249-258.	1.6	4
74	Further New Bisâ€embranoids from the Hainan Soft Coral <i>Sarcophyton tortuosum</i>. <i>Helvetica Chimica Acta</i> , 2008, 91, 2069-2074.	1.6	24
75	Chemical characterisation of the terpenoid constituents of the Algerian plant <i>Launaea arborescens</i> . <i>Phytochemistry</i> , 2008, 69, 2984-2992.	2.9	22
76	Further siphonosides from the sea hare <i>Syphonota geographica</i> and the sea-grass <i>Halophila stipulacea</i> . <i>Tetrahedron</i> , 2008, 64, 191-196.	1.9	27
77	Cytosporin-related compounds from the marine-derived fungus <i>Eutypella scoparia</i> . <i>Tetrahedron</i> , 2008, 64, 5365-5369.	1.9	53
78	Isomeric Furanosesquiterpenes from the Portuguese Marine Sponge <i>Fasciospongia</i> sp.. <i>Journal of Natural Products</i> , 2008, 71, 2049-2052.	3.0	21
79	Factors promoting marine invasions: A chemoelectological approach. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 4582-4586.	7.1	73
80	Structure and Absolute Stereochemistry of Siphonoside, a Unique Macroyclic Glycoterpenoid from Marine Organisms. <i>Journal of Organic Chemistry</i> , 2007, 72, 5625-5630.	3.2	31
81	Biscembranoids and Their Probable Biogenetic Precursor from the Hainan Soft Coral <i>Sarcophyton tortuosum</i> . <i>Journal of Natural Products</i> , 2007, 70, 1158-1166.	3.0	46
82	New Neuritogenic Steroid Glycosides from the Vietnamese Starfish <i>Linckia Laevigata</i>. <i>Natural Product Communications</i> , 2007, 2, 1934578X0700200.	0.5	4
83	Studies on puupehenone-metabolites of a <i>Dysidea</i> sp.: structure and biological activity. <i>Tetrahedron</i> , 2007, 63, 1380-1384.	1.9	33
84	Terpenoid metabolites of the nudibranch <i>Hexabranchus sanguineus</i> from the South China Sea. <i>Tetrahedron</i> , 2007, 63, 4725-4729.	1.9	49
85	Ring B functionalization of scalarane sesterterpenes by radical relay halogenation. <i>Tetrahedron</i> , 2007, 63, 7617-7623.	1.9	9
86	Aplysiols A and B, squalene-derived polyethers from the mantle of the sea hare <i>Aplysia dactylomela</i> . <i>Tetrahedron</i> , 2007, 63, 9970-9978.	1.9	44
87	New diastereomeric bis-sesquiterpenes from Hainan marine sponges <i>Axinyssa variabilis</i> and <i>Lipastrotethya ana</i> . <i>Tetrahedron</i> , 2007, 63, 11108-11113.	1.9	34
88	New bioactive hydrogenated linderazulene-derivatives from the gorgonian <i>Echinogorgia complexa</i> . <i>Tetrahedron Letters</i> , 2007, 48, 2569-2571.	1.4	22
89	Two new biscembranes with unprecedented carbon skeleton and their probable biogenetic precursor from the Hainan soft coral <i>Sarcophyton latum</i> . <i>Tetrahedron Letters</i> , 2007, 48, 5313-5316.	1.4	69
90	Chemistry of <i>Glossodoris</i> Nudibranchs: Specific Occurrence of 12-Keto Scalaranes. <i>Journal of Chemical Ecology</i> , 2007, 33, 2325-2336.	1.8	25

#	ARTICLE	IF	CITATIONS
91	Phytotoxic activity of caulerpenyne from the Mediterranean invasive variety of <i>Caulerpa racemosa</i> : a potential allelochemical. <i>Biological Invasions</i> , 2007, 9, 361-368.	2.4	73
92	Ketosteroids from the far-east marine prosobranch mollusk <i>Onchidiopsis variegata</i> . <i>Chemistry of Natural Compounds</i> , 2007, 43, 86-89.	0.8	8
93	Sarcophytolides E <sup>-</sup> H, Cembranolides from the Hainan Soft Coral <i>Sarcophyton latum</i> . <i>Journal of Natural Products</i> , 2006, 69, 819-822.	3.0	49
94	Polar Steroidal Compounds from the Far Eastern Starfish <i>Henricia leviuscula</i> . <i>Journal of Natural Products</i> , 2006, 69, 224-228.	3.0	52
95	New Caulerpenyne-derived Metabolites of an <i>Elysia</i> Sacoglossan from the South Indian Coast. <i>Molecules</i> , 2006, 11, 808-816.	3.8	13
96	Three New Polyoxygenated Steroids from Two Species of the South China Sea Gorgonian <i>Muricella flexuosa</i> and <i>Menella verrucosa</i> Brundin. <i>Helvetica Chimica Acta</i> , 2006, 89, 813-820.	1.6	28
97	Two New Polyhydroxylated Steroids from the Hainan Soft Coral <i>Sinularia</i> sp.. <i>Helvetica Chimica Acta</i> , 2006, 89, 1330-1336.	1.6	18
98	Synthesis of Optically Active 14 <sup>1±</sup> - and 14 <sup>12</sup> -Cheilanthanic Esters. <i>Synthesis</i> , 2006, 2006, 2385-2391.	2.3	9
99	New 1 <sup>3</sup> -pyrone propionates from the Indian Ocean sacoglossan <i>Placobranchus ocellatus</i> . <i>Tetrahedron Letters</i> , 2005, 46, 465-468.	1.4	56
100	First chemical study of anaspidean <i>Syphonota geographica</i> : structure of degraded sterols aplykurodinone-1 and -2. <i>Tetrahedron</i> , 2005, 61, 617-621.	1.9	40
101	Structure and absolute stereochemistry of novel C15-halogenated acetogenins from the anaspidean mollusc <i>Aplysia dactylomela</i> . <i>Tetrahedron</i> , 2005, 61, 7456-7460.	1.9	29
102	Structural and stereochemical revision of isocyanide and isothiocyanate amphilectenes from the Caribbean marine sponge <i>Cribrochalina</i> sp.. <i>Tetrahedron</i> , 2005, 61, 8049-8053.	1.9	27
103	Pelseneeriol-1 and -2: new furanosesquiterpene alcohols from porostome nudibranch <i>Doriopsilla pelseneeri</i> . <i>Tetrahedron</i> , 2005, 61, 11032-11037.	1.9	37
104	Further Synthetic Studies Towards the Austrodorane Skeleton: Synthesis of Austrodoral. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 1816-1822.	2.4	35
105	Suberoresteroids A-E, Five New Uncommon Polyoxygenated Steroid 24-Ketals from the Hainan Gorgonian <i>Suberogorgia reticulata</i> . <i>Helvetica Chimica Acta</i> , 2005, 88, 87-94.	1.6	21
106	Chemical studies on Indopacific Ceratosoma nudibranchs illuminate the protective role of their dorsal horn. <i>Chemoecology</i> , 2005, 15, 31-36.	1.1	31
107	Synthesis and absolute stereochemistry of marine nor-sesquiterpene austrodoric acid. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 423-428.	1.8	26
108	Biosynthesis in opisthobranch molluscs: General outline in the light of recent use of stable isotopes. <i>Phytochemistry Reviews</i> , 2004, 3, 285-307.	6.5	29

#	ARTICLE	IF	CITATIONS
109	Unusual C21 linear polyacetylenic alcohols from an Atlantic ascidian. <i>Lipids</i> , 2004, 39, 681-685.	1.7	8
110	New C21 ð”20 pregnanes, inhibitors of mitochondrial respiratory chain, from Indopacific octocoral <i>Carijoa</i> sp.. <i>Tetrahedron Letters</i> , 2004, 45, 7745-7748.	1.4	24
111	Scalarane Metabolites of the Nudibranch <i>Glossodoris rufomarginata</i> and Its Dietary Sponge from the South China Sea. <i>Journal of Natural Products</i> , 2004, 67, 2104-2107.	3.0	33
112	Isocyanide Terpene Metabolites of <i>Phyllidiella pustulosa</i> , a Nudibranch from the South China Sea. <i>Journal of Natural Products</i> , 2004, 67, 1701-1704.	3.0	47
113	Austrodorral and austrodoric acid: nor-sesquiterpenes with a new carbon skeleton from the Antarctic nudibranch <i>Austrodoris kerguelensis</i> . <i>Tetrahedron Letters</i> , 2003, 44, 1495-1498.	1.4	67
114	Further chemical studies on the Antarctic nudibranch <i>Austrodoris kerguelensis</i> : new terpenoid acylglycerols and revision of the previous stereochemistry. <i>Tetrahedron</i> , 2003, 59, 5579-5583.	1.9	24
115	Sesquiterpene Metabolites of the Antarctic Gorgonian <i>Dasygenia acanthina</i> . <i>Journal of Natural Products</i> , 2003, 66, 1517-1519.	3.0	35
116	Terpene Biosynthesis in the Nudibranch <i>Doriopsilla areolata</i> . <i>Journal of Organic Chemistry</i> , 2003, 68, 2405-2409.	3.2	35
117	Structure and Synthesis of a Progesterone Homologue from the Skin of the Dorid Nudibranch <i>Aldisa smaragdina</i> . <i>European Journal of Organic Chemistry</i> , 2002, 2002, 1500-1504.	2.4	11
118	Studies towards the synthesis of cheilanthane sesterterpenoids: superacidic cyclisation of methyl 13Z,17Z- and 13Z,17E-bicyclogeranyl farnesoates. <i>Tetrahedron</i> , 2002, 58, 10159-10165.	1.9	25
119	Novel Inhibitors of Mitochondrial Respiratory Chain: Endoperoxides from the Marine Tunicate <i>Stolonica socialis</i> . <i>Journal of Medicinal Chemistry</i> , 2001, 44, 2362-2365.	6.4	26
120	Chemical studies of porostome nudibranchs: comparative and ecological aspects. <i>Chemoecology</i> , 2001, 11, 131-136.	1.1	38
121	Can molluscs biosynthesize typical sponge metabolites? The case of the nudibranch <i>Doriopsilla areolata</i> . <i>Tetrahedron</i> , 2001, 57, 8913-8916.	1.9	47
122	Synthetic Studies on Natural Diterpenoid Glyceryl Esters. <i>Tetrahedron</i> , 2000, 56, 2503-2512.	1.9	15
123	Structure and absolute stereochemistry of stolonoxide A, a novel cyclic peroxide from the marine tunicate <i>Stolonica socialis</i> . <i>Tetrahedron Letters</i> , 2000, 41, 429-432.	1.4	23
124	Title is missing!. <i>Journal of Chemical Ecology</i> , 2000, 26, 1563-1578.	1.8	42
125	Superacidic Cyclization of All-trans-ï‰-Acetoxyfarnesyl Benzyl Ether. <i>Synthesis</i> , 2000, 2000, 407-410.	2.3	11
126	Scalarane and Homoscalarane Compounds from the Nudibranchs <i>Glossodoris sedna</i> and <i>Glossodoris dalli</i> : Chemical and Biological Properties. <i>Journal of Natural Products</i> , 2000, 63, 527-530.	3.0	33

#	ARTICLE	IF	CITATIONS
127	Chemical studies on Antarctic nudibranch molluscs. Italian Journal of Zoology, 2000, 67, 101-109.	0.6	11
128	Diterpenes from Marine Opisthobranch Molluscs. Current Organic Chemistry, 2000, 4, 1201-1248.	1.6	50
129	Austrodon-A and -B: first tricyclic diterpenoid 2 $\alpha$ -monoglyceryl esters from an Antarctic nudibranch. Tetrahedron Letters, 1999, 40, 8471-8475.	1.4	31
130	Absolute stereochemistry of natural sesquiterpenoid diacylglycerols. Tetrahedron: Asymmetry, 1999, 10, 1263-1273.	1.8	15
131	Absolute stereochemistry of anisodorin 5. Tetrahedron: Asymmetry, 1999, 10, 1635-1636.	1.8	7
132	Absolute configuration of diterpenoid diacylglycerols from the Antarctic nudibranch Austrodon kerguelensis. Tetrahedron: Asymmetry, 1999, 10, 2647-2650.	1.8	33
133	New Minor Diterpenoid Diacylglycerols from the Skin of the Nudibranch Anisodoris fontaini. Journal of Natural Products, 1999, 62, 269-274.	3.0	29
134	Three New Butenolide Lipids from the Caribbean Gorgonian Pterogorgia anceps. Journal of Natural Products, 1999, 62, 1194-1196.	3.0	30
135	Structure of the pigment of the Red Sea nudibranch Hexabranchus sanguineus. Tetrahedron Letters, 1998, 39, 2635-2638.	1.4	14
136	Further Petroformynes from Both Atlantic and Mediterranean Populations of the Sponge Petrosia cf. formosa. Journal of Natural Products, 1998, 61, 333-337.	3.0	26
137	A Novel Dietary Sesquiterpene from the marine Sacoglossan <i>Tridachia Crispata</i> . Natural Product Research, 1997, 10, 151-156.	0.4	27
138	Hurghamides A-D, New N-Acyl-2-Methylene- $\beta$ -Alanine Methyl Esters from Red Sea <i>Hippoponcia</i> sp. Natural Product Research, 1997, 10, 143-150.	0.4	2
139	Novel verrucosins from the skin of the Mediterranean nudibranch Doris verrucosa. Tetrahedron, 1997, 53, 1491-1504.	1.9	31
140	Dactylallene: A novel dietary C15 bromoallene from the Atlantic anaspidean mollusc <i>Aplysia dactylomela</i> . Tetrahedron, 1997, 53, 17343-17350.	1.9	29
141	Regioselective synthesis of diterpenoid 1,2-diacyl-sn-glycerides. Tetrahedron Letters, 1997, 38, 4145-4148.	1.4	10
142	Marine Opisthobranch Molluscs: Chemistry and Ecology in Sacoglossans and Dorids. Current Organic Chemistry, 1997, 3, 327-372.	1.6	78
143	Dolabriterol: A new polypropionate from the skin of the anaspidean mollusc Dolabrifera dolabrifera. Tetrahedron, 1996, 52, 12831-12838.	1.9	43
144	Novel diterpenoid diacylglycerols from marine molluscs: potent morphogens and protein kinase C activators. Experientia, 1996, 52, 874-877.	1.2	21

#	ARTICLE	IF	CITATIONS
145	Synthesis of diastereoisomeric ent-isocopalic acid glycerides. <i>Tetrahedron Letters</i> , 1996, 37, 3549-3552.	1.4	22
146	A new $\hat{1}^3$ -dihydropyrone-propionate from the caribbean sacoglossan <i>Tridachia crispata</i> . <i>Tetrahedron Letters</i> , 1996, 37, 4259-4262.	1.4	53
147	A New Norsesterpene Peroxide from a Red Sea Sponge. <i>Natural Product Research</i> , 1996, 9, 105-112.	0.4	12
148	Synthesis of ( $\hat{\alpha}'$ )-12-Deacetoxyscalaradial. <i>Natural Product Research</i> , 1996, 8, 275-280.	0.4	9
149	Glyceryl ester of a new halimane diterpenoic acid from the skin of the antarctic nudibranch <i>Austrodoris kerguelensis</i> . <i>Tetrahedron Letters</i> , 1995, 36, 7319-7322.	1.4	42
150	Further Structural Studies on the Petroformynes. <i>Journal of Natural Products</i> , 1995, 58, 712-722.	3.0	23
151	Chemical studies of Cadlina molluscs from the Cantabrian Sea (Atlantic Ocean). <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 1995, 111, 283-290.	1.6	12
152	Absolute stereochemistry of petroformynes, high molecular polyacetylenes from the marine sponge <i>Petrosia ficiformis</i> . <i>Tetrahedron</i> , 1994, 50, 13261-13268.	1.9	36
153	Secondary metabolites from Mediterranean Elysiidea: origin and biological role. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1994, 108, 107-115.	0.2	19
154	Defensive relationships between <i>Caulerpa prolifera</i> and its shelled sacoglossan predators. <i>Journal of Experimental Marine Biology and Ecology</i> , 1994, 175, 197-210.	1.5	55
155	Polypropionates from the Mediterranean Mollusk <i>Elysia timida</i> . <i>Journal of Natural Products</i> , 1994, 57, 298-304.	3.0	51
156	Spongiane and ent-Isocopalane Diterpenoids from the Mediterranean Sponge <i>Spongia zimocca</i> . <i>Journal of Natural Products</i> , 1994, 57, 725-731.	3.0	15
157	Archidorin: A New Ichthyotoxic Diacylglycerol from the Atlantic Dorid Nudibranch <i>Archidoris tuberculata</i> . <i>Journal of Natural Products</i> , 1993, 56, 1642-1646.	3.0	25
158	4-Acetylplykurodin B and Aplykurodinone B, Two Ichthyotoxic Degraded Sterols from the Mediterranean Mollusk <i>Aplysia fasciata</i> . <i>Journal of Natural Products</i> , 1992, 55, 989-993.	3.0	40
159	Ichthyotoxic Diterpenoids from the Cantabrian Nudibranch <i>Chromodoris luteorosea</i> . <i>Journal of Natural Products</i> , 1992, 55, 368-371.	3.0	25
160	Antimicrobial and antiviral activity of xylosyl-methylthio-adenosine, a naturally occurring analogue of methylthio-adenosine from <i>Doris verrucosa</i> . <i>Experientia</i> , 1991, 47, 1228-1229.	1.2	8
161	Defensive strategy of two <i>Hypselodoris</i> nudibranchs from Italian and Spanish coasts. <i>Journal of Chemical Ecology</i> , 1991, 17, 625-636.	1.8	31
162	Biosynthetic origin and anatomical distribution of the main secondary metabolites in the nudibranch mollusc <i>Doris verrucosa</i> . <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1990, 97, 363-368.	0.2	10

#	ARTICLE	IF	CITATIONS
163	Oxytoxins, bioactive molecules produced by the marine opisthobranch mollusc <i>Oxynoe olivacea</i> from a diet-derived precursor. <i>Experientia</i> , 1990, 46, 767-770.	1.2	55
164	Stereochemistry of ichthyotoxic diacylglycerols from opisthobranch molluscs. <i>Tetrahedron Letters</i> , 1990, 31, 6093-6094.	1.4	24
165	Stereochemistry and synthesis of bursatellin from chloramphenicol. <i>Tetrahedron Letters</i> , 1990, 31, 573-574.	1.4	13
166	Diterpenes from the Nudibranch <i>Chromodoris luteorosea</i> . <i>Journal of Natural Products</i> , 1990, 53, 102-106.	3.0	35
167	Conversion of Methylthioadenosine Into its Naturally Occurring 3'-Isomer. <i>Nucleosides &amp; Nucleotides</i> , 1989, 8, 1319-1324.	0.5	9
168	Verrucosin-a and -b, ichthyotoxic diterpenoic acid glycerides with a new carbon skeleton from the dorid nudibranch <i>doris verrucosa</i> . <i>Tetrahedron</i> , 1988, 44, 2301-2310.	1.9	54
169	Insect Antifeedant Activity and Hot Taste for Humans of Selected Natural and Synthetic 1,4-Dialdehydes. <i>Journal of Natural Products</i> , 1987, 50, 146-151.	3.0	79
170	Revised structure of bursatellin. <i>Journal of Organic Chemistry</i> , 1987, 52, 2301-2303.	3.2	40
171	Studies on the structure of calliactine, the zoothochrome of the sea anemone <i>calliactis parasitica</i> . <i>Tetrahedron</i> , 1987, 43, 4023-4030.	1.9	34
172	A naturally-occurring analog of methylthioadenosine (MTA) from the nudibranch mollusc <i>Doris verrucosa</i> . <i>Experientia</i> , 1986, 42, 1301-1302.	1.2	35
173	3 $\beta$ ,5 $\beta$ ,6 $\beta$ -Trihydroxysterols from the Mediterranean Bryozoan <i>Myriapora truncata</i> . <i>Journal of Natural Products</i> , 1985, 48, 944-947.	3.0	42