

Shahnawaz D Jadeja

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6957037/publications.pdf>

Version: 2024-02-01

14
papers

223
citations

933447

10
h-index

1058476

14
g-index

17
all docs

17
docs citations

17
times ranked

262
citing authors

#	ARTICLE	IF	CITATIONS
1	Investigation of the Role of Interleukin 6 in Vitiligo Pathogenesis. <i>Immunological Investigations</i> , 2022, 51, 120-137.	2.0	16
2	An in Vitro Study Elucidating the Effect of Oxidative Stress on Melanocytes. <i>International Journal of Research and Review</i> , 2021, 8, 142-154.	0.1	0
3	Elevated X-Box Binding Protein1 Splicing and Interleukin-17A Expression Are Associated With Active Generalized Vitiligo in Gujarat Population. <i>Frontiers in Immunology</i> , 2021, 12, 801724.	4.8	6
4	A genetic analysis identifies a haplotype at adiponectin locus: Association with obesity and type 2 diabetes. <i>Scientific Reports</i> , 2020, 10, 2904.	3.3	21
5	A Concise Review on the Role of Endoplasmic Reticulum Stress in the Development of Autoimmunity in Vitiligo Pathogenesis. <i>Frontiers in Immunology</i> , 2020, 11, 624566.	4.8	27
6	Antibacterial Activity of Marine Bacterial Pigments Obtained from Arabian Sea Water Samples. <i>Journal of Pure and Applied Microbiology</i> , 2020, 14, 517-526.	0.9	3
7	Circulatory Omentin-1 levels but not genetic variants influence the pathophysiology of Type 2 diabetes. <i>Cytokine</i> , 2019, 119, 144-151.	3.2	19
8	Cytokines: the yin and yang of vitiligo pathogenesis. <i>Expert Review of Clinical Immunology</i> , 2019, 15, 177-188.	3.0	22
9	Association of glucose 6-phosphate dehydrogenase (G6PD) 3'UTR polymorphism with vitiligo and in vitro studies on G6PD inhibition in melanocytes. <i>Journal of Dermatological Science</i> , 2019, 93, 133-135.	1.9	6
10	Association of elevated homocysteine levels and Methylenetetrahydrofolate reductase (MTHFR) 1298 A>C polymorphism with Vitiligo susceptibility in Gujarat. <i>Journal of Dermatological Science</i> , 2018, 90, 112-122.	1.9	16
11	Association of interleukin 1 receptor antagonist intron 2 variable number of tandem repeats polymorphism with vitiligo susceptibility in Gujarat population. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2018, 84, 285.	0.6	14
12	The catalase gene promoter and 5' untranslated region variants lead to altered gene expression and enzyme activity in vitiligo. <i>British Journal of Dermatology</i> , 2017, 177, 1590-1600.	1.5	29
13	A case-control study on association of proteasome subunit beta 8 (PSMB8) and transporter associated with antigen processing 1 (TAP1) polymorphisms and their transcript levels in vitiligo from Gujarat. <i>PLoS ONE</i> , 2017, 12, e0180958.	2.5	26
14	Altered Levels of Negative Costimulatory Molecule V-Set Domain-Containing T-Cell Activation Inhibitor-1 (VTCN1) and Metalloprotease Nardilysin (NRD1) are Associated with Generalized Active Vitiligo. <i>Immunological Investigations</i> , 0, , 1-18.	2.0	1