## Yuanwen Gao

## List of Publications by Citations

Source: https://exaly.com/author-pdf/6958162/yuanwen-gao-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16 28 1,103 101 h-index g-index citations papers 106 2.6 1,339 5.34 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
101	Mechanical properties of monolayer graphene under tensile and compressive loading. <i>Physica E:</i> Low-Dimensional Systems and Nanostructures, <b>2009</b> , 41, 1561-1566	3	145
100	Small scale effects on the mechanical behaviors of protein microtubules based on the nonlocal elasticity theory. <i>Biochemical and Biophysical Research Communications</i> , <b>2009</b> , 387, 467-71	3.4	71
99	Numerical simulation on thermoelectric and mechanical performance of annular thermoelectric generator. <i>Energy</i> , <b>2018</b> , 150, 38-48	7.9	50
98	Estimation of thermoelectric and mechanical performances of segmented thermoelectric generators under optimal operating conditions. <i>Applied Thermal Engineering</i> , <b>2014</b> , 73, 335-342	5.8	41
97	Tunability of longitudinal wave band gaps in one dimensional phononic crystal with magnetostrictive material. <i>Journal of Applied Physics</i> , <b>2014</b> , 115, 074104	2.5	41
96	Impact of grain size on the Seebeck coefficient of bulk polycrystalline thermoelectric materials. <i>Science Bulletin</i> , <b>2010</b> , 55, 16-21		38
95	Numerical analysis on the segmented annular thermoelectric generator for waste heat recovery. <i>Energy</i> , <b>2019</b> , 183, 35-47	7.9	33
94	Effects of hysteresis and temperature on magnetoelectric effect in giant magnetostrictive/piezoelectric composites. <i>International Journal of Solids and Structures</i> , <b>2015</b> , 69-70, 291-304	3.1	29
93	Optimal design of a novel thermoelectric generator with linear-shaped structure under different operating temperature conditions. <i>Applied Thermal Engineering</i> , <b>2015</b> , 78, 533-542	5.8	28
92	Tunability of band structures in a two-dimensional magnetostrictive phononic crystal plate with stress and magnetic loadings. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>2017</b> , 381, 1055-1066	2.3	27
91	A nonlocal elastic anisotropic shell model for microtubule buckling behaviors in cytoplasm. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2010</b> , 42, 2406-2415	3	27
90	Numerical models of delamination behavior in 2G HTS tapes under transverse tension and peel. <i>Physica C: Superconductivity and Its Applications</i> , <b>2018</b> , 545, 26-37	1.3	25
89	Theoretical study on nonlinear magnetoelectric effect and harmonic distortion behavior in laminated composite. <i>Journal of Alloys and Compounds</i> , <b>2015</b> , 646, 351-359	5.7	24
88	A nonlinear magnetoelectric model for magnetoelectric layered composite with coupling stress. Journal of Magnetism and Magnetic Materials, <b>2014</b> , 360, 131-136	2.8	22
87	A coupling finite element model for analysis the nonlinear dynamic magnetoelectric response of tri-layer laminate composites. <i>Composite Structures</i> , <b>2017</b> , 166, 163-176	5.3	21
86	Buckling and post-buckling of a ferromagnetic beam-plate induced by magnetoelastic interactions. <i>International Journal of Non-Linear Mechanics</i> , <b>2000</b> , 35, 1059-1065	2.8	19
85	The winding mechanical behavior of conductor on round core cables. <i>Physica C: Superconductivity and Its Applications</i> , <b>2018</b> , 553, 65-71	1.3	16

## (2013-2017)

84	A functionally graded composite cantilever to harvest energy from magnetic field. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 693, 989-999	5.7	16
83	Surface effect on band structure of flexural wave propagating in magneto-elastic phononic crystal nanobeam. <i>Journal Physics D: Applied Physics</i> , <b>2017</b> , 50, 445303	3	15
82	Buckling and post-buckling analysis for magneto-elasticplastic ferromagnetic beam-plates with unmovable simple supports. <i>International Journal of Solids and Structures</i> , <b>2003</b> , 40, 2875-2887	3.1	15
81	Nonlinear magnetoelectric effect in PZT/Terfenol-D nanobilayer on a substrate with surface stress. Journal of Applied Physics, <b>2014</b> , 116, 024101	2.5	14
80	Nonlinear magneto-electric response of a giant magnetostrictive/piezoelectric composite cylinder. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , <b>2012</b> , 28, 385-392	2	14
79	Nonlinear magnetoelectric transient responses of a circular-shaped magnetoelectric layered structure. <i>Smart Materials and Structures</i> , <b>2013</b> , 22, 015015	3.4	14
78	Enhancement of the magnetoelectric coupling in an A-line shape magnetostrictive/piezoelectric structure. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>2017</b> , 381, 1-9	2.3	13
77	Persistence Length of Microtubules Based on a Continuum Anisotropic Shell Model. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2010</b> , 7, 1227-1237	0.3	12
76	Effect of the twisting chirality configuration on the electromechanical behavior of multilayer superconducting tapes. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>2019</b> , 383, 949	9- <del>3</del> 36	12
75	A 2D mechanical-magneto-thermal model for direction-dependent magnetoelectric effect in laminates. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2017</b> , 428, 437-447	2.8	11
74	A Magnetic-Dependent Vibration Energy Harvester Based on the Tunable Point Defect in 2D Magneto-Elastic Phononic Crystals. <i>Crystals</i> , <b>2019</b> , 9, 261	2.3	11
73	A mechanical-magneto-thermal model for the tunability of band gaps of epoxy/Terfenol-D phononic crystals. <i>Journal of Applied Physics</i> , <b>2015</b> , 118, 034101	2.5	11
72	Numerical simulation of the electro-thermo-mechanical behaviors of a high-temperature superconducting cable. <i>Composite Structures</i> , <b>2018</b> , 192, 616-625	5.3	10
71	Nonlocal orthotropic shell model applied on wave propagation in microtubules. <i>Applied Mathematical Modelling</i> , <b>2016</b> , 40, 5731-5744	4.5	10
70	Mechanical behaviors of multi-filament twist superconducting strand under tensile and cyclic loading. <i>Cryogenics</i> , <b>2016</b> , 73, 14-24	1.8	10
69	Delamination and current-carrying degradation behavior of epoxy-impregnated superconducting coil winding with 2G HTS tape caused by thermal stress. <i>AIP Advances</i> , <b>2020</b> , 10, 025320	1.5	9
68	Effect of surfaces similarity on contact resistance of fractal rough surfaces under cyclic loading. <i>AIP Advances</i> , <b>2018</b> , 8, 035319	1.5	9
67	Surface roughness and size effects on the morphology of graphene on a substrate. <i>Physica E:</i> Low-Dimensional Systems and Nanostructures, <b>2013</b> , 54, 78-85	3	9

66	Gap evolution of Lamb wave propagation in magneto-elastic phononic plates with pillars and holes by modulating magnetic field and stress loadings. <i>Journal of Applied Physics</i> , <b>2018</b> , 124, 244102	2.5	9
65	Spring model for mechanical ectrical properties of CICC in cryogenic ectromagnetic environments. <i>Cryogenics</i> , <b>2014</b> , 62, 14-30	1.8	8
64	Electromagneto-thermo-mechanical behaviors of conductive circular plate subject to time-dependent magnetic fields. <i>Acta Mechanica</i> , <b>2010</b> , 210, 99-116	2.1	8
63	Three-dimensional multifilament finite element models of Bi-2212 high-temperature superconducting round wire under axial load. <i>Composite Structures</i> , <b>2019</b> , 211, 273-286	5.3	8
62	A quasistatic hysteresis model for magnetoelectric effect in multiferroic nanostructured films with surface effect. <i>Journal of Alloys and Compounds</i> , <b>2018</b> , 762, 706-718	5.7	8
61	Radial vibration of ultra-small nanoparticles with surface effects. <i>Journal of Physics and Chemistry of Solids</i> , <b>2015</b> , 85, 287-292	3.9	7
60	Transport current distribution on Nb3Sn strand for TARSIS. <i>Physica C: Superconductivity and Its Applications</i> , <b>2013</b> , 489, 25-31	1.3	7
59	Mechanical stress analysis during a quench in CLIQ protected 16 T dipole magnets designed for the future circular collider. <i>Physica C: Superconductivity and Its Applications</i> , <b>2018</b> , 550, 27-34	1.3	6
58	The effects of interface scattering on thermoelectric properties of film thermoelectric materials. <i>Science Bulletin</i> , <b>2014</b> , 59, 3098-3106		6
57	Thermoelectric Properties of Polycrystalline Thin Films Under an External Magnetic Field. <i>Journal of Electronic Materials</i> , <b>2012</b> , 41, 552-559	1.9	6
56	GLAG theory for superconducting property variations with A15 composition in NbSn wires. <i>Scientific Reports</i> , <b>2017</b> , 7, 1133	4.9	6
55	Mechanical Behavior of a 16-T FCC Dipole Magnet During a Quench. <i>IEEE Transactions on Applied Superconductivity</i> , <b>2017</b> , 27, 1-7	1.8	6
54	The effective properties of three-dimensional giant magnetostrictive composites. <i>Journal of Applied Physics</i> , <b>2011</b> , 110, 114121	2.5	6
53	Tunability of band gaps and energy harvesting based on the point defect in a magneto-elastic acoustic metamaterial plate. <i>Applied Physics Express</i> , <b>2020</b> , 13, 015503	2.4	6
52	Scaling rules for critical current density in anisotropic biaxial superconductors. <i>Physica B: Condensed Matter</i> , <b>2016</b> , 491, 70-78	2.8	6
51	Electro-mechanical behaviors of composite superconducting strand with filament breakage. <i>Physica C: Superconductivity and Its Applications</i> , <b>2016</b> , 529, 26-35	1.3	6
50	A nonlinear magneto-mechanical-thermal-electric coupling model of Terfenol-D/PZT/Terfenol-D and Ni/PZT/Ni laminates. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2018</b> , 466, 200-211	2.8	6
49	Thermoelectric performance and stress analysis on wearable thermoelectric generator under bending load. <i>Renewable Energy</i> , <b>2021</b> , 173, 581-595	8.1	6

48	3D simulation of AC loss in a twisted multi-filamentary superconducting wire. <i>Cryogenics</i> , <b>2017</b> , 84, 60-	<b>6&amp;</b> .8	5
47	Experimental Investigation of the Magnetoelectric Effect in NdFeB-Driven A-Line Shape Terfenol-D/PZT-5A Structures. <i>Materials</i> , <b>2019</b> , 12,	3.5	5
46	ElectromagneticMechanical Coupling Analysis of Nb3Sn Superconducting Strand. <i>IEEE Transactions on Applied Superconductivity</i> , <b>2016</b> , 26, 1-5	1.8	5
45	Effect of substrate thickness on interfacial adhesive strength and thermal residual stress of second-generation high-temperature superconducting tape using peel test modeling. <i>Cryogenics</i> , <b>2018</b> , 94, 89-94	1.8	5
44	Prediction for Ic degradation of superconducting strand under bending. <i>Cryogenics</i> , <b>2013</b> , 58, 20-25	1.8	5
43	Study on magnetoBlasticBlastic deformation characteristics of ferromagnetic rectangular plate with simple supports. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , <b>2009</b> , 25, 139-147	2	5
42	Mechanical analysis of a flexible cable battery using the finite element model. <i>AIP Advances</i> , <b>2019</b> , 9, 015013	1.5	5
41	Tunability of Band Gaps in Two-Dimensional Phononic Crystals with Magnetorheological and Electrorheological Composites. <i>Acta Mechanica Solida Sinica</i> , <b>2021</b> , 34, 40-52	2	5
40	Flexural wave band structure of magneto-elastic phononic crystal nanobeams based on the nonlocal theory. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>2021</b> , 390, 127090	2.3	5
39	Effect of magnetic-field orientation on dual-peak phenomenon of magnetoelectric coupling in Ni/PZT/Terfenol-D composites. <i>AIP Advances</i> , <b>2019</b> , 9, 045216	1.5	4
38	A 3D Model on the Electromechanical Behavior of a Multifilament Twisted Nb3Sn Superconducting Strand. <i>Journal of Superconductivity and Novel Magnetism</i> , <b>2015</b> , 28, 2683-2695	1.5	4
37	A mechanical-thermo-magneto model for self-biased magnetoelectric effect in laminated composite. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2016</b> , 401, 1046-1053	2.8	4
36	Tensile Behavior Analysis of the Nb 3Sn Superconducting Strand With Damage of the Filaments. <i>IEEE Transactions on Applied Superconductivity</i> , <b>2016</b> , 26, 1-4	1.8	4
35	The effect of electric charge on the mechanical properties of graphene. <i>Science China: Physics, Mechanics and Astronomy</i> , <b>2013</b> , 56, 1148-1156	3.6	4
34	Mechanics behavior of microtubules based on nonlocal anisotropic shell theory. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2010</b> , 10, 012181	0.4	4
33	Analytical and Numerical Methods to Estimate the Effective Mechanical Properties of Rutherford Cables. <i>IEEE Transactions on Applied Superconductivity</i> , <b>2020</b> , 30, 1-8	1.8	3
32	Finite element analysis of current flowing patterns and AC loss in the multifilament strand. <i>Physica C: Superconductivity and Its Applications</i> , <b>2013</b> , 495, 118-125	1.3	3
31	Magneto-elastic coupling model of deformable anisotropic superconductors. <i>Europhysics Letters</i> , <b>2017</b> , 118, 27006	1.6	3

30	Electromagnetic behaviors of superconducting Nb3Sn wire under a time-dependent current injection. <i>AIP Advances</i> , <b>2014</b> , 4, 087131	1.5	3
29	Dynamic behaviors of conductive circular plate in time-varying magnetic fields. <i>Acta Mechanica Solida Sinica</i> , <b>2010</b> , 23, 66-76	2	3
28	Tunability of hysteresis-dependent band gaps in a two-dimensional magneto-elastic phononic crystal using magnetic and stress loadings. <i>Applied Physics Express</i> , <b>2019</b> , 12, 027001	2.4	3
27	Simulation of transport properties in Nb3Sn strand under bending. <i>Cryogenics</i> , <b>2015</b> , 71, 1-6	1.8	2
26	The Contact Behavior of the CORC Wires Under Stretching Process. <i>IEEE Transactions on Applied Superconductivity</i> , <b>2020</b> , 30, 1-5	1.8	2
25	The morphology of graphene on an elastic graded substrate. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2014</b> , 63, 293-298	3	2
24	Angular Dependence of Transport AC Losses in Superconducting Wire with Position-Dependent Critical Current Density in a DC Magnetic Field. <i>Journal of Low Temperature Physics</i> , <b>2013</b> , 172, 154-161	1.3	2
23	Magneto-Elastic-Plastic Dynamic Characteristic Analysis of Ferromagnetic Beam-Plate under the Pulse Magnetic Field. <i>Key Engineering Materials</i> , <b>2004</b> , 274-276, 1131-1136	0.4	2
22	Nonlinear contact behavior of HTS tapes during pancake coiling and CORC cabling. <i>Superconductor Science and Technology</i> , <b>2021</b> , 34, 075003	3.1	2
21	Ginzburg[landau Theory for Magneto-Elastic Interaction and Magnetization in Type-II Superconductors. <i>Annalen Der Physik</i> , <b>2018</b> , 530, 1800266	2.6	2
20	A FRACTAL MODEL OF PERMEABILITY FOR THE LIQUID HELIUM FLOW IN CABLE-IN-CONDUIT CONDUCTORS. <i>Fractals</i> , <b>2019</b> , 27, 1950064	3.2	1
19	Comparison study of cable geometries and superconducting tape layouts for high-temperature superconductor cables. <i>Cryogenics</i> , <b>2018</b> , 91, 96-102	1.8	1
18	A nonlinear model for magnetocapacitance effect in PZT-ring/Terfenol-D-strip magnetoelectric composites. <i>AIP Advances</i> , <b>2016</b> , 6, 065318	1.5	1
17	Analysis on the magneto-elastic-plastic buckling/snapping of cantilever rectangular ferromagnetic plates. <i>Acta Mechanica Solida Sinica</i> , <b>2007</b> , 20, 180-188	2	1
16	Vortex-lattice pinning and critical current density in anisotropic high-temperature superconductors. <i>Superconductor Science and Technology</i> , <b>2016</b> , 29, 104009	3.1	1
15	Experimental Research on Electromechanical Properties of Multiple Contact Surfaces Copper Bulks under Normal Cyclic Loading and Variable Temperature. <i>Materials</i> , <b>2019</b> , 12,	3.5	1
14	Volumetric contact theory to electrical contact between random rough surfaces. <i>Tribology International</i> , <b>2021</b> , 160, 107007	4.9	1
13	Topological design and magnetic tunability of a novel cross-like holes phononic crystal with low frequency. <i>Mechanics of Advanced Materials and Structures</i> ,1-10	1.8	1

## LIST OF PUBLICATIONS

12	Investigation on the tunability of the band structure of two-dimensional magnetorheological elastomers phononic crystals plate. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2022</b> , 544, 168704	2.8	О
11	Analysis of the strain dependence of the superconducting critical properties of single-crystal and polycrystalline Nb3Sn. <i>Superconductor Science and Technology</i> , <b>2021</b> , 34, 075006	3.1	O
10	A Pressure Drop Model for Helium Flow in CIC Conductors Based on Porous Media Analogy. <i>IEEE Transactions on Applied Superconductivity</i> , <b>2019</b> , 29, 1-7	1.8	0
9	Geometrical modeling and mechanical behavior analysis of Nb3Sn Rutherford cable. <i>Cryogenics</i> , <b>2021</b> , 119, 103361	1.8	O
8	First-order pinning interaction in type-II superconductors with Ginzburglandau descriptions. <i>European Physical Journal B</i> , <b>2019</b> , 92, 1	1.2	
7	A Review of Magneto-Elastic Interaction and Its Theoretical Descriptions in Type-II Superconductors. <i>Journal of Superconductivity and Novel Magnetism</i> , <b>2019</b> , 32, 797-803	1.5	
6	Self-field calculation of CICC with fast direct BiotBavart integration. <i>Fusion Engineering and Design</i> , <b>2014</b> , 89, 473-486	1.7	
5	Theoretical study on functionally graded cylindrical magnetoelectric composites using d15 shear-mode response. <i>AIP Advances</i> , <b>2017</b> , 7, 085202	1.5	
4	COMPUTATIONAL METHOD FOR ELASTIC PLASTIC AND ANISOTROPIC SUPERCONDUCTING CABLE UNDER SIMPLE LOAD. International Journal of Computational Methods, <b>2014</b> , 11, 1344006	1.1	
3	NUMERICAL ANALYSIS ON MAGNETIC-ELASTO-PLASTIC BUCKLING AND BENDING OF FERROMAGNETIC RECTANGULAR PLATE. <i>International Journal of Modern Physics B</i> , <b>2008</b> , 22, 6212-621	7 <sup>1.1</sup>	
2	A CONTINUUM MODAL FOR MECHANICS PROPERTIES OF PROTEIN MICROTUBULES(1A2 Micro & Nano Biomechanics II). The Proceedings of the Asian Pacific Conference on Biomechanics Emerging Science and Technology in Biomechanics, 2007, 2007.3, S14		
1	MECHANICAL-ELECTRIC BEHAVIORS OF MULTI-STAGE TWISTED SUPERCONDUCTING WIRES AND CABLES <b>2015</b> , 23-24		