

# Adrian H Heald

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6958840/adrian-h-heald-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158  
papers

2,480  
citations

27  
h-index

47  
g-index

172  
ext. papers

3,240  
ext. citations

3.6  
avg, IF

5.24  
L-index

#	Paper	IF	Citations
158	Application of a city wide digital population database for outcome analysis in diabetes: SARS-CoV-2, diabetes and hospital admission rate month by month in Greater Manchester, UK.. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2022</b> , 11, e0257	2.5	1
157	SARS-CoV-2, diabetes and mortality: month by month variation in mortality rate from June 2020 to June 2021.. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2022</b> , 11, e0258	2.5	1
156	Mortality Rate Associated with Diabetes: Outcomes From a General Practice Level Analysis in England Using the Royal College of General Practitioners (RCGP) Database Indicate Stability Over a 15 Year Period.. <i>Diabetes Therapy</i> , <b>2022</b> , 13, 505	3.6	1
155	The Risk Factors Potentially Influencing Hospital Admission in People with Diabetes, Following SARS-CoV-2 Infection: A Population-Level Analysis.. <i>Diabetes Therapy</i> , <b>2022</b> , 13, 1007	3.6	0
154	Mortality in People with Type2 Diabetes Following SARS-CoV-2 Infection: A Population Level Analysis of Potential Risk Factors.. <i>Diabetes Therapy</i> , <b>2022</b> , 13, 1037	3.6	2
153	Reducing fatigue-related symptoms in Long COVID-19: a preliminary report of a lymphatic drainage intervention.. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2022</b> , 11, e0261	2.5	0
152	Living with diabetes and its impact on mental health: results of an online survey.. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2022</b> , 11, e0262	2.5	
151	Remote Healthcare Program in Mexico in the Context of the COVID-19 Pandemic.. <i>Healthcare Informatics Research</i> , <b>2022</b> , 28, 152-159	3	
150	Variability in Test Interval Is Linked to Glycated Haemoglobin (HbA1c) Trajectory over Time. <i>Journal of Diabetes Research</i> , <b>2022</b> , 2022, 1-11	3.9	
149	The number of androgen receptor CAG repeats and mortality in men. <i>Aging Male</i> , <b>2022</b> , 25, 167-172	2.1	1
148	Liothyronine for hypothyroidism: a candidate for disinvestment or in need of further research? A value of information analysis. <i>BMJ Open</i> , <b>2021</b> , 11, e051702	3	0
147	Assessment of the effect of the COVID-19 pandemic on UK HbA1c testing: implications for diabetes management and diagnosis. <i>Journal of Clinical Pathology</i> , <b>2021</b> ,	3.9	4
146	Is there a role for natural desiccated thyroid in the treatment of levothyroxine unresponsive hypothyroidism? Results from a consecutive case series. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14967	2.9	1
145	Androgen receptor-reduced sensitivity is associated with increased mortality and poorer glycaemia in men with type 2 diabetes mellitus: a prospective cohort study. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2021</b> , 10, 37-44	2.5	3
144	The risk factors potentially influencing risk of serious illness/death in people with diabetes, following SARS-CoV-2 infection: What needs to be done from here. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2021</b> , 10, 231-232	2.5	0
143	Impact of the UK COVID-19 pandemic on HbA1c testing and its implications for diabetes diagnosis and management. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e13980	2.9	8
142	Lessons learnt from the variation across 6741 family/general practices in England in the use of treatments for hypogonadism. <i>Clinical Endocrinology</i> , <b>2021</b> , 94, 827-836	3.4	1

141	Trends in costs and prescribing for liothyronine and levothyroxine in England and wales 2011-2020. <i>Clinical Endocrinology</i> , <b>2021</b> , 94, 980-989	3.4	4
140	Differential diagnoses of pseudolymphomatous folliculitis: considerations as regards one case. <i>BMJ Case Reports</i> , <b>2021</b> , 14,	0.9	
139	Recalibration of thinking about adrenocortical function assessment: how the random cortisol relates to the short synacthen test results. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2021</b> , 10, 137-145	2.5	1
138	How fast should social restrictions be eased in England as COVID-19 vaccinations are rolled out?. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14191	2.9	10
137	People with Type 2 Diabetes Mellitus (T2DM) Self-Reported Views on Their Own Condition Management Reveal a High Level of Insight into the Challenges Faced. <i>Journal of Diabetes Science and Technology</i> , <b>2021</b> , 15, 972-973	4.1	0
136	The links between the amount of antipsychotic medication prescribed at GP practice level, local demographic factors and medication selection. <i>BJPsych Open</i> , <b>2021</b> , 7, S165-S166	5	
135	Person centred approaches to learning hold a potential for a mature depth of understanding and engagement as opposed to the traditional transmission of knowledge approach to learning. <i>BJPsych Open</i> , <b>2021</b> , 7, S254-S254	5	
134	Dapagliflozin: an effective adjunctive treatment in type 1 diabetes. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2021</b> , 10, 132-136	2.5	1
133	Mortality in 98 type 1 diabetes mellitus and type 2 diabetes mellitus: Foot ulcer location is an independent risk determinant. <i>Diabetic Medicine</i> , <b>2021</b> , 38, e14568	3.5	1
132	Analysis of Continuous Blood Glucose Data in People with Type 1 Diabetes (T1DM) After COVID-19 Vaccination Indicates a Possible Link Between the Immune and the Metabolic Response. <i>Journal of Diabetes Science and Technology</i> , <b>2021</b> , 15, 1204-1205	4.1	4
131	What is the value of the 60-minute cortisol measurement in the short synacthen test (SST)? Evidence for the defence. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14417	2.9	0
130	Age of people with type 2 diabetes and the risk of dying following SARS-CoV-2 infection. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14053	2.9	3
129	Applying Parkes Grid Method to Evaluate Impact of Variation in Blood Glucose Monitoring (BGM) Strip Accuracy Performance in Type 1 Diabetes Highlights the Potential for Amplification of Imprecision With Less Accurate BGM Strips. <i>Journal of Diabetes Science and Technology</i> , <b>2021</b> , 15, 76-81	4.1	4
128	Self-Reported Views on Managing Type 1 Diabetes Mellitus. <i>Journal of Diabetes Science and Technology</i> , <b>2021</b> , 15, 198-200	4.1	1
127	"Stay at Home, Protect the National Health Service, Save Lives": A cost benefit analysis of the lockdown in the United Kingdom. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e13674	2.9	27
126	Early-life stress effects on BDNF DNA methylation in first-episode psychosis and in rats reared in isolation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2021</b> , 108, 110188	5.5	6
125	Effect of bariatric surgery on plasma levels of oxidised phospholipids, biomarkers of oxidised LDL and lipoprotein(a). <i>Journal of Clinical Lipidology</i> , <b>2021</b> , 15, 320-331	4.9	3
124	Modelling the impact of the mandatory use of face coverings on public transport and in retail outlets in the UK on COVID-19-related infections, hospital admissions and mortality. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e13768	2.9	6

123	Serum lithium test requesting across three UK regions: an evaluation of adherence to monitoring guidelines. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 32	4.2	1
122	Investigation of polycystic ovarian syndrome: variation in practice and impact on the speed of diagnosis. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2021</b> , 10, 120-124	2.5	0
121	Genetically defined favourable adiposity is not associated with a clinically meaningful difference in clinical course in people with type 2 diabetes but does associate with a favourable metabolic profile. <i>Diabetic Medicine</i> , <b>2021</b> , 38, e14531	3.5	0
120	Liothyronine and levothyroxine prescribing in England: A comprehensive survey and evaluation. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14228	2.9	1
119	Inadequate postpartum screening for type 2 diabetes in women with previous gestation diabetes mellitus: A retrospective audit of practice over 17 years. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14447	2.9	1
118	Comparing cost of intravenous infusion and subcutaneous biologics in COVID-19 pandemic care pathways for rheumatoid arthritis and inflammatory bowel disease: A brief UK stakeholder survey. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14341	2.9	3
117	Using defined daily doses to review antibiotic prescribing. <i>The Prescriber</i> , <b>2021</b> , 32, 19-25	0.4	
116	Changes in the Proteome Profile of People Achieving Remission of Type 2 Diabetes after Bariatric Surgery. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
115	Analysis of continuous glucose tracking data in people with type 1 diabetes after COVID-19 vaccination reveals unexpected link between immune and metabolic response, augmented by adjunctive oral medication. <i>International Journal of Clinical Practice</i> , <b>2021</b> , e14714	2.9	3
114	Longitudinal clinical trajectory analysis of individuals before and after diagnosis of Type 2 Diabetes Mellitus (T2DM) indicates that vascular problems start early. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14695	2.9	
113	Low sex hormone binding globulin: a potential predictor of future glucose dysregulation in women. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2021</b> , 10, 191-192	2.5	0
112	Is a fasting testosterone level really necessary for the determination of androgen status in men?. <i>Clinica Chimica Acta</i> , <b>2021</b> , 521, 64-69	6.2	1
111	The change in glycaemic control immediately after COVID-19 vaccination in people with type 1 diabetes.. <i>Diabetic Medicine</i> , <b>2021</b> , e14774	3.5	2
110	Can we check serum lithium levels less often without compromising patient safety?. <i>BJPsych Open</i> , <b>2021</b> , 8, e18	5	0
109	The experience of blood glucose monitoring in people with type 2 diabetes mellitus (T2DM).. <i>Endocrinology, Diabetes and Metabolism</i> , <b>2021</b> , e00302	2.7	1
108	Low Sex Hormone Binding Globulin: A Potential Predictor Of Future Glucose Dysregulation In Women.. <i>Journal of Ayub Medical College, Abbottabad: JAMC</i> , <b>2021</b> , 33, 704-705	0.3	
107	Application of SWATH mass spectrometry in the identification of circulating proteins does not predict future weight gain in early psychosis. <i>Clinical Proteomics</i> , <b>2020</b> , 17, 38	5	1
106	Links between the amount of antipsychotic medication prescribed per population at general practice level, local demographic factors and medication selection. <i>BMC Psychiatry</i> , <b>2020</b> , 20, 528	4.2	1

105	The treatment rate of erectile dysfunction (ED) in younger men with type 2 diabetes is up to four times higher than the equivalent non-diabetes population. <i>International Journal of Clinical Practice</i> , <b>2020</b> , 74, e13538	2.9	0
104	COVID-19: Generate and apply local modelled transmission and morbidity effects to provide an estimate of the variation in overall relative healthcare resource impact at general practice granularity. <i>International Journal of Clinical Practice</i> , <b>2020</b> , 74, e13533	2.9	5
103	A phased approach to unlocking during the COVID-19 pandemic-Lessons from trend analysis. <i>International Journal of Clinical Practice</i> , <b>2020</b> , 74, e13528	2.9	19
102	Influences on the use of antidepressants in primary care: All England general practice-level analysis of demographic, practice-level and prescriber factors. <i>Human Psychopharmacology</i> , <b>2020</b> , 35, e2741	2.3	1
101	Into the looking glass: Post-viral syndrome post COVID-19. <i>Medical Hypotheses</i> , <b>2020</b> , 144, 110055	3.8	91
100	Lifestyle intervention in individuals with impaired glucose regulation affects Caveolin-1 expression and DNA methylation. <i>Adipocyte</i> , <b>2020</b> , 9, 96-107	3.2	3
99	Antidepressant Prescribing in England: Patterns and Costs. <i>primary care companion for CNS disorders, The</i> , <b>2020</b> , 22,	1.2	4
98	Quantifying the Impact of Patient-Practice Relationship Quality on the Levels of the Average Annual Antidepressant Practice Prescribing Rate in Primary Care in England. <i>primary care companion for CNS disorders, The</i> , <b>2020</b> , 22,	1.2	2
97	Estimating life years lost to diabetes: outcomes from analysis of National Diabetes Audit and Office of National Statistics data. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2020</b> , 9, 183-185	2.5	14
96	Type 2 diabetes prevalence in Pakistan: what is driving this? Clues from subgroup analysis of normal weight individuals in diabetes prevalence survey of Pakistan. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2020</b> , 9, 159-164	2.5	2
95	Hypogonadism is not being sufficiently recognised in 99% of general practices/family doctor surgeries. <i>International Journal of Clinical Practice</i> , <b>2020</b> , 74, e13445	2.9	2
94	An audit of the measurement and reporting of male testosterone levels in UK clinical biochemistry laboratories. <i>International Journal of Clinical Practice</i> , <b>2020</b> , 74, e13607	2.9	8
93	Hair cortisol concentrations as a biomarker of parental burnout by Maria Elena Brianda, Isabelle Roskam, Moăa Mikolajczak. <i>Psychoneuroendocrinology</i> , <b>2020</b> , 119, 104788	5	
92	The FreeStyle Libre flash glucose monitoring system: how it has improved glycaemic control for people with type 1 diabetes in Eastern Cheshire, UK. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2020</b> , 9, 171-176	2.5	5
91	People with Type Diabetes Mellitus (T1DM) self-reported views on their own condition management reveal links to potentially improved outcomes and potential areas for service improvement. <i>Diabetes Research and Clinical Practice</i> , <b>2020</b> , 170, 108479	7.4	3
90	Circulating microRNA changes in patients with impaired glucose regulation. <i>Adipocyte</i> , <b>2020</b> , 9, 443-453	3.2	3
89	Personal protective equipment (PPE) and infection among healthcare workers - What is the evidence?. <i>International Journal of Clinical Practice</i> , <b>2020</b> , 74, e13617	2.9	10
88	Cost of hospital treatment of type 1 diabetes (T1DM) and type 2 diabetes (T2DM) compared to the non-diabetes population: a detailed economic evaluation. <i>BMJ Open</i> , <b>2020</b> , 10, e033231	3	14

87	LIVING WITH COVID-19: BALANCING COSTS AGAINST BENEFITS IN THE FACE OF THE VIRUS. <i>National Institute Economic Review</i> , <b>2020</b> , 253, R60-R76	1.1	34
86	General practice (GP) level analysis shows that patients' own perceptions of support within primary care as reported in the GP patient survey (GPPS) are as important as medication and services in improving glycaemic control. <i>Primary Care Diabetes</i> , <b>2020</b> , 14, 29-32	2.4	
85	Foot ulceration and its association with mortality in diabetes mellitus: a meta-analysis. <i>Diabetic Medicine</i> , <b>2020</b> , 37, 211-218	3.5	28
84	Controlling antibiotic usage-A national analysis of General Practitioner/Family Doctor practices links overall antibiotic levels to demography, geography, comorbidity factors with local discretionary prescribing choices. <i>International Journal of Clinical Practice</i> , <b>2020</b> , 74, e13515	2.9	1
83	Books: <i>British Journal of General Practice</i> , <b>2019</b> , 69, 33	1.6	
82	The costs of drug prescriptions for diabetes in the NHS. <i>Lancet, The</i> , <b>2019</b> , 393, 226-227	4.0	3
81	Demographic factor clustering at a GP practice level in England and its relation to glycaemic outcomes: What we can learn from this. <i>International Journal of Clinical Practice</i> , <b>2019</b> , 73, e13303	2.9	
80	Data Independent Acquisition Mass Spectrometry Can Identify Circulating Proteins That Predict Future Weight Loss with a Diet and Exercise Programme. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	6
79	Patient perception of support within primary care is as important as medication and services in achieving good glycaemic control. <i>International Journal of Clinical Practice</i> , <b>2019</b> , 73, e13356	2.9	
78	Diabetes Prevalence Survey of Pakistan (DPS-PAK): prevalence of type 2 diabetes mellitus and prediabetes using HbA1c: a population-based survey from Pakistan. <i>BMJ Open</i> , <b>2019</b> , 9, e025300	3	46
77	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry, the</i> , <b>2019</b> , 6, 675-712	23.3	411
76	Male hypogonadism: 14-year prospective outcome in 550 men with type 2 diabetes. <i>Endocrinology, Diabetes and Metabolism</i> , <b>2019</b> , 2, e00064	2.7	7
75	Analysis of English general practice level data linking medication levels, service activity and demography to levels of glycaemic control being achieved in type 2 diabetes to improve clinical practice and patient outcomes. <i>BMJ Open</i> , <b>2019</b> , 9, e028278	3	0
74	Developing a foot ulcer risk model: what is needed to do this in a real-world primary care setting?. <i>Diabetic Medicine</i> , <b>2019</b> , 36, 1412-1416	3.5	8
73	More frequent lithium testing in UK Primary Care associates with a lower hospital admission rate for bipolar disorder-What this can tell us about GP practice engagement with this group. <i>International Journal of Clinical Practice</i> , <b>2019</b> , 73, e13277	2.9	1
72	Sodium-glucose co-transporter-2 inhibitors, the latest residents on the block: Impact on glycaemic control at a general practice level in England. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 1659-1669	6.7	6
71	The pattern of prescribing of glucose modulating agents for type 2 diabetes in general practices in England 2016/17. <i>International Journal of Clinical Practice</i> , <b>2018</b> , 72, e13080	2.9	4
70	Polycystic ovarian syndrome: Assessment of approaches to diagnosis and cardiometabolic monitoring in UK primary care. <i>International Journal of Clinical Practice</i> , <b>2018</b> , 72, e13046	2.9	1

69	Should we be screening for thyroid dysfunction in patients with type 2 diabetes mellitus?. <i>British Journal of General Practice</i> , <b>2018</b> , 68, 94-95	1.6	7
68	Screening for Hypogonadism in Primary Healthcare: How to do this Effectively. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2018</b> , 126, 176-181	2.3	
67	Social deprivation modifies the association between incident foot ulceration and mortality in type 1 and type 2 diabetes: a longitudinal study of a primary-care cohort. <i>Diabetologia</i> , <b>2018</b> , 61, 959-967	10.3	18
66	British Society for Sexual Medicine Guidelines on the Management of Erectile Dysfunction in Men-2017. <i>Journal of Sexual Medicine</i> , <b>2018</b> , 15, 430-457	1.1	67
65	Improving type 2 diabetes mellitus glycaemic outcomes is possible without spending more on medication: Lessons from the UK National Diabetes Audit. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 185-194	6.7	27
64	The LEAVE vote and racial abuse towards Black and Minority Ethnic communities across the UK: the impact on mental health. <i>Journal of the Royal Society of Medicine</i> , <b>2018</b> , 111, 158-161	2.3	6
63	Assessment of global long interspersed nucleotide element-1 (LINE-1) DNA methylation in a longitudinal cohort of type 2 diabetes mellitus (T2DM) individuals. <i>International Journal of Clinical Practice</i> , <b>2018</b> , 73, e13270	2.9	2
62	Route to improving Type 1 diabetes mellitus glycaemic outcomes: real-world evidence taken from the National Diabetes Audit. <i>Diabetic Medicine</i> , <b>2018</b> , 35, 63-71	3.5	22
61	Brexit, the Leave campaign, and mental health of ethnic minority communities. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 110	23.3	3
60	Long-term conditions and the National Diabetes Audit. <i>British Journal of General Practice</i> , <b>2018</b> , 68, 320	1.6	0
59	The frequency of testing for glycated haemoglobin, HbA1c, is linked to the probability of achieving target levels in patients with suboptimally controlled diabetes mellitus. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2018</b> , 57, 296-304	5.9	9
58	Quantifying the link between long-term condition (LTC) patient experience in primary care and their clinical outcomes as measured by the National Diabetes Audit. <i>International Journal of Clinical Practice</i> , <b>2018</b> , 72, e13255	2.9	3
57	Real-world practice level data analysis confirms link between variability within Blood Glucose Monitoring Strip (BGMS) and glycosylated haemoglobin (HbA1c) in Type 1 Diabetes. <i>International Journal of Clinical Practice</i> , <b>2018</b> , 72, e13252	2.9	7
56	Reduction of unnecessary N-terminal pro-brain natriuretic peptide (NT-proBNP) tests: A further lesson in demand management. <i>International Journal of Clinical Practice</i> , <b>2018</b> , 72, e13071	2.9	1
55	Changes in metabolic parameters in patients with severe mental illness over a 10-year period: A retrospective cohort study. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2017</b> , 51, 75-82	2.6	10
54	Monitoring thyroid function in patients on levothyroxine: audit findings and suggested change in practice. <i>International Journal of Clinical Practice</i> , <b>2017</b> , 71, e12877	2.9	1
53	Lifestyle factors and the metabolic syndrome in Schizophrenia: a cross-sectional study. <i>Annals of General Psychiatry</i> , <b>2017</b> , 16, 12	3.4	50
52	Clinical appropriateness of C-reactive protein requests: Reduction in unnecessary repeats. <i>International Journal of Clinical Practice</i> , <b>2017</b> , 71, e12941	2.9	1

51	Monitoring Thyroid Function in Patients on Levothyroxine. Assessment of Conformity to National Guidance and Variability in Practice. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2017</b> , 125, 625-633	2.3	8
50	Success Rates in a Diabetes Specialist Nurse-Led Education Programme: Re-setting the Glucostat. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2017</b> , 125, 297-300	2.3	6
49	Social Disadvantage Is Associated With Lower Vitamin D Levels in Older People and There Is No Surrogate for Its Measurement. <i>Gerontology and Geriatric Medicine</i> , <b>2017</b> , 3, 2333721417697843	2.3	3
48	Prescribing in schizophrenia and psychosis: Increasing polypharmacy over time. <i>Human Psychopharmacology</i> , <b>2017</b> , 32, e2579	2.3	12
47	Hypoglycaemia in the over 75s: Understanding the predisposing factors in type 2 diabetes (T2DM). <i>International Journal of Clinical Practice</i> , <b>2017</b> , 71, e12932	2.9	
46	Serum testosterone levels in male hypogonadism: Why and when to check-A review. <i>International Journal of Clinical Practice</i> , <b>2017</b> , 71, e12995	2.9	33
45	Role of capillary ketone testing in the diagnosis and monitoring of diabetic ketoacidosis. <i>International Journal of Clinical Practice</i> , <b>2017</b> , 71, e13028	2.9	1
44	Polycystic ovarian syndrome: Social situation influences outcome. <i>International Journal of Clinical Practice</i> , <b>2017</b> , 71, e12981	2.9	1
43	Socioeconomic Deprivation as Measured by the Index of Multiple Deprivation and Its Association with Low Sex Hormone Binding Globulin in Women. <i>The Open Biochemistry Journal</i> , <b>2017</b> , 11, 1-7	0.9	4
42	Higher levels of apomorphine and rotigotine prescribing reduce overall secondary healthcare costs in Parkinson's disease. <i>International Journal of Clinical Practice</i> , <b>2016</b> , 70, 907-915	2.9	6
41	Screening for hypogonadism: real-world considerations. <i>Trends in Urology &amp; Men's Health</i> , <b>2016</b> , 7, 27-32	0.3	1
40	40 VITAMIN D DEFICIENCY: RELATION WITH INDEX OF MULTIPLE DEPRIVATION IN THE OVER 70S. <i>Age and Ageing</i> , <b>2016</b> , 45, i10-i10	3	78
39	Serum testosterone, testosterone replacement therapy and all-cause mortality in men with type 2 diabetes: retrospective consideration of the impact of PDE5 inhibitors and statins. <i>International Journal of Clinical Practice</i> , <b>2016</b> , 70, 244-53	2.9	58
38	Changes in biomarkers of bone turnover in an aripiprazole add-on or switching study. <i>Schizophrenia Research</i> , <b>2016</b> , 170, 245-51	3.6	3
37	Phosphodiesterase type-5 inhibitor use in type 2 diabetes is associated with a reduction in all-cause mortality. <i>Heart</i> , <b>2016</b> , 102, 1750-1756	5.1	58
36	Macroprolactin: the Role of Serial Measurement Throughout Pregnancy. <i>Experimental and Clinical Endocrinology &amp; Diabetes Reports</i> , <b>2016</b> , 02, e17-e20	0	
35	Socioeconomic deprivation independently predicts painful diabetic neuropathy in type 2 diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2015</b> , 123, 423-7	2.3	7
34	Should Free Thyroxine Go Back into the Routine Thyroid Profile?. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2015</b> , 123, 594-7	2.3	8



33	Sex differences in plasma clozapine and norclozapine concentrations in clinical practice and in relation to body mass index and plasma glucose concentrations: a retrospective survey. <i>Annals of General Psychiatry</i> , <b>2015</b> , 14, 39	3.4	28
32	Measuring vitamin D levels: surrogates are insufficient. <i>International Journal of Clinical Practice</i> , <b>2015</b> , 69, 131-5	2.9	2
31	Are cholesterol levels being checked and managed appropriately in UK primary care type 2 diabetes?. <i>International Journal of Clinical Practice</i> , <b>2015</b> , 69, 1389-91	2.9	4
30	Diet, exercise and the metabolic syndrome in schizophrenia: A cross-sectional study. <i>Schizophrenia Research</i> , <b>2015</b> , 169, 494-495	3.6	11
29	Insulin-like growth factor-II and insulin-like growth factor binding protein-2 prospectively predict longitudinal elevation of HDL-cholesterol in type 2 diabetes. <i>Annals of Clinical Biochemistry</i> , <b>2014</b> , 51, 468-75	2.2	8
28	Reduced testing frequency for glycated hemoglobin, HbA1c, is associated with deteriorating diabetes control. <i>Diabetes Care</i> , <b>2014</b> , 37, 2731-7	14.6	40
27	Socioeconomic deprivation independently predicts symptomatic painful diabetic neuropathy in type 1 diabetes. <i>Primary Care Diabetes</i> , <b>2014</b> , 8, 65-9	2.4	5
26	IGF2 gene polymorphisms and IGF-II concentration are determinants of longitudinal weight trends in type 2 diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2013</b> , 121, 361-7	2.3	8
25	Screening for hypogonadism in diabetes 2008/9: results from the Cheshire Primary Care cohort. <i>Primary Care Diabetes</i> , <b>2012</b> , 6, 143-8	2.4	19
24	HOMA-S is associated with greater HbA1c reduction with a GLP-1 analogue in patients with type 2 diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2012</b> , 120, 420-3	2.3	2
23	Quantitative adjustment for macroprolactin is an integral part of laboratory assessment of hyperprolactinaemia. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2012</b> , 120, 376-80	2.3	4
22	Physical health in schizophrenia: a challenge for antipsychotic therapy. <i>European Psychiatry</i> , <b>2010</b> , 25 Suppl 2, S6-11	6	43
21	Management of physical health in patients with schizophrenia: practical recommendations. <i>European Psychiatry</i> , <b>2010</b> , 25 Suppl 2, S41-5	6	26
20	Migration is associated with lower total, but not free testosterone levels in South Asian men. <i>Clinical Endocrinology</i> , <b>2007</b> , 67, 651-5	3.4	11
19	Insulin-like growth factor binding protein-2 (IGFBP-2) is a marker for the metabolic syndrome. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2006</b> , 114, 371-6	2.3	87
18	Most commercial insulin assays fail to detect recombinant insulin analogues. <i>Annals of Clinical Biochemistry</i> , <b>2006</b> , 43, 306-8	2.2	34
17	Low insulin-like growth factor-II levels predict weight gain in normal weight subjects with type 2 diabetes. <i>American Journal of Medicine</i> , <b>2006</b> , 119, 167.e9-15	2.4	21
16	Effects of hormone replacement therapy on insulin-like growth factor (IGF)-I, IGF-II and IGF binding protein (IGFBP)-1 to IGFBP-4: implications for cardiovascular risk. <i>Gynecological Endocrinology</i> , <b>2005</b> , 20, 176-82	2.4	27

15	Dietary intake and the insulin-like growth factor system: effects of migration in two related populations in India and Britain with markedly different dietary intake. <i>Public Health Nutrition</i> , <b>2005</b> , 8, 620-7	3.3	29
14	Marked differences in the IGF system that are associated with migration in comparable populations of Gujaratis living in Sandwell, UK, and Gujarat, India. <i>Diabetologia</i> , <b>2005</b> , 48, 1756-65	10.3	7
13	Polymorphisms in IGF-binding protein 1 are associated with impaired renal function in type 2 diabetes. <i>Diabetes</i> , <b>2005</b> , 54, 3547-53	0.9	24
12	Low sex hormone binding globulin is a potential marker for the metabolic syndrome in different ethnic groups. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2005</b> , 113, 522-8	2.3	36
11	Screening for insulin resistance in women with polycystic ovarian syndrome. <i>Gynecological Endocrinology</i> , <b>2005</b> , 20, 84-91	2.4	4
10	Pregnancy related pituitary enlargement mimicking macroadenoma. <i>British Journal of Neurosurgery</i> , <b>2004</b> , 18, 524-6	1	6
9	Long-term negative impact on quality of life in patients with successfully treated Cushing's disease. <i>Clinical Endocrinology</i> , <b>2004</b> , 61, 458-65	3.4	139
8	The influence of dietary intake on the insulin-like growth factor (IGF) system across three ethnic groups: a population-based study. <i>Public Health Nutrition</i> , <b>2003</b> , 6, 175-80	3.3	34
7	Significant ethnic variation in total and free testosterone concentration. <i>Clinical Endocrinology</i> , <b>2003</b> , 58, 262-6	3.4	44
6	C-reactive protein and the insulin-like growth factor (IGF)-system in relation to risk of cardiovascular disease in different ethnic groups. <i>Atherosclerosis</i> , <b>2003</b> , 170, 79-86	3.1	55
5	Low circulating IGF-II concentrations predict weight gain and obesity in humans. <i>Diabetes</i> , <b>2003</b> , 52, 1403-8	3.8	75
4	Low circulating levels of insulin-like growth factor binding protein-1 (IGFBP-1) are closely associated with the presence of macrovascular disease and hypertension in type 2 diabetes. <i>Diabetes</i> , <b>2002</b> , 51, 2629-36	0.9	66
3	Close relation of fasting insulin-like growth factor binding protein-1 (IGFBP-1) with glucose tolerance and cardiovascular risk in two populations. <i>Diabetologia</i> , <b>2001</b> , 44, 333-9	10.3	152
2	Epidemiology of the insulin-like growth factor system in three ethnic groups. <i>American Journal of Epidemiology</i> , <b>2001</b> , 154, 504-13	3.8	49
1	COVID-19: Modelling Local Transmission and Morbidity effects to provide an estimate of overall Relative Healthcare Resource Impact by General Practice Granularity		3