

Dale M Needham

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6959173/dale-m-needham-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

294
papers

25,943
citations

78
h-index

156
g-index

318
ext. papers

31,987
ext. citations

5.5
avg, IF

7.07
L-index

#	Paper	IF	Citations
294	Association between unmet medication needs after hospital discharge and readmission or death among acute respiratory failure survivors: the addressing post-intensive care syndrome (APICS-01) multicenter prospective cohort study.. <i>Critical Care</i> , 2022 , 26, 6	10.8	1
293	Studying the post-COVID-19 condition: research challenges, strategies, and importance of Core Outcome Set development.. <i>BMC Medicine</i> , 2022 , 20, 50	11.4	11
292	Long COVID: aiming for a consensus.. <i>Lancet Respiratory Medicine</i> , 2022 ,	35.1	7
291	Reliability and validity of the Korean version of the Functional Status Score for the ICU after translation and cross-cultural adaptation. <i>Disability and Rehabilitation</i> , 2021 , 1-7	2.4	0
290	Three-Fourths of ICU Physical Therapists Report Use of Assistive Equipment and Technology in Practice: Results of an International Survey. <i>Journal of Acute Care Physical Therapy</i> , 2021 , 12, 21-30	0.5	1
289	Early Mobilization in a PICU: A Qualitative Sustainability Analysis of PICU Up!. <i>Pediatric Critical Care Medicine</i> , 2021 , 22, e233-e242	3	5
288	Provider-Documented Anxiety in the ICU: Prevalence, Risk Factors, and Associated Patient Outcomes. <i>Journal of Intensive Care Medicine</i> , 2021 , 36, 1424-1430	3.3	1
287	Functional electrical stimulation in-bed cycle ergometry in mechanically ventilated patients: a multicentre randomised controlled trial. <i>Thorax</i> , 2021 , 76, 656-663	7.3	7
286	Design of Clinical Trials Evaluating Sedation in Critically Ill Adults Undergoing Mechanical Ventilation: Recommendations From Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research (SCEPTER) Recommendation III. <i>Critical Care Medicine</i> , 2021 , 49, 1535-1546	1.4	2
285	A Core Outcome Set for Research Evaluating Interventions to Prevent and/or Treat Delirium in Critically Ill Adults: An International Consensus Study (Del-COrS). <i>Critical Care Medicine</i> , 2021 , 49, 1535-1546	1.4	7
284	Association of imbalance between job workload and functional ability with return to work in ARDS survivors. <i>Thorax</i> , 2021 ,	7.3	2
283	Cognitive Stimulation in an Intensive Care Unit: A Qualitative Evaluation of Barriers to and Facilitators of Implementation. <i>Critical Care Nurse</i> , 2021 , 41, 51-60	1.6	1
282	Heterogeneity in design and analysis of ICU delirium randomized trials: a systematic review. <i>Trials</i> , 2021 , 22, 354	2.8	1
281	Suicide and self-harm in adult survivors of critical illness: population based cohort study. <i>BMJ</i> , 2021 , 373, n973	5.9	6
280	Bodily pain in survivors of acute respiratory distress syndrome: A 1-year longitudinal follow-up study. <i>Journal of Psychosomatic Research</i> , 2021 , 144, 110418	4.1	1
279	COVID-19 survivorship: How otolaryngologist-head and neck surgeons can restore quality of life after critical illness. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 102917	2.8	7
278	A core outcome set for studies evaluating interventions to prevent and/or treat delirium for adults requiring an acute care hospital admission: an international key stakeholder informed consensus study. <i>BMC Medicine</i> , 2021 , 19, 143	11.4	4

277	Six-month and 12-month patient outcomes based on inflammatory subphenotypes in sepsis-associated ARDS: secondary analysis of SAILS-ALTOS trial. <i>Thorax</i> , 2021 ,	7.3	2
276	Assessing Pain, Both Spontaneous Awakening and Breathing Trials, Choice of Sedation, Delirium Monitoring/Management, Early Exercise/Mobility, and Family Engagement/Empowerment Bundle Practices for Critically Ill Children: An International Survey of 161 PICUs in 18 Countries. <i>Critical Care Medicine</i> , 2021 , 50,	1.4	4
275	Maintaining light sedation is important: next steps for research. <i>Thorax</i> , 2021 , 76, 1069-1070	7.3	1
274	Anemia in Critically Ill Patients With Acute Respiratory Distress Syndrome and Posthospitalization Physical Outcomes. <i>Journal of Intensive Care Medicine</i> , 2021 , 36, 557-565	3.3	6
273	Inter-rater reliability of the Johns Hopkins Highest Level of Mobility Scale (JH-HLM) in the intensive care unit. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 352-355	3.7	5
272	Frailty subtypes and recovery in older survivors of acute respiratory failure: a pilot study. <i>Thorax</i> , 2021 , 76, 350-359	7.3	1
271	Six-Minute Walk Distance After Critical Illness: A Systematic Review and Meta-Analysis. <i>Journal of Intensive Care Medicine</i> , 2021 , 36, 343-351	3.3	20
270	A Cognitive Behavioral Therapy-Informed Self-Management Program for Acute Respiratory Failure Survivors: A Feasibility Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
269	Neuropsychiatric disorders and COVID-19. <i>Lancet Psychiatry</i> , 2021 , 8, 564-565	23.3	1
268	Association of Job Characteristics and Functional Impairments on Return to Work After ARDS. <i>Chest</i> , 2021 , 160, 509-518	5.3	2
267	A structured methodology review showed analyses of functional outcomes are frequently limited to "survivors only" in trials enrolling patients at high risk of death. <i>Journal of Clinical Epidemiology</i> , 2021 , 137, 126-132	5.7	3
266	Physical, cognitive and mental health outcomes in 1-year survivors of COVID-19-associated ARDS. <i>Thorax</i> , 2021 ,	7.3	16
265	Association Between Participant Contact Attempts and Reports of Being Bothered in a National, Longitudinal Cohort Study of ARDS Survivors. <i>Chest</i> , 2020 , 158, 588-595	5.3	3
264	Identifying Clinical Research Priorities in Adult Pulmonary and Critical Care: NHLBI Working Group Report. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 ,	10.2	20
263	Measuring Mobility in Low Functioning Hospital Patients: An AM-PAC Replenishment Project. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 1144-1151	2.8	2
262	Use of actigraphy to characterize inactivity and activity in patients in a medical ICU. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2020 , 49, 398-406	2.6	6
261	Home and Community-Based Physical Therapist Management of Adults With Post-Intensive Care Syndrome. <i>Physical Therapy</i> , 2020 , 100, 1062-1073	3.3	40
260	Factors Associated With Home Visits in a 5-Year Study of Acute Respiratory Distress Syndrome Survivors. <i>American Journal of Critical Care</i> , 2020 , 29, 429-438	1.7	

259	Participant retention in trauma intensive care unit (ICU) follow-up studies: a post-hoc analysis of a previous scoping review. <i>Trauma Surgery and Acute Care Open</i> , 2020 , 5, e000584	2.4	0
258	Report on the Third International Intensive Care Unit Diary Conference. <i>Critical Care Nurse</i> , 2020 , 40, e18-e25	1.6	5
257	Librarian integration into health care conferences: a case report. <i>Journal of the Medical Library Association: JMLA</i> , 2020 , 108, 278-285	1.4	1
256	Usability and acceptability of a mobile application prototype for a combined behavioural activation and physical rehabilitation intervention in acute respiratory failure survivors. <i>Australian Critical Care</i> , 2020 , 33, 511-517	2.9	3
255	Barriers and Facilitators to Early Rehabilitation in the ICU: A Theory Driven Delphi Study. <i>Critical Care Medicine</i> , 2020 , 48, e1171-e1178	1.4	2
254	Core outcomes sets for studies evaluating critical illness and patient recovery. <i>Current Opinion in Critical Care</i> , 2020 , 26, 489-499	3.5	6
253	Performance of Critical Care Outcome Prediction Models in an Intermediate Care Unit. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 1529-1535	3.3	2
252	Return to work after critical illness: a systematic review and meta-analysis. <i>Thorax</i> , 2020 , 75, 17-27	7.3	70
251	Neuropsychiatric outcome in subgroups of Intensive Care Unit survivors: Implications for after-care. <i>Journal of Critical Care</i> , 2020 , 55, 171-176	4	15
250	Post-extubation dysphagia: a problem needing multidisciplinary efforts. <i>Intensive Care Medicine</i> , 2020 , 46, 93-96	14.5	24
249	Society of Critical Care Medicine® International Consensus Conference on Prediction and Identification of Long-Term Impairments After Critical Illness. <i>Critical Care Medicine</i> , 2020 , 48, 1670-1679	1.4	62
248	Survivorship after COVID-19 ICU stay. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 60	51.1	85
247	Prediction Models for Physical, Cognitive, and Mental Health Impairments After Critical Illness: A Systematic Review and Critical Appraisal. <i>Critical Care Medicine</i> , 2020 , 48, 1871-1880	1.4	18
246	Evaluating the association between unmet healthcare needs and subsequent clinical outcomes: protocol for the Addressing Post-Intensive Care Syndrome-01 (APICS-01) multicentre cohort study. <i>BMJ Open</i> , 2020 , 10, e040830	3	4
245	Antipsychotics for Preventing Delirium in Hospitalized Adults. <i>Annals of Internal Medicine</i> , 2020 , 172, 366	8	
244	Do Neuroleptics Still Have a Role in Patients With Delirium?. <i>Annals of Internal Medicine</i> , 2020 , 172, 295-296		
243	What Now for Rehabilitation Specialists? Coronavirus Disease 2019 Questions and Answers. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2233-2242	2.8	7
242	Participant Retention in Follow-Up Studies of Acute Respiratory Failure Survivors. <i>Respiratory Care</i> , 2020 , 65, 1382-1391	2.1	4

241	Mobilization of Mechanically Ventilated Patients in Switzerland. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 55-62	3.3	37
240	Perceived Barriers to Mobility in a Medical ICU: The Patient Mobilization Attitudes & Beliefs Survey for the ICU. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 1026-1031	3.3	7
239	Turkish translation, cross-cultural adaptation, and assessment of psychometric properties of the Functional Status Score for the Intensive Care Unit. <i>Disability and Rehabilitation</i> , 2020 , 42, 3092-3097	2.4	3
238	Actigraphy to Measure Physical Activity in the Intensive Care Unit: A Systematic Review. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 1323-1331	3.3	13
237	Barriers to rehabilitation after critical illness: a survey of multidisciplinary healthcare professionals caring for ICU survivors in an acute care hospital. <i>Australian Critical Care</i> , 2020 , 33, 264-271	2.9	3
236	A roadmap to advance delirium research: Recommendations from the NIDUS Scientific Think Tank. <i>Alzheimer's and Dementia</i> , 2020 , 16, 726-733	1.2	16
235	Fatigue Symptoms During the First Year Following ARDS. <i>Chest</i> , 2020 , 158, 999-1007	5.3	31
234	Inter-observer reliability of trained physiotherapists on the Functional Status Score for the Intensive Care Unit Chilean-Spanish version. <i>Physiotherapy Theory and Practice</i> , 2020 , 1-7	1.5	3
233	Physical Rehabilitation in Critically Ill Children: A Multicenter Point Prevalence Study in the United States. <i>Critical Care Medicine</i> , 2020 , 48, 634-644	1.4	21
232	Inter-rater reliability of activity measure for post-acute care R-ClicksPinpatient mobility short form in the intensive care unit. <i>Physiotherapy Research International</i> , 2020 , 25, e1849	1.8	5
231	Growth differentiation factor-15 as a biomarker of strength and recovery in survivors of acute respiratory failure. <i>Thorax</i> , 2019 , 74, 1099-1101	7.3	4
230	Demonstrating the impact of POLST forms on hospital care requires information not contained in state registries. <i>PLoS ONE</i> , 2019 , 14, e0217113	3.7	2
229	Delphi panelists for a core outcome set project suggested both new and existing dissemination strategies that were feasibly implemented by a research infrastructure project. <i>Journal of Clinical Epidemiology</i> , 2019 , 114, 104-107	5.7	8
228	Understanding and Enhancing Sepsis Survivorship. Priorities for Research and Practice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 972-981	10.2	47
227	Approaches to Addressing Post-Intensive Care Syndrome among Intensive Care Unit Survivors. A Narrative Review. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 947-956	4.7	52
226	Acute Respiratory Failure Survivors Physical, Cognitive, and Mental Health Outcomes: Quantitative Measures versus Semistructured Interviews. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 731-737	4.7	11
225	Screening for posttraumatic stress disorder in ARDS survivors: validation of the Impact of Event Scale-6 (IES-6). <i>Critical Care</i> , 2019 , 23, 276	10.8	41
224	More than one in three proxies do not know their loved one's current code status: An observational study in a Maryland ICU. <i>PLoS ONE</i> , 2019 , 14, e0211531	3.7	10

223	Psychology consultation patterns in a medical intensive care unit: A brief report. <i>Rehabilitation Psychology</i> , 2019 , 64, 360-365	2.7	1
222	Antipsychotics for Preventing Delirium in Hospitalized Adults: A Systematic Review. <i>Annals of Internal Medicine</i> , 2019 , 171, 474-484	8	44
221	Antipsychotics for Treating Delirium in Hospitalized Adults: A Systematic Review. <i>Annals of Internal Medicine</i> , 2019 , 171, 485-495	8	82
220	The IES-R remains a core outcome measure for PTSD in critical illness survivorship research. <i>Critical Care</i> , 2019 , 23, 362	10.8	14
219	Nutrition and Exercise in Critical Illness Trial (NEXIS Trial): a protocol of a multicentred, randomised controlled trial of combined cycle ergometry and amino acid supplementation commenced early during critical illness. <i>BMJ Open</i> , 2019 , 9, e027893	3	17
218	Effect of Documenting Prognosis on the Information Provided to ICU Proxies: A Randomized Trial. <i>Critical Care Medicine</i> , 2019 , 47, 757-764	1.4	15
217	Hospital Readmission and Subsequent Decline in Long-Term Survivors of Acute Respiratory Distress Syndrome. <i>American Journal of Critical Care</i> , 2019 , 28, 76-80	1.7	0
216	Routine Inpatient Mobility Assessment and Hospital Discharge Planning. <i>JAMA Internal Medicine</i> , 2019 , 179, 118-120	11.5	18
215	Upper arm anthropometrics versus DXA scan in survivors of acute respiratory distress syndrome. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 613-617	5.2	2
214	Delirium in the Cardiac Intensive Care Unit. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	31
213	Psychiatric symptoms after acute respiratory distress syndrome: a 5-year longitudinal study. <i>Intensive Care Medicine</i> , 2018 , 44, 38-47	14.5	87
212	Toward a Common Language for Measuring Patient Mobility in the Hospital: Reliability and Construct Validity of Interprofessional Mobility Measures. <i>Physical Therapy</i> , 2018 , 98, 133-142	3.3	61
211	Identifying Barriers to Nurse-Facilitated Patient Mobility in the Intensive Care Unit. <i>American Journal of Critical Care</i> , 2018 , 27, 186-193	1.7	10
210	Coordination of Pharyngeal and Laryngeal Swallowing Events During Single Liquid Swallows After Oral Endotracheal Intubation for Patients with Acute Respiratory Distress Syndrome. <i>Dysphagia</i> , 2018 , 33, 768-777	3.7	23
209	Statistical methods to compare functional outcomes in randomized controlled trials with high mortality. <i>BMJ, The</i> , 2018 , 360, j5748	5.9	39
208	Implementing early physical rehabilitation and mobilisation in the ICU: institutional, clinician, and patient considerations. <i>Intensive Care Medicine</i> , 2018 , 44, 470-473	14.5	25
207	Return to work and lost earnings after acute respiratory distress syndrome: a 5-year prospective, longitudinal study of long-term survivors. <i>Thorax</i> , 2018 , 73, 125-133	7.3	57
206	Physical Impairments Associated With Post-Intensive Care Syndrome: Systematic Review Based on the World Health Organization's International Classification of Functioning, Disability and Health Framework. <i>Physical Therapy</i> , 2018 , 98, 631-645	3.3	51

205	A survey of Delphi panelists after core outcome set development revealed positive feedback and methods to facilitate panel member participation. <i>Journal of Clinical Epidemiology</i> , 2018 , 102, 99-106	5.7	24
204	Factors associated with missed assessments in a 2-year longitudinal study of acute respiratory distress syndrome survivors. <i>BMC Medical Research Methodology</i> , 2018 , 18, 55	4.7	4
203	Barriers and facilitators to early rehabilitation in mechanically ventilated patients-a theory-driven interview study. <i>Journal of Intensive Care</i> , 2018 , 6, 4	7	15
202	Evaluating Muscle Mass in Survivors of Acute Respiratory Distress Syndrome: A 1-Year Multicenter Longitudinal Study. <i>Critical Care Medicine</i> , 2018 , 46, 1238-1246	1.4	28
201	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, 1532-1548	1.4	109
200	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, e825-e873	1.4	1140
199	Perspectives of survivors, families and researchers on key outcomes for research in acute respiratory failure. <i>Thorax</i> , 2018 , 73, 7-12	7.3	40
198	Interrater Reliability of the Functional Status Score for the Intensive Care Unit. <i>Journal of Acute Care Physical Therapy</i> , 2018 , 9, 186-192	0.5	11
197	Understanding patient-important outcomes after critical illness: a synthesis of recent qualitative, empirical, and consensus-related studies. <i>Current Opinion in Critical Care</i> , 2018 , 24, 401-409	3.5	34
196	Methodologic Innovation in Creating Clinical Practice Guidelines: Insights From the 2018 Society of Critical Care Medicine Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Guideline Effort. <i>Critical Care Medicine</i> , 2018 , 46, 1457-1463	1.4	21
195	Hospital mortality prediction for intermediate care patients: Assessing the generalizability of the Intermediate Care Unit Severity Score (IMCUSS). <i>Journal of Critical Care</i> , 2018 , 46, 94-98	4	7
194	Actigraphy to Evaluate Sleep in the Intensive Care Unit. A Systematic Review. <i>Annals of the American Thoracic Society</i> , 2018 , 15, 1075-1082	4.7	43
193	Effects of neuromuscular electrical stimulation on cytokines in peripheral blood for healthy participants: a prospective, single-blinded Study. <i>Clinical Physiology and Functional Imaging</i> , 2017 , 37, 255-262	2.4	10
192	An evaluation of learning clinical decision-making for early rehabilitation in the ICU via interactive education with audience response system. <i>Disability and Rehabilitation</i> , 2017 , 39, 1143-1145	2.4	5
191	Safety of Patient Mobilization and Rehabilitation in the Intensive Care Unit. Systematic Review with Meta-Analysis. <i>Annals of the American Thoracic Society</i> , 2017 , 14, 766-777	4.7	160
190	Predictors of 6-month health utility outcomes in survivors of acute respiratory distress syndrome. <i>Thorax</i> , 2017 , 72, 311-317	7.3	23
189	Are physical measures related to patient-centred outcomes in ARDS survivors?. <i>Thorax</i> , 2017 , 72, 884-892	7.3	14
188	Core Domains for Clinical Research in Acute Respiratory Failure Survivors: An International Modified Delphi Consensus Study. <i>Critical Care Medicine</i> , 2017 , 45, 1001-1010	1.4	46

187	Muscle Weakness and 5-Year Survival in Acute Respiratory Distress Syndrome Survivors. <i>Critical Care Medicine</i> , 2017 , 45, 446-453	1.4	70
186	Instrumental Activities of Daily Living after Critical Illness: A Systematic Review. <i>Annals of the American Thoracic Society</i> , 2017 , 14, 1332-1343	4.7	38
185	Healthcare Resource Use and Costs in Long-Term Survivors of Acute Respiratory Distress Syndrome: A 5-Year Longitudinal Cohort Study. <i>Critical Care Medicine</i> , 2017 , 45, 196-204	1.4	27
184	Joblessness and Lost Earnings after Acute Respiratory Distress Syndrome in a 1-Year National Multicenter Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 1012-1020	10.2	78
183	Core Outcome Measures for Clinical Research in Acute Respiratory Failure Survivors. An International Modified Delphi Consensus Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 1122-1130	10.2	164
182	The intensive care delirium research agenda: a multinational, interprofessional perspective. <i>Intensive Care Medicine</i> , 2017 , 43, 1329-1339	14.5	93
181	Measuring Patient Mobility in the ICU Using a Novel Noninvasive Sensor. <i>Critical Care Medicine</i> , 2017 , 45, 630-636	1.4	25
180	Reply to "Limitations of Conclusions of Systematic Review & Meta-analysis Due to Exclusion of Groups Most at Risk". <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 661-663	5.6	
179	Safety and Feasibility of a Protocolized Approach to In-Bed Cycling Exercise in the Intensive Care Unit: Quality Improvement Project. <i>Physical Therapy</i> , 2017 , 97, 593-602	3.3	12
178	The ICM research agenda on intensive care unit-acquired weakness. <i>Intensive Care Medicine</i> , 2017 , 43, 1270-1281	14.5	95
177	Recovery from Dysphagia Symptoms after Oral Endotracheal Intubation in Acute Respiratory Distress Syndrome Survivors. A 5-Year Longitudinal Study. <i>Annals of the American Thoracic Society</i> , 2017 , 14, 376-383	4.7	75
176	A brief intervention for preparing ICU families to be proxies: A phase I study. <i>PLoS ONE</i> , 2017 , 12, e0185483	3.7	5
175	Evaluating physical functioning in critical care: considerations for clinical practice and research. <i>Critical Care</i> , 2017 , 21, 249	10.8	55
174	Recovery after critical illness: putting the puzzle together-a consensus of 29. <i>Critical Care</i> , 2017 , 21, 296	10.8	79
173	Comparing analyses of corticosteroids and transition to delirium in critically ill patients. <i>Intensive Care Medicine</i> , 2017 , 43, 1933-1935	14.5	2
172	Understanding patient outcomes after acute respiratory distress syndrome: identifying subtypes of physical, cognitive and mental health outcomes. <i>Thorax</i> , 2017 , 72, 1094-1103	7.3	38
171	Intermediate care to intensive care triage: A quality improvement project to reduce mortality. <i>Journal of Critical Care</i> , 2017 , 42, 282-288	4	6
170	Patients' Outcomes After Acute Respiratory Failure: A Qualitative Study With the PROMIS Framework. <i>American Journal of Critical Care</i> , 2017 , 26, 456-465	1.7	23

169	Feasibility of Continuous Actigraphy in Patients in a Medical Intensive Care Unit. <i>American Journal of Critical Care</i> , 2017 , 26, 329-335	1.7	30
168	Participant retention practices in longitudinal clinical research studies with high retention rates. <i>BMC Medical Research Methodology</i> , 2017 , 17, 30	4.7	106
167	Healthcare utilization and costs in ARDS survivors: a 1-year longitudinal national US multicenter study. <i>Intensive Care Medicine</i> , 2017 , 43, 980-991	14.5	47
166	Ten reasons why ICU patients should be mobilized early. <i>Intensive Care Medicine</i> , 2017 , 43, 86-90	14.5	48
165	Core Domains in Evaluating Patient Outcomes After Acute Respiratory Failure: International Multidisciplinary Clinician Consultation. <i>Physical Therapy</i> , 2017 , 97, 168-174	3.3	11
164	A systematic review finds limited data on measurement properties of instruments measuring outcomes in adult intensive care unit survivors. <i>Journal of Clinical Epidemiology</i> , 2017 , 82, 37-46	5.7	21
163	Evaluation of a strategy for enrolling the families of critically ill patients in research using limited human resources. <i>PLoS ONE</i> , 2017 , 12, e0177741	3.7	10
162	Point Prevalence Study of Mobilization Practices for Acute Respiratory Failure Patients in the United States. <i>Critical Care Medicine</i> , 2017 , 45, 205-215	1.4	87
161	Combining nutrition and exercise to optimize survival and recovery from critical illness: Conceptual and methodological issues. <i>Clinical Nutrition</i> , 2016 , 35, 1196-206	5.9	63
160	The association of sleep quality, delirium, and sedation status with daily participation in physical therapy in the ICU. <i>Critical Care</i> , 2016 , 19, 261	10.8	23
159	Intensivist-reported Facilitators and Barriers to Discussing Post-Discharge Outcomes with Intensive Care Unit Surrogates. A Qualitative Study. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 1546-52	4.7	14
158	Physical declines occurring after hospital discharge in ARDS survivors: a 5-year longitudinal study. <i>Intensive Care Medicine</i> , 2016 , 42, 1557-1566	14.5	92
157	Patient outcomes after critical illness: a systematic review of qualitative studies following hospital discharge. <i>Critical Care</i> , 2016 , 20, 345	10.8	76
156	Psychiatric Symptoms in Acute Respiratory Distress Syndrome Survivors: A 1-Year National Multicenter Study. <i>Critical Care Medicine</i> , 2016 , 44, 954-65	1.4	87
155	Statistical methods for evaluating delirium in the ICU. <i>Lancet Respiratory Medicine</i> , 2016 , 4, 534-536	35.1	14
154	Promoting mobility and reducing length of stay in hospitalized general medicine patients: A quality-improvement project. <i>Journal of Hospital Medicine</i> , 2016 , 11, 341-7	2.7	87
153	Rosuvastatin versus placebo for delirium in intensive care and subsequent cognitive impairment in patients with sepsis-associated acute respiratory distress syndrome: an ancillary study to a randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2016 , 4, 203-12	35.1	87
152	The implementation of an early rehabilitation program is associated with reduced length of stay: A multi-ICU study. <i>Journal of the Intensive Care Society</i> , 2016 , 17, 2-11	1.6	15

151	Feasibility and Safety of Physical Therapy during Continuous Renal Replacement Therapy in the Intensive Care Unit. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 699-704	4.7	16
150	Early Mobilization and Rehabilitation of Patients Who Are Critically Ill. <i>Chest</i> , 2016 , 150, 722-31	5.3	62
149	Early Psychological Therapy in Critical Illness. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2016 , 37, 136-42	3.9	8
148	Implementing Early Rehabilitation in the ICU to Improve Patient Outcomes 2016 , 109-113		
147	AuthorsResponse to commentaries on rosuvastatin for delirium and cognitive impairment in sepsis-associated acute respiratory distress syndrome. <i>Journal of Thoracic Disease</i> , 2016 , 8, E1534-E1536 ^{2.6}		1
146	Depressive Symptoms After Critical Illness: A Systematic Review and Meta-Analysis. <i>Critical Care Medicine</i> , 2016 , 44, 1744-53	1.4	183
145	Outcome Measurement in ICU Survivorship Research From 1970 to 2013: A Scoping Review of 425 Publications. <i>Critical Care Medicine</i> , 2016 , 44, 1267-77	1.4	113
144	Aligning critical care interventions with patient goals: A modified Delphi study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016 , 45, 517-524	2.6	16
143	One-year outcomes of rosuvastatin versus placebo in sepsis-associated acute respiratory distress syndrome: prospective follow-up of SAILS randomised trial. <i>Thorax</i> , 2016 , 71, 401-10	7.3	47
142	Functional Status Score for the ICU: An International Clinimetric Analysis of Validity, Responsiveness, and Minimal Important Difference. <i>Critical Care Medicine</i> , 2016 , 44, e1155-e1164	1.4	39
141	The ICU Mobility Scale Has Construct and Predictive Validity and Is Responsive. A Multicenter Observational Study. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 887-93	4.7	58
140	Improved risk stratification for clinical trials of delirium - AuthorsPreply. <i>Lancet Respiratory Medicine</i> , 2016 , 4, e18	35.1	
139	Barriers and Strategies for Early Mobilization of Patients in Intensive Care Units. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 724-30	4.7	153
138	The SF-36 Offers a Strong Measure of Mental Health Symptoms in Survivors of Acute Respiratory Failure. A Tri-National Analysis. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 1343-50	4.7	23
137	Early Mobilization and Rehabilitation in the ICU: Moving Back to the Future. <i>Respiratory Care</i> , 2016 , 61, 971-9	2.1	50
136	Anxiety symptoms in survivors of critical illness: a systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2016 , 43, 23-29	5.6	178
135	Distribution-based estimates of minimal important difference for hospital anxiety and depression scale and impact of event scale-revised in survivors of acute respiratory failure. <i>General Hospital Psychiatry</i> , 2016 , 42, 32-5	5.6	25
134	Antipsychotic Medication for Prevention and Treatment of Delirium in Hospitalized Adults: A Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 705-14	5.6	229

133	Health care resource use and costs of two-year survivors of acute lung injury. An observational cohort study. <i>Annals of the American Thoracic Society</i> , 2015 , 12, 392-401	4.7	32
132	Posttraumatic stress disorder in critical illness survivors: a metaanalysis. <i>Critical Care Medicine</i> , 2015 , 43, 1121-9	1.4	363
131	Long-Term Outcomes of Older Adults with and Without Delirium Immediately After Recovery from General Anesthesia for Surgery. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 1067-74	6.5	8
130	Contradictory findings on one-year mortality following ICU delirium. <i>Critical Care</i> , 2015 , 19, 29	10.8	
129	Cox Regression Models with Functional Covariates for Survival Data. <i>Statistical Modelling</i> , 2015 , 15, 256-278		14
128	Psychometric evaluation of the Hospital Anxiety and Depression Scale 3 months after acute lung injury. <i>Journal of Critical Care</i> , 2015 , 30, 793-8	4	41
127	Delirium transitions in the medical ICU: exploring the role of sleep quality and other factors. <i>Critical Care Medicine</i> , 2015 , 43, 135-141	1.4	77
126	Feasibility and safety of in-bed cycling for physical rehabilitation in the intensive care unit. <i>Journal of Critical Care</i> , 2015 , 30, 1419.e1-5	4	29
125	A holistic approach to the critically ill and Maslow's hierarchy. <i>Journal of Critical Care</i> , 2015 , 30, 210-1	4	6
124	Neuromuscular electrical stimulation in mechanically ventilated patients: a randomized, sham-controlled pilot trial with blinded outcome assessment. <i>Journal of Critical Care</i> , 2015 , 30, 32-9	4	78
123	Cognitive screening among acute respiratory failure survivors: a cross-sectional evaluation of the Mini-Mental State Examination. <i>Critical Care</i> , 2015 , 19, 220	10.8	28
122	Cooccurrence of and remission from general anxiety, depression, and posttraumatic stress disorder symptoms after acute lung injury: a 2-year longitudinal study. <i>Critical Care Medicine</i> , 2015 , 43, 642-53	1.4	72
121	Barriers to early mobility of hospitalized general medicine patients: survey development and results. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015 , 94, 304-12	2.6	72
120	Personalized contact strategies and predictors of time to survey completion: analysis of two sequential randomized trials. <i>BMC Medical Research Methodology</i> , 2015 , 15, 5	4.7	10
119	Construct validity and minimal important difference of 6-minute walk distance in survivors of acute respiratory failure. <i>Chest</i> , 2015 , 147, 1316-1326	5.3	46
118	Updated systematic review identifies substantial number of retention strategies: using more strategies retains more study participants. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1481-7	5.7	81
117	Implementing and sustaining an early rehabilitation program in a medical intensive care unit: A qualitative analysis. <i>Journal of Critical Care</i> , 2015 , 30, 698-704	4	40
116	Timing of low tidal volume ventilation and intensive care unit mortality in acute respiratory distress syndrome. A prospective cohort study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 191, 177-85	10.2	141

115	Allowing Physicians to Choose the Value of Compensation for Participation in a Web-Based Survey: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015 , 17, e189	7.6	6
114	Feasibility and inter-rater reliability of the ICU Mobility Scale. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2014 , 43, 19-24	2.6	169
113	Safety of physical therapy interventions in critically ill patients: a single-center prospective evaluation of 1110 intensive care unit admissions. <i>Journal of Critical Care</i> , 2014 , 29, 395-400	4	85
112	Association of impaired functional status at hospital discharge and subsequent rehospitalization. <i>Journal of Hospital Medicine</i> , 2014 , 9, 277-82	2.7	102
111	A quality improvement project sustainably decreased time to onset of active physical therapy intervention in patients with acute lung injury. <i>Annals of the American Thoracic Society</i> , 2014 , 11, 1230-8	4.7	16
110	Risk factors for physical impairment after acute lung injury in a national, multicenter study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 1214-24	10.2	120
109	Age and decisions to limit life support for patients with acute lung injury: a prospective cohort study. <i>Critical Care</i> , 2014 , 18, R107	10.8	9
108	Supporting small steps toward big innovations: the importance of rigorous pilot studies in critical care. <i>Journal of Critical Care</i> , 2014 , 29, 669-70	4	2
107	Duration of oral endotracheal intubation is associated with dysphagia symptoms in acute lung injury patients. <i>Journal of Critical Care</i> , 2014 , 29, 574-9	4	50
106	An official American Thoracic Society Clinical Practice guideline: the diagnosis of intensive care unit-acquired weakness in adults. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 1437-46	10.2	220
105	Variable-Domain Functional Regression for Modeling ICU Data. <i>Journal of the American Statistical Association</i> , 2014 , 109, 1425-1439	2.8	23
104	Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. <i>Critical Care</i> , 2014 , 18, 658	10.8	255
103	Early mobilization of mechanically ventilated patients: a 1-day point-prevalence study in Germany. <i>Critical Care Medicine</i> , 2014 , 42, 1178-86	1.4	196
102	Exploring the scope of post-intensive care syndrome therapy and care: engagement of non-critical care providers and survivors in a second stakeholders meeting. <i>Critical Care Medicine</i> , 2014 , 42, 2518-26	1.4	243
101	Physical complications in acute lung injury survivors: a two-year longitudinal prospective study. <i>Critical Care Medicine</i> , 2014 , 42, 849-59	1.4	354
100	Corticosteroids and transition to delirium in patients with acute lung injury. <i>Critical Care Medicine</i> , 2014 , 42, 1480-6	1.4	77
99	A scenario-based, randomized trial of patient values and functional prognosis on intensivist intent to discuss withdrawing life support. <i>Critical Care Medicine</i> , 2014 , 42, 1455-62	1.4	35
98	Factors associated with swallowing assessment after oral endotracheal intubation and mechanical ventilation for acute lung injury. <i>Annals of the American Thoracic Society</i> , 2014 , 11, 1545-52	4.7	28

97	Delirium diagnosis methodology used in research: a survey-based study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1513-21	6.5	33
96	Safety and feasibility of femoral catheters during physical rehabilitation in the intensive care unit. <i>Journal of Critical Care</i> , 2013 , 28, 535.e9-15	4	46
95	Functional status impairment is associated with unplanned readmissions. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 1951-8	2.8	66
94	Factors associated with timing of initiation of physical therapy in patients with acute lung injury. <i>Journal of Critical Care</i> , 2013 , 28, 980-4	4	27
93	Early Rehabilitation in the Intensive Care Unit: Preventing Physical and Mental Health Impairments. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2013 , 1, 307-314	0.7	77
92	Critical care rehabilitation trials: the importance of usual care? <i>Critical Care</i> , 2013 , 17, 183	10.8	21
91	Physical rehabilitation of patients in the intensive care unit requiring extracorporeal membrane oxygenation: a small case series. <i>Physical Therapy</i> , 2013 , 93, 248-55	3.3	46
90	General anxiety symptoms after acute lung injury: predictors and correlates. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 287-93	4.1	26
89	Physical and cognitive performance of patients with acute lung injury 1 year after initial trophic versus full enteral feeding. EDEN trial follow-up. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 188, 567-76	10.2	175
88	Reducing deep sedation and delirium in acute lung injury patients: a quality improvement project. <i>Critical Care Medicine</i> , 2013 , 41, 1435-42	1.4	69
87	One year outcomes in patients with acute lung injury randomised to initial trophic or full enteral feeding: prospective follow-up of EDEN randomised trial. <i>BMJ, The</i> , 2013 , 346, f1532	5.9	172
86	ICU early physical rehabilitation programs: financial modeling of cost savings. <i>Critical Care Medicine</i> , 2013 , 41, 717-24	1.4	139
85	ICU early mobilization: from recommendation to implementation at three medical centers. <i>Critical Care Medicine</i> , 2013 , 41, S69-80	1.4	124
84	Posttraumatic stress disorder in survivors of acute lung injury: evaluating the Impact of Event Scale-Revised. <i>Chest</i> , 2013 , 144, 24-31	5.3	97
83	Response. <i>Chest</i> , 2013 , 144, 1974-1975	5.3	2
82	Outcomes of early delirium diagnosis after general anesthesia in the elderly. <i>Anesthesia and Analgesia</i> , 2013 , 117, 471-8	3.9	87
81	The effect of a quality improvement intervention on perceived sleep quality and cognition in a medical ICU. <i>Critical Care Medicine</i> , 2013 , 41, 800-9	1.4	209
80	Occupational therapy for patients with acute lung injury: factors associated with time to first intervention in the intensive care unit. <i>American Journal of Occupational Therapy</i> , 2013 , 67, 355-62	0.4	22

79	Feasibility and observed safety of interactive video games for physical rehabilitation in the intensive care unit: a case series. <i>Journal of Critical Care</i> , 2012 , 27, 219.e1-6	4	30
78	Neuromuscular electrical stimulation for intensive care unit-acquired weakness: protocol and methodological implications for a randomized, sham-controlled, phase II trial. <i>Physical Therapy</i> , 2012 , 92, 1564-79	3.3	23
77	Sleep deprivation in critical illness: its role in physical and psychological recovery. <i>Journal of Intensive Care Medicine</i> , 2012 , 27, 97-111	3.3	267
76	Lung protective mechanical ventilation and two year survival in patients with acute lung injury: prospective cohort study. <i>BMJ, The</i> , 2012 , 344, e2124	5.9	210
75	Improving post-intensive care unit neuropsychiatric outcomes: understanding cognitive effects of physical activity. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 186, 1220-8	10.2	63
74	Early Physical Rehabilitation in the ICU: A Review for the Neurohospitalist. <i>Neurohospitalist, The</i> , 2012 , 2, 96-105	1.1	36
73	ICU-based rehabilitation and its appropriate metrics. <i>Current Opinion in Critical Care</i> , 2012 , 18, 533-9	3.5	17
72	Improving long-term outcomes after discharge from intensive care unit: report from a stakeholdersPconference. <i>Critical Care Medicine</i> , 2012 , 40, 502-9	1.4	1172
71	Patient-nurse interrater reliability and agreement of the Richards-Campbell sleep questionnaire. <i>American Journal of Critical Care</i> , 2012 , 21, 261-9	1.7	553
70	Depressive symptoms and impaired physical function after acute lung injury: a 2-year longitudinal study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 185, 517-24	10.2	146
69	Early physical rehabilitation in the ICU and ventilator liberation. <i>Respiratory Care</i> , 2012 , 57, 1663-9	2.1	37
68	Treatment of four psychiatric emergencies in the intensive care unit. <i>Critical Care Medicine</i> , 2012 , 40, 2662-70	1.4	31
67	Postintensive care syndrome, need for recognition, treatment, research, and expansion of included symptoms. <i>Critical Care Medicine</i> , 2012 , 40, 2743	1.4	1
66	Repeated attempts using different strategies are important for timely contact with study participants. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 1144-51	5.7	10
65	Psychiatric long-term complications of intensive care unit survivors. <i>Critical Care Medicine</i> , 2011 , 39, 2790.4	4	6
64	Long-term complications of critical care. <i>Critical Care Medicine</i> , 2011 , 39, 371-9	1.4	568
63	Manual muscle testing: a method of measuring extremity muscle strength applied to critically ill patients. <i>Journal of Visualized Experiments</i> , 2011 ,	1.6	38
62	Estimating the Causal Effect of Low Tidal Volume Ventilation on Survival in Patients with Acute Lung Injury. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2011 , 60, 475-496	1.5	9

61	The Johns Hopkins Delirium Consortium: a model for collaborating across disciplines and departments for delirium prevention and treatment. <i>Journal of the American Geriatrics Society</i> , 2011 , 59 Suppl 2, S244-8	5.6	5
60	Does intensive care unit severity of illness influence recall of baseline physical function?. <i>Journal of Critical Care</i> , 2011 , 26, 634.e1-7	4	7
59	Collaborative cohort study of an intervention to reduce ventilator-associated pneumonia in the intensive care unit. <i>Infection Control and Hospital Epidemiology</i> , 2011 , 32, 305-14	2	158
58	The functional costs of ICU survivorship. Collaborating to improve post-ICU disability. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 183, 962-4	10.2	72
57	The business case for quality: economic analysis of the Michigan Keystone Patient Safety Program in ICUs. <i>American Journal of Medical Quality</i> , 2011 , 26, 333-9	1.1	55
56	Early Mobilization in the Intensive Care Unit: Safety, Feasibility, and Benefits 2010 , 192-196		
55	Rehabilitation quality improvement in an intensive care unit setting: implementation of a quality improvement model. <i>Topics in Stroke Rehabilitation</i> , 2010 , 17, 271-81	2.6	118
54	Early physical medicine and rehabilitation for patients with acute respiratory failure: a quality improvement project. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 536-42	2.8	517
53	Long-term mortality and quality of life in sepsis: a systematic review. <i>Critical Care Medicine</i> , 2010 , 38, 1276-83	1.4	408
52	Baseline quality of life before intensive care: a comparison of patient versus proxy responses. <i>Critical Care Medicine</i> , 2010 , 38, 855-60	1.4	64
51	Improving the quality of quality improvement projects. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2010 , 36, 468-73	1.4	16
50	How to use an article about quality improvement. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 2279-87	27.4	94
49	Inter-rater reliability of manual muscle strength testing in ICU survivors and simulated patients. <i>Intensive Care Medicine</i> , 2010 , 36, 1038-43	14.5	103
48	Rehabilitation therapy and outcomes in acute respiratory failure: an observational pilot project. <i>Journal of Critical Care</i> , 2010 , 25, 254-62	4	208
47	Early mobilisation of intensive care unit patient: the challenges of morbid obesity and multiorgan failure. <i>BMJ Case Reports</i> , 2010 , 2010,	0.9	2
46	Patient safety, quality of care, and knowledge translation in the intensive care unit. <i>Respiratory Care</i> , 2010 , 55, 922-8	2.1	10
45	Improving data quality control in quality improvement projects. <i>International Journal for Quality in Health Care</i> , 2009 , 21, 145-50	1.9	38
44	Depression in general intensive care unit survivors: a systematic review. <i>Intensive Care Medicine</i> , 2009 , 35, 796-809	14.5	301

43	The impact of obesity on outcomes after critical illness: a meta-analysis. <i>Intensive Care Medicine</i> , 2009 , 35, 1152-70	14.5	214
42	Bench-to-bedside review: mobilizing patients in the intensive care unit--from pathophysiology to clinical trials. <i>Critical Care</i> , 2009 , 13, 216	10.8	171
41	Interruption of sedation for early rehabilitation improves outcomes in ventilated, critically ill adults. <i>Australian Journal of Physiotherapy</i> , 2009 , 55, 210		5
40	Are intensive care factors associated with depressive symptoms 6 months after acute lung injury?. <i>Critical Care Medicine</i> , 2009 , 37, 1702-7	1.4	69
39	Technology to enhance physical rehabilitation of critically ill patients. <i>Critical Care Medicine</i> , 2009 , 37, S436-41	1.4	107
38	Critical Illness Neuromyopathy and Muscle Weakness in Patients in the Intensive Care Unit. <i>AACN Advanced Critical Care</i> , 2009 , 20, 243-253	1	2
37	Critical illness neuromyopathy and muscle weakness in patients in the intensive care unit. <i>AACN Advanced Critical Care</i> , 2009 , 20, 243-53	1	27
36	A framework for diagnosing and classifying intensive care unit-acquired weakness. <i>Critical Care Medicine</i> , 2009 , 37, S299-308	1.4	364
35	Posttraumatic stress disorder in general intensive care unit survivors: a systematic review. <i>General Hospital Psychiatry</i> , 2008 , 30, 421-34	5.6	420
34	Improving patient safety in intensive care units in Michigan. <i>Journal of Critical Care</i> , 2008 , 23, 207-21	4	241
33	Mobilizing patients in the intensive care unit: improving neuromuscular weakness and physical function. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1685-90	27.4	318
32	Pulmonary vs nonpulmonary sepsis and mortality in acute lung injury. <i>Chest</i> , 2008 , 134, 534-538	5.3	27
31	Psychiatric morbidity in survivors of the acute respiratory distress syndrome: a systematic review. <i>Psychosomatic Medicine</i> , 2008 , 70, 512-9	3.7	205
30	Patient and intensive care unit organizational factors associated with low tidal volume ventilation in acute lung injury. <i>Critical Care Medicine</i> , 2008 , 36, 1463-8	1.4	71
29	Informed consent in the critically ill: a two-step approach incorporating delirium screening. <i>Critical Care Medicine</i> , 2008 , 36, 94-9	1.4	50
28	Intensive care unit hypoglycemia predicts depression during early recovery from acute lung injury. <i>Critical Care Medicine</i> , 2008 , 36, 2726-33	1.4	61
27	Translating evidence into practice: a model for large scale knowledge translation. <i>BMJ, The</i> , 2008 , 337, a1714	5.9	327
26	Barriers to low tidal volume ventilation in acute respiratory distress syndrome: Survey development, validation, and results. <i>Critical Care Medicine</i> , 2007 , 35, 2747-2754	1.4	54

25	Intensive care unit exposures for long-term outcomes research: development and description of exposures for 150 patients with acute lung injury. <i>Journal of Critical Care</i> , 2007 , 22, 275-84	4	47
24	Neuromuscular dysfunction acquired in critical illness: a systematic review. <i>Intensive Care Medicine</i> , 2007 , 33, 1876-91	14.5	428
23	Review of retention strategies in longitudinal studies and application to follow-up of ICU survivors. <i>Intensive Care Medicine</i> , 2007 , 33, 2051-7	14.5	34
22	Barriers to low tidal volume ventilation in acute respiratory distress syndrome: survey development, validation, and results. <i>Critical Care Medicine</i> , 2007 , 35, 2747-54	1.4	40
21	The role of future longitudinal studies in ICU survivors: understanding determinants and pathophysiology of weakness and neuromuscular dysfunction. <i>Current Opinion in Critical Care</i> , 2007 , 13, 489-96	3.5	24
20	Systematic review identifies number of strategies important for retaining study participants. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 757-65	5.7	151
19	An intervention to decrease catheter-related bloodstream infections in the ICU. <i>New England Journal of Medicine</i> , 2006 , 355, 2725-32	59.2	3609
18	Study protocol: The Improving Care of Acute Lung Injury Patients (ICAP) study. <i>Critical Care</i> , 2006 , 10, R9	10.8	71
17	Hospital volume and mortality for mechanical ventilation of medical and surgical patients: a population-based analysis using administrative data. <i>Critical Care Medicine</i> , 2006 , 34, 2349-54	1.4	79
16	How will we know patients are safer? An organization-wide approach to measuring and improving safety. <i>Critical Care Medicine</i> , 2006 , 34, 1988-95	1.4	98
15	Creating high reliability in health care organizations. <i>Health Services Research</i> , 2006 , 41, 1599-617	3.4	300
14	Quality of life after acute respiratory distress syndrome: a meta-analysis. <i>Intensive Care Medicine</i> , 2006 , 32, 1115-24	14.5	261
13	Projected incidence of mechanical ventilation in Ontario to 2026: Preparing for the aging baby boomers. <i>Critical Care Medicine</i> , 2005 , 33, 574-9	1.4	203
12	A system factors analysis of "line, tube, and drain" incidents in the intensive care unit. <i>Critical Care Medicine</i> , 2005 , 33, 1701-7	1.4	76
11	A systematic review of the Charlson comorbidity index using Canadian administrative databases: a perspective on risk adjustment in critical care research. <i>Journal of Critical Care</i> , 2005 , 20, 12-9	4	279
10	Quality of life in adult survivors of critical illness: a systematic review of the literature. <i>Intensive Care Medicine</i> , 2005 , 31, 611-20	14.5	363
9	Studying outcomes of intensive care unit survivors: measuring exposures and outcomes. <i>Intensive Care Medicine</i> , 2005 , 31, 1153-60	14.5	46
8	Studying outcomes of intensive care unit survivors: the role of the cohort study. <i>Intensive Care Medicine</i> , 2005 , 31, 914-21	14.5	27

7	Ventilatory management of acute lung injury and acute respiratory distress syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 2889-96	27.4	137
6	A system factors analysis of airway events from the Intensive Care Unit Safety Reporting System (ICUSRS). <i>Critical Care Medicine</i> , 2004 , 32, 2227-33	1.4	65
5	Mechanical ventilation in Ontario, 1992-2000: incidence, survival, and hospital bed utilization of noncardiac surgery adult patients. <i>Critical Care Medicine</i> , 2004 , 32, 1504-9	1.4	144
4	Intensive care unit physician staffing: financial modeling of the Leapfrog standard. <i>Critical Care Medicine</i> , 2004 , 32, 1247-53	1.4	167
3	Socio-economic, gender and health services factors affecting diagnostic delay for tuberculosis patients in urban Zambia. <i>Tropical Medicine and International Health</i> , 2001 , 6, 256-9	2.3	104
2	Functional status and quality of life after critical illness ³⁰⁻³⁸		1
1	Dexmedetomidine vs other sedatives in critically ill mechanically ventilated adults: a systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine</i> ,	14.5	2