

In-hwan Baek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6959174/in-hwan-baek-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69 papers	710 citations	15 h-index	22 g-index
73 ext. papers	844 ext. citations	3.9 avg, IF	4.22 L-index

#	Paper	IF	Citations
69	Pharmacokinetic analysis of two different doses of simvastatin following oral administration in dogs. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2021 , 44, 333-341	1.4	
68	Pharmacokinetics of eperisone following oral administration in healthy Korean volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2021 , 42, 94-102	1.7	
67	Oral bioavailability and pharmacokinetics of esculetin following intravenous and oral administration in rats. <i>Xenobiotica</i> , 2021 , 51, 811-817	2	4
66	Gender differences and dose proportionality in the toxicokinetics of udenafil and its active metabolite following oral administration in rodents. <i>Toxicology and Applied Pharmacology</i> , 2021 , 410, 115339	4.6	
65	Pharmacokinetic interaction between dronedarone and ticagrelor following oral administration in rats. <i>Xenobiotica</i> , 2021 , 51, 194-201	2	
64	Comparative Efficacy of Oral Calcitonin-Gene-Related Peptide Antagonists for the Treatment of Acute Migraine: Updated Meta-analysis. <i>Clinical Drug Investigation</i> , 2021 , 41, 119-132	3.2	7
63	Enhanced Oral Bioavailability of Resveratrol by Using Neutralized Eudragit E Solid Dispersion Prepared via Spray Drying. <i>Antioxidants</i> , 2021 , 10,	7.1	6
62	Interspecies differences on pharmacokinetics of rebamipide following oral administration to rats and dogs. <i>Biopharmaceutics and Drug Disposition</i> , 2020 , 41, 268-272	1.7	
61	Pharmaceutical Characterization and In Vivo Evaluation of Orlistat Formulations Prepared by the Supercritical Melt-Adsorption Method Using Carbon Dioxide: Effects of Mesoporous Silica Type. <i>Pharmaceutics</i> , 2020 , 12,	6.4	3
60	Characterization and therapeutic efficacy evaluation of glimepiride and L-arginine co-amorphous formulation prepared by supercritical antisolvent process: Influence of molar ratio and preparation methods. <i>International Journal of Pharmaceutics</i> , 2020 , 581, 119232	6.5	12
59	Pure -Resveratrol Nanoparticles Prepared by A Supercritical Antisolvent Process Using Alcohol and Dichloromethane Mixtures: Effect of Particle Size on Dissolution and Bioavailability in Rats. <i>Antioxidants</i> , 2020 , 9,	7.1	14
58	A Comparative Study on the Clinical Efficacy and Safety between Combination Therapy with CDK 4/6 Inhibitor and AI Versus AI Monotherapy in HR+/HER type2- Advanced Breast Cancer: Updated Meta-analysis. <i>Korean Journal of Clinical Pharmacy</i> , 2020 , 30, 1-10	0.2	
57	Pharmacokinetic Study of a Soft Gelatin Capsule and a Solid-Supersaturatable SMEDDS Tablet of Dutasteride in Beagle Dogs. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2020 , 45, 235-247	2.7	2
56	Pharmacokinetic analysis of mosapride following intravenous and oral administration in beagle dogs. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2020 , 43, 454-460	1.4	
55	Dose proportionality and pharmacokinetics of dronedarone following intravenous and oral administration to rat. <i>Xenobiotica</i> , 2019 , 49, 734-739	2	5
54	Pharmacokinetic and bioequivalence study of sugar-coated and film-coated eperisone tablets in healthy subjects: A randomized, open-label, three-way, reference-replicated crossover study?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019 , 57, 55-62	2	2
53	Meta-analysis on the Efficacy of Glutamate Receptor Antagonists for Acute Migraine Treatment. <i>Korean Journal of Clinical Pharmacy</i> , 2019 , 29, 247-253	0.2	

52	Preparation and Evaluation of Resveratrol-Loaded Composite Nanoparticles Using a Supercritical Fluid Technology for Enhanced Oral and Skin Delivery. <i>Antioxidants</i> , 2019 , 8,	7.1	26
51	Development of a Resveratrol Nanosuspension Using the Antisolvent Precipitation Method without Solvent Removal, Based on a Quality by Design (QbD) Approach. <i>Pharmaceutics</i> , 2019 , 11,	6.4	17
50	Pharmacokinetic modeling and simulation of etodolac following single oral administration in dogs. <i>Xenobiotica</i> , 2019 , 49, 981-986	2	4
49	PI3K α contributes to ER stress-associated asthma through ER-redox disturbances: the involvement of the RIDD-RIG-I-NF- κ B axis. <i>Experimental and Molecular Medicine</i> , 2018 , 50, e444	12.8	12
48	Effect of dronedarone on the pharmacokinetics of carvedilol following oral administration to rats. <i>European Journal of Pharmaceutical Sciences</i> , 2018 , 111, 13-19	5.1	6
47	Enhanced Bioavailability of Tadalafil after Intranasal Administration in Beagle Dogs. <i>Pharmaceutics</i> , 2018 , 10,	6.4	7
46	Fabrication of high-performance p-type thin film transistors using atomic-layer-deposited SnO films. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3139-3145	7.1	53
45	Determination and correlation of solubility of sarpogrelate hydrochloride in eight solvents at different temperatures. <i>Journal of Molecular Liquids</i> , 2017 , 237, 141-145	6	18
44	Solubility of cilostazol in the presence of polyethylene glycol 4000, polyethylene glycol 6000, polyvinylpyrrolidone K30, and poly(1-vinylpyrrolidone-co-vinyl acetate) at different temperatures. <i>Journal of Chemical Thermodynamics</i> , 2017 , 113, 6-10	2.9	14
43	Synthesis of SnS Thin Films by Atomic Layer Deposition at Low Temperatures. <i>Chemistry of Materials</i> , 2017 , 29, 8100-8110	9.6	49
42	Determination and correlation of solubility of pranlukast hemihydrate in five organic solvents at different temperatures and its dissolution properties. <i>Journal of Molecular Liquids</i> , 2017 , 225, 231-234	6	13
41	A Comparison of International Guidelines for Pediatric Asthma Pharmacotherapy. <i>Korean Journal of Clinical Pharmacy</i> , 2017 , 27, 113-118	0.2	
40	Michaelis-Menten elimination kinetics of etanercept, rheumatoid arthritis biologics, after intravenous and subcutaneous administration in rats. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2016 , 41, 433-9	2.7	4
39	Preparation and Characterization of TPGS-Colloidal Silica Microparticles for Enhancement of Solubility and Oral Bioavailability of Lercanidipine Hydrochloride. <i>Bulletin of the Korean Chemical Society</i> , 2016 , 37, 660-666	1.2	3
38	Pharmacokinetic modeling and Monte Carlo simulation of ondansetron following oral administration in dogs. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2015 , 38, 199-202	1.4	3
37	Enhancement of dissolution and bioavailability of ezetimibe by amorphous solid dispersion nanoparticles fabricated using supercritical antisolvent process. <i>Journal of Pharmaceutical Investigation</i> , 2015 , 45, 641-649	6.3	25
36	Fabrication and evaluation of celecoxib microparticle surface modified by hydrophilic cellulose and surfactant. <i>International Journal of Biological Macromolecules</i> , 2015 , 72, 1473-8	7.9	12
35	Dissolution and bioavailability of lercanidipine-hydroxypropylmethyl cellulose nanoparticles with surfactant. <i>International Journal of Biological Macromolecules</i> , 2015 , 72, 218-22	7.9	20

34	Determination of influence of food intake after a single oral dose of mosapride in beagle dogs using nonlinear mixed effect modeling. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2015 , 38, 590-5	1.4	1
33	Effects of food intake on pharmacokinetics of mosapride in beagle dogs. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2015 , 38, 497-9	1.4	4
32	Design of a gelatin microparticle-containing self-microemulsifying formulation for enhanced oral bioavailability of dutasteride. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 3231-8	4.4	7
31	Enhanced supersaturation and oral absorption of sirolimus using an amorphous solid dispersion based on Eudragit® E. <i>Molecules</i> , 2015 , 20, 9496-509	4.8	18
30	Improving dissolution and oral bioavailability of pranlukast hemihydrate by particle surface modification with surfactants and homogenization. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 3257-66	4.4	2
29	Development of megestrol acetate solid dispersion nanoparticles for enhanced oral delivery by using a supercritical antisolvent process. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 4269-77	4.4	15
28	Preparation and in vivo evaluation of a dutasteride-loaded solid-supersaturatable self-microemulsifying drug delivery system. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 10821-33	6.3	26
27	A simple pharmacokinetic model of alendronate developed using plasma concentration and urine excretion data from healthy men. <i>Drug Development and Industrial Pharmacy</i> , 2014 , 40, 1325-9	3.6	6
26	Dissolution and oral absorption of pranlukast nanosuspensions stabilized by hydroxypropylmethyl cellulose. <i>International Journal of Biological Macromolecules</i> , 2014 , 67, 53-7	7.9	22
25	Oral absorption of a valsartan-loaded spray-dried emulsion based on hydroxypropylmethyl cellulose. <i>International Journal of Biological Macromolecules</i> , 2014 , 69, 222-8	7.9	17
24	Preparation and evaluation of solid dispersion of atorvastatin calcium with Soluplus® by spray drying technique. <i>Chemical and Pharmaceutical Bulletin</i> , 2014 , 62, 545-51	1.9	50
23	Fabrication and evaluation of valsartan-polymer-surfactant composite nanoparticles by using the supercritical antisolvent process. <i>International Journal of Nanomedicine</i> , 2014 , 9, 5167-76	7.3	35
22	Formulation, characterization, and in vivo evaluation of celecoxib-PVP solid dispersion nanoparticles using supercritical antisolvent process. <i>Molecules</i> , 2014 , 19, 20325-39	4.8	34
21	Development of a pharmacokinetic/pharmacodynamic/disease progression model in NC/Nga mice for development of novel anti-atopic dermatitis drugs. <i>Xenobiotica</i> , 2014 , 44, 975-87	2	6
20	Development of a population pharmacokinetic model to describe olmesartan medoxomil/hydrochlorothiazide (20/12.5 mg) FDC tablet in male healthy South Korean subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2014 , 52, 676-83	2	4
19	Pharmacokinetic analysis of doxifluridine and its metabolites, 5-fluorouracil and 5-fluorouridine, after oral administration in beagle dogs. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2013 , 38, 295-9	2.7	2
18	Effect of food intake on the pharmacokinetics of sarpogrelate and its active metabolite following oral administration to beagle dogs. <i>Xenobiotica</i> , 2013 , 43, 895-900	2	6
17	Biopharmaceutical characterization of decursin and their derivatives for drug discovery. <i>Drug Development and Industrial Pharmacy</i> , 2013 , 39, 1523-30	3.6	10

16	Population pharmacokinetics of multiple alcohol intake in humans. <i>Alcohol</i> , 2013 , 47, 159-65	2.7	8
15	Simultaneous Determination of Olanzapine and its Major Metabolite N-Desmethyl Olanzapine in Rat Plasma by HPLC-MS/MS: Application of PK in Rat. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 2567-2568	1.2	
14	Physicochemical characterization and toxicity of decursin and their derivatives from <i>Angelica gigas</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2012 , 35, 1084-90	2.3	9
13	Population PK/PD analysis of metformin using the signal transduction model. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 815-23	3.8	9
12	Effect of decursin on the pharmacokinetics of theophylline and its metabolites in rats. <i>Journal of Ethnopharmacology</i> , 2012 , 144, 248-54	5	6
11	Quantitative Determination of Amitriptyline and Its Metabolite in Rat Plasma by Liquid Chromatography-tandem Mass Spectrometry. <i>Bulletin of the Korean Chemical Society</i> , 2012 , 33, 2163-2167	1.2	7
10	Modelling the atypical absorption of menatetrenone and the metabolism to its epoxide: effect of VKORC1 polymorphism. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2011 , 36, 390-8	2.2	2
9	A phase I study to characterize the multiple-dose pharmacokinetics, pharmacodynamics and safety of new enteric-coated triflusal formulations in healthy male volunteers. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2011 , 7, 1471-9	5.5	4
8	Simultaneous determination of L-arginine, asymmetric dimethylarginine, and symmetric dimethylarginine in the plasma of rodents with LC-MS/MS. <i>Arzneimittelforschung</i> , 2011 , 61, 340-6		6
7	Comparison of average, scaled average, and population bioequivalence methods for assessment of highly variable drugs: an experience with doxifluridine in beagle dogs. <i>European Journal of Pharmaceutical Sciences</i> , 2010 , 39, 175-80	5.1	12
6	Influence of dissolved oxygen concentration on the pharmacokinetics of alcohol in humans. <i>Alcoholism: Clinical and Experimental Research</i> , 2010 , 34, 834-9	3.7	7
5	Oxygenated Alcohol [Sober Faster!]. <i>Alcoholism: Clinical and Experimental Research</i> , 2010 , 34, 1673-1674	3.7	
4	Development and Validation of a Robust LC-MS/MS Method for the Simultaneous Quantification of Doxifluridine and its Two Metabolites in Beagle Dog Plasma. <i>Bulletin of the Korean Chemical Society</i> , 2010 , 31, 2235-2241	1.2	1
3	Pharmacokinetic/pharmacodynamic modeling of the cardiovascular effects of beta blockers in humans. <i>Archives of Pharmacal Research</i> , 2008 , 31, 814-21	6.1	14
2	Effects of smoking on the pharmacokinetics and pharmacodynamics of a nicotine patch. <i>Biopharmaceutics and Drug Disposition</i> , 2008 , 29, 521-8	1.7	8
1	Simultaneous analysis of naltrexone and its major metabolite, 6-beta-naltrexol, in human plasma using liquid chromatography-tandem mass spectrometry: Application to a parent-metabolite kinetic model in humans. <i>Talanta</i> , 2007 , 71, 1553-9	6.2	10