

# Kenji Suda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6960221/publications.pdf>

Version: 2024-02-01

69  
papers

1,827  
citations

393982

19  
h-index

276539

41  
g-index

71  
all docs

71  
docs citations

71  
times ranked

1766  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Ongoing vascular inflammation evaluated by 18F-fluorodeoxyglucose positron emission tomography in patients long after Kawasaki disease. <i>Journal of Nuclear Cardiology</i> , 2023, 30, 264-275.                              | 1.4 | 1         |
| 2  | Serum tenascin-C predicts resistance to steroid combination therapy in high-risk Kawasaki disease: a multicenter prospective cohort study. <i>Pediatric Rheumatology</i> , 2021, 19, 82.                                       | 0.9 | 6         |
| 3  | Growth differentiation factor 15 as a useful biomarker of heart failure in young patients with unrepaired congenital heart disease of left to right shunt. <i>Journal of Cardiology</i> , 2020, 75, 697-701.                   | 0.8 | 2         |
| 4  | Intracardiac Echocardiography as a Guide for Transcatheter Closure of Patent Ductus Arteriosus. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-10.  | 0.5 | 4         |
| 5  | Pregnancy and Delivery in Patients With Repaired Congenital Heart Disease—A Retrospective Japanese Multicenter Study. <i>Circulation Journal</i> , 2020, 84, 2270-2274.  | 0.7 | 5         |
| 6  | Emergence and Characterization of Acute Coronary Syndrome in Adults After Confirmed or Missed History of Kawasaki Disease in Japan: A Japanese Nationwide Survey. <i>Frontiers in Pediatrics</i> , 2019, 7, 275.               | 0.9 | 24        |
| 7  | Anti-inflammatory effect of statin in coronary aneurysms late after Kawasaki disease. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 671-673.  | 1.4 | 6         |
| 8  | Association of Severity of Coronary Artery Aneurysms in Patients With Kawasaki Disease and Risk of Later Coronary Events. <i>JAMA Pediatrics</i> , 2018, 172, e180030.   | 3.3 | 83        |
| 9  | Successful combined intravenous and subcutaneous immunoglobulin treatment for intractable protein-losing enteropathy in a patient long after Fontan-type operation. <i>Journal of Cardiology Cases</i> , 2018, 17, 52-55.      | 0.2 | 4         |
| 10 | Intergenerational differences in the effects of transcatheter closure of atrial septal defects on cardiac function. <i>Journal of Cardiology</i> , 2017, 70, 620-626.  | 0.8 | 6         |
| 11 | Three Cases of KCNT1 Mutations: Malignant Migrating Partial Seizures in Infancy with Massive Systemic to Pulmonary Collateral Arteries. <i>Journal of Pediatrics</i> , 2017, 191, 270-274.                                     | 0.9 | 27        |
| 12 | Antiplatelet and Antithrombotic Therapy for Giant Coronary Aneurysm. , 2017, , 199-205.  |     | 0         |
| 13 | Efficacy and safety of plasma exchange for Kawasaki disease with coronary artery dilatation. <i>Renal Replacement Therapy</i> , 2017, 3, .   | 0.3 | 3         |
| 14 | Displacement of Amplatzer septal occluder in a patient with atrial septal defects and an atrial septal aneurysm. <i>Cardiology in the Young</i> , 2016, 26, 1430-1431.   | 0.4 | 2         |
| 15 | Serum Tenascin-C as a Novel Predictor for Risk of Coronary Artery Lesion and Resistance to Intravenous Immunoglobulin in Kawasaki Disease—A Multicenter Retrospective Study. <i>Circulation Journal</i> , 2016, 80, 2376-2381. | 0.7 | 26        |
| 16 | A New Z Score Curve of the Coronary Arterial Internal Diameter Using the Lambda-Mu-Sigma Method in Pediatric Population. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 794-801.e29.                   | 1.2 | 150       |
| 17 | Intra-cardiac echocardiography-guided stent implantation into stenosed superior vena cava in a patient with a history of contrast anaphylaxis. <i>Heart and Vessels</i> , 2016, 31, 631-634.                                   | 0.5 | 1         |
| 18 | Successful diuretics treatment of protein-losing enteropathy in neonatal syndrome. <i>Pediatrics International</i> , 2015, 57, e39-41.   | 0.2 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Transpulmonary echocardiography as a guide for device closure of patent ductus arteriosus. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 86, 264-270.  | 0.7 | 6         |
| 20 | Transpulmonary Echocardiography to Guide Stent Implantation into Coarctation of the Aorta. <i>Echocardiography</i> , 2015, 32, 872-874.  | 0.3 | 4         |
| 21 | Persistent peripheral arteritis long after Kawasaki disease " Another documentation of ongoing vascular inflammation. <i>International Journal of Cardiology</i> , 2015, 180, 88-90.   | 0.8 | 9         |
| 22 | Statin reduces persistent coronary arterial inflammation evaluated by serial 18fluorodeoxyglucose positron emission tomography imaging long after Kawasaki disease. <i>International Journal of Cardiology</i> , 2015, 179, 61-62. | 0.8 | 23        |
| 23 | Refractory pulmonary hypertension following extremely preterm birth: paradoxical improvement in oxygenation after atrial septostomy. <i>European Journal of Pediatrics</i> , 2014, 173, 1537-1540.                                 | 1.3 | 0         |
| 24 | Flying with giant coronary aneurysms caused by Kawasaki disease. <i>International Journal of Cardiology</i> , 2013, 168, 4964-4965.  | 0.8 | 0         |
| 25 | Clinical features of adult patients with Eisenmenger's syndrome in Japan and Korea. <i>International Journal of Cardiology</i> , 2013, 167, 205-209.   | 0.8 | 6         |
| 26 | Takotsubo cardiomyopathy in a senile female patient after transcatheter coil embolization of patent arterial duct. <i>Geriatrics and Gerontology International</i> , 2013, 13, 1077-1079.  | 0.7 | 1         |
| 27 | Persistent coronary arterial inflammation in a patient long after the onset of Kawasaki disease. <i>International Journal of Cardiology</i> , 2012, 154, 193-194.  | 0.8 | 25        |
| 28 | Thirty-year follow-up of carnitine supplementation in two siblings with hypertrophic cardiomyopathy caused by primary systemic carnitine deficiency. <i>International Journal of Cardiology</i> , 2012, 159, e14-e15.              | 0.8 | 14        |
| 29 | Stent-anchored coil embolotherapy " Novel treatment procedure for huge pulmonary arterio-venous malformation in hereditary hemorrhagic telangiectasia. <i>International Journal of Cardiology</i> , 2012, 157, 122-124.            | 0.8 | 0         |
| 30 | Impact of transcatheter closure of atrial septal defects on cardiac function. <i>Journal of Medical Ultrasonics (2001)</i> , 2012, 39, 147-153.  | 0.6 | 4         |
| 31 | Increased plasma type B natriuretic peptide in the acute phase of Kawasaki disease. <i>Pediatrics International</i> , 2011, 53, 736-741.   | 0.2 | 19        |
| 32 | Long-Term Prognosis of Patients With Kawasaki Disease Complicated by Giant Coronary Aneurysms. <i>Circulation</i> , 2011, 123, 1836-1842.  | 1.6 | 152       |
| 33 | Microembolic signals measured by transcranial Doppler during transcatheter closure of atrial septal defect using the Amplatzer septal occluder. <i>Cardiology in the Young</i> , 2011, 21, 182-186.                                | 0.4 | 9         |
| 34 | Stanford type B aortic dissection associated with pregnancy in patients with Marfan syndrome" A case report and review of the literature. <i>Journal of Cardiology Cases</i> , 2010, 1, e180-e183.                                 | 0.2 | 7         |
| 35 | Repair of left coronary artery ostial isolation caused by aortic valve leaflet. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2010, 11, 796-797.  | 0.5 | 0         |
| 36 | Entrapment of the Left Coronary Artery Ostium by the Aortic Valve Leaflet, Promoting Myocardial Ischemia. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1679.   | 1.2 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Portal-systemic encephalopathy after Fontan-type operation in patient with polysplenia syndrome. <i>European Journal of Cardio-thoracic Surgery</i> , 2009, 35, 1083-1085.   | 0.6 | 13        |
| 38 | Impact of intravenous immunoglobulin infusion on longitudinal left ventricular performance in patients with acute Kawasaki disease of usual course. <i>Journal of Cardiology</i> , 2009, 54, 45-51.                | 0.8 | 5         |
| 39 | Progressive Left Coronary Stenosis After Rotablator Ablation Appreciated by Doppler Echocardiography. <i>Pediatric Cardiology</i> , 2009, 30, 1190-1191.   | 0.6 | 1         |
| 40 | Transcatheter coil embolization for patent ductus arteriosus in the elderly: Report of a case and review of the published work. <i>Geriatrics and Gerontology International</i> , 2009, 9, 329-332.                | 0.7 | 3         |
| 41 | Intermittent heparin infusion in children with ischemic heart disease caused by Kawasaki disease. <i>International Journal of Cardiology</i> , 2009, 133, 417-419.   | 0.8 | 3         |
| 42 | Multicenter and Retrospective Case Study of Warfarin and Aspirin Combination Therapy in Patients With Giant Coronary Aneurysms Caused by Kawasaki Disease. <i>Circulation Journal</i> , 2009, 73, 1319-1323.       | 0.7 | 64        |
| 43 | Usefulness of high-concentration calcium chloride solution for correction of activated partial thromboplastin time (APTT) in patients with high-hematocrit value. <i>Thrombosis Research</i> , 2008, 121, 781-785. | 0.8 | 9         |
| 44 | Multi-detector computed tomographic imaging of left pulmonary arterial stenosis after occlusion of the patent arterial duct with a coil. <i>Cardiology in the Young</i> , 2008, 18, 356-357.                       | 0.4 | 0         |
| 45 | Cardiovascular Evaluation of Fetal Anemia due to Alloimmunization. <i>Fetal Diagnosis and Therapy</i> , 2008, 24, 197-202.   | 0.6 | 7         |
| 46 | Pitfalls of echocardiographic evaluation of anomalous origin of the left coronary artery from the pulmonary trunk. <i>Cardiology in the Young</i> , 2008, 18, 537-8.   | 0.4 | 7         |
| 47 | Effect of Revision of Japanese Diagnostic Criterion for Fever in Kawasaki Disease on Treatment and Cardiovascular Outcome. <i>Circulation Journal</i> , 2007, 71, 1791-1793.                                       | 0.7 | 12        |
| 48 | Emergency stent implantation into obstructed inferior caval vein in a patient with heterotaxy and anomalous hepatic venous drainage. <i>Pediatrics International</i> , 2007, 49, 251-252.                          | 0.2 | 1         |
| 49 | Prediction of resistance to intravenous immunoglobulin treatment in patients with Kawasaki disease. <i>Journal of Pediatrics</i> , 2006, 149, 237-240.   | 0.9 | 437       |
| 50 | Comparison of Efficacy of Medium-Sized Cutting Balloons Versus Standard Balloons for Dilatation of Peripheral Pulmonary Stenosis. <i>American Journal of Cardiology</i> , 2006, 97, 1060-1063.                     | 0.7 | 6         |
| 51 | Shunt Obstruction after an Air Travel in an Adult Patient with Cyanotic Congenital Heart Disease. <i>Cardiology</i> , 2005, 103, 142-142.  | 0.6 | 5         |
| 52 | Alleviation of hemolysis after the stent implantation into an obstructed extracardiac conduit. <i>International Journal of Cardiology</i> , 2005, 99, 135-136.   | 0.8 | 1         |
| 53 | Stent Implantation Into Vertical Arterial Duct in Adult Patient With Cyanotic Congenital Heart Disease. <i>Annals of Thoracic Surgery</i> , 2005, 79, e5-e6.   | 0.7 | 0         |
| 54 | Hemoptysis From Collateral Arteries 12 Years After a Fontan-Type Operation. <i>Annals of Thoracic Surgery</i> , 2005, 79, e7-e8.   | 0.7 | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Reversible atrioventricular block associated with closure of atrial septal defects using the amplatzer device. <i>Journal of the American College of Cardiology</i> , 2004, 43, 1677-1682.   | 1.2 | 81        |
| 56 | Increased vascular endothelial growth factor in patients with cyanotic congenital heart diseases may not be normalized after a Fontan type operation. <i>Annals of Thoracic Surgery</i> , 2004, 78, 942-946.   | 0.7 | 18        |
| 57 | Recanalization of occluded modified Blalock-Taussig shunt using topical recombinant tissue plasminogen activator with balloon angioplasty. <i>Cardiology in the Young</i> , 2004, 14, 322-323.   | 0.4 | 2         |
| 58 | Myotonic dystrophy presenting as atrial flutter in childhood. <i>Cardiology in the Young</i> , 2004, 14, 89-92.  | 0.4 | 6         |
| 59 | Transcatheter occlusion of patent ductus arteriosus using tornado platinum coils. <i>Pediatrics International</i> , 2003, 45, 45-48.   | 0.2 | 1         |
| 60 | Clinical implication of plasma natriuretic peptides in children with ventricular septal defect. <i>Pediatrics International</i> , 2003, 45, 249-254.   | 0.2 | 94        |
| 61 | Kawasaki disease complicated by cerebral infarction. <i>Cardiology in the Young</i> , 2003, 13, 103-105.   | 0.4 | 25        |
| 62 | Transcatheter coil closure of large patent ductus arteriosus with 0.052-inch Gianturco coils using myocardial biopsy forceps in a 70-year-old woman. <i>General Thoracic and Cardiovascular Surgery</i> , 2001, 49, 381-383.   | 0.4 | 1         |
| 63 | Resection of subaortic stenosis; can a more aggressive approach be justified?1. <i>European Journal of Cardio-thoracic Surgery</i> , 1999, 15, 631-638.  | 0.6 | 96        |
| 64 | Fetal transesophageal echocardiography utilizing a 10-F, 10-MHz intravascular ultrasound catheter—comparison with conventional maternal transabdominal fetal echocardiography in sheep. <i>Ultrasound in Medicine and Biology</i> , 1999, 25, 939-946.   | 0.7 | 12        |
| 65 | Accuracy of prenatal echocardiographic diagnosis and prognosis of fetuses with conotruncal anomalies. <i>Journal of the American College of Cardiology</i> , 1999, 33, 1696-1701.  | 1.2 | 119       |
| 66 | Echocardiographic hemodynamic and morphometric predictors of survival after two-ventricle repair in infants with critical aortic stenosis11All manuscripts by authors from the University of California San Francisco have been reviewed by a Guest Editor.. <i>Journal of the American College of Cardiology</i> , 1998, 32, 237-244. | 1.2 | 58        |
| 67 | Echocardiographic Predictors of Poor Outcome in Infants With Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 1997, 80, 595-600.   | 0.7 | 39        |
| 68 | Fetoscopic and Open Transumbilical Fetal Cardiac Catheterization in Sheep. <i>Circulation</i> , 1997, 95, 1048-1053.   | 1.6 | 55        |
| 69 | Radionuclide assessment of left ventricular performance on exercise after external conduit operation. <i>Pediatrics International</i> , 1993, 35, 283-288.   | 0.2 | 0         |