

Daniela Puzzo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6961171/daniela-puzzo-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

3,516
citations

30
h-index

59
g-index

64
ext. papers

4,115
ext. citations

6.4
avg, IF

5.02
L-index

#	Paper	IF	Citations
54	Antioxidant Activity of Fluoxetine and Vortioxetine in a Non-Transgenic Animal Model of Alzheimer's Disease.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 809541	5.6	4
53	A novel arousal-based individual screening reveals susceptibility and resilience to PTSD-like phenotypes in mice. <i>Neurobiology of Stress</i> , 2021 , 14, 100286	7.6	11
52	Conceptual and Methodological Pitfalls in Experimental Studies: An Overview, and the Case of Alzheimer's Disease. <i>Frontiers in Molecular Neuroscience</i> , 2021 , 14, 684977	6.1	
51	Genetic deletion of $\alpha 7$ nicotinic acetylcholine receptors induces an age-dependent Alzheimer's disease-like pathology. <i>Progress in Neurobiology</i> , 2021 , 206, 102154	10.9	4
50	Tau is not necessary for amyloid- β -induced synaptic and memory impairments. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4831-4844	15.9	14
49	Dopaminergic-GABAergic interplay and alcohol binge drinking. <i>Pharmacological Research</i> , 2019 , 141, 384-391	10.2	7
48	Neuromodulatory Action of Picomolar Extracellular A β 2 Oligomers on Presynaptic and Postsynaptic Mechanisms Underlying Synaptic Function and Memory. <i>Journal of Neuroscience</i> , 2019 , 39, 5986-6000	6.6	43
47	Antagonizing $\alpha 7$ nicotinic receptors with methyllycaconitine (MLA) potentiates receptor activity and memory acquisition. <i>Cellular Signalling</i> , 2019 , 62, 109338	4.9	14
46	Fluoxetine and Vortioxetine Reverse Depressive-Like Phenotype and Memory Deficits Induced by A β Oligomers in Mice: A Key Role of Transforming Growth Factor- β . <i>Frontiers in Pharmacology</i> , 2019 , 10, 693	5.6	33
45	Synaptic and memory dysfunction induced by tau oligomers is rescued by up-regulation of the nitric oxide cascade. <i>Molecular Neurodegeneration</i> , 2019 , 14, 26	19	25
44	The effect of amyloid- β peptide on synaptic plasticity and memory is influenced by different isoforms, concentrations, and aggregation status. <i>Neurobiology of Aging</i> , 2018 , 71, 51-60	5.6	32
43	Role of Amyloid- β and Tau Proteins in Alzheimer's Disease: Confuting the Amyloid Cascade. <i>Journal of Alzheimer's Disease</i> , 2018 , 64, S611-S631	4.3	45
42	Sub-efficacious doses of phosphodiesterase 4 and 5 inhibitors improve memory in a mouse model of Alzheimer's disease. <i>Neuropharmacology</i> , 2018 , 138, 151-159	5.5	19
41	Activation of Serotonin 5-HT Receptors Modulates Hippocampal Synaptic Plasticity by Stimulation of Adenylate Cyclases and Rescues Learning and Behavior in a Mouse Model of Fragile X Syndrome. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 353	6.1	19
40	Amyloid- β Peptide Is Needed for cGMP-Induced Long-Term Potentiation and Memory. <i>Journal of Neuroscience</i> , 2017 , 37, 6926-6937	6.6	38
39	Role of the adhesion molecule F3/Contactin in synaptic plasticity and memory. <i>Molecular and Cellular Neurosciences</i> , 2017 , 81, 64-71	4.8	10
38	LTP and memory impairment caused by extracellular A β and Tau oligomers is APP-dependent. <i>ELife</i> , 2017 , 6,	8.9	81

37	The role of Gpi-anchored axonal glycoproteins in neural development and neurological disorders. <i>Molecular and Cellular Neurosciences</i> , 2017 , 81, 49-63	4.8	32
36	Physiological and pathological processes of synaptic plasticity and memory in drug discovery: Do not forget the dose-response curve. <i>European Journal of Pharmacology</i> , 2017 , 817, 59-70	5.3	6
35	CL316,243, a β -adrenergic receptor agonist, induces muscle hypertrophy and increased strength. <i>Scientific Reports</i> , 2016 , 5, 37504	4.9	10
34	Extracellular Tau Oligomers Produce An Immediate Impairment of LTP and Memory. <i>Scientific Reports</i> , 2016 , 6, 19393	4.9	155
33	The antineoplastic drug flavopiridol reverses memory impairment induced by Amyloid- β -42 oligomers in mice. <i>Pharmacological Research</i> , 2016 , 106, 10-20	10.2	21
32	Molecular Mechanisms of Learning and Memory 2016 , 1-27		4
31	Salidroside, a Bioactive Compound of Rhodiola Rosea, Ameliorates Memory and Emotional Behavior in Adult Mice. <i>Journal of Alzheimer's Disease</i> , 2016 , 52, 65-75	4.3	23
30	Time-dependent reversal of synaptic plasticity induced by physiological concentrations of oligomeric A β 2: an early index of Alzheimer's disease. <i>Scientific Reports</i> , 2016 , 6, 32553	4.9	35
29	Role of F3/contactin expression profile in synaptic plasticity and memory in aged mice. <i>Neurobiology of Aging</i> , 2015 , 36, 1702-1715	5.6	20
28	A key role for TGF- β in hippocampal synaptic plasticity and memory. <i>Scientific Reports</i> , 2015 , 5, 11252	4.9	75
27	Object memory enhancement by combining sub-eficacious doses of specific phosphodiesterase inhibitors. <i>Neuropharmacology</i> , 2015 , 95, 361-6	5.5	30
26	Rodent models for Alzheimer's disease drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2015 , 10, 703-16.2	11.2	129
25	The keystone of Alzheimer pathogenesis might be sought in A β physiology. <i>Neuroscience</i> , 2015 , 307, 26-36	3.9	80
24	Neutralization of TNFSF10 ameliorates functional outcome in a murine model of Alzheimer's disease. <i>Brain</i> , 2015 , 138, 203-16	11.2	41
23	Synaptic therapy in Alzheimer's disease: a CREB-centric approach. <i>Neurotherapeutics</i> , 2015 , 12, 29-41	6.4	89
22	Behavioral assays with mouse models of Alzheimer's disease: practical considerations and guidelines. <i>Biochemical Pharmacology</i> , 2014 , 88, 450-67	6	119
21	Intracellular accumulation of amyloid- β protein plays a major role in A β -induced alterations of glutamatergic synaptic transmission and plasticity. <i>Journal of Neuroscience</i> , 2014 , 34, 12893-903	6.6	76
20	Improved long-term memory via enhancing cGMP-PKG signaling requires cAMP-PKA signaling. <i>Neuropsychopharmacology</i> , 2014 , 39, 2497-505	8.7	66

19	A novel mechanism for cyclic adenosine monophosphate-mediated memory formation: Role of amyloid beta. <i>Annals of Neurology</i> , 2014 , 75, 602-7	9.4	21
18	Effect of phosphodiesterase-5 inhibition on apoptosis and beta amyloid load in aged mice. <i>Neurobiology of Aging</i> , 2014 , 35, 520-31	5.6	66
17	F3/Contactin promotes hippocampal neurogenesis, synaptic plasticity, and memory in adult mice. <i>Hippocampus</i> , 2013 , 23, 1367-82	3.5	37
16	Amyloid- β peptide: Dr. Jekyll or Mr. Hyde?. <i>Journal of Alzheimer's Disease</i> , 2013 , 33 Suppl 1, S111-20	4.3	78
15	Inhibition of phosphodiesterase-5 rescues age-related impairment of synaptic plasticity and memory. <i>Behavioural Brain Research</i> , 2013 , 240, 11-20	3.4	48
14	Role of cyclic nucleotide-gated channels in the modulation of mouse hippocampal neurogenesis. <i>PLoS ONE</i> , 2013 , 8, e73246	3.7	16
13	Hormetic effect of amyloid- β peptide in synaptic plasticity and memory. <i>Neurobiology of Aging</i> , 2012 , 33, 1484.e15-24	5.6	71
12	Endogenous amyloid- β s necessary for hippocampal synaptic plasticity and memory. <i>Annals of Neurology</i> , 2011 , 69, 819-30	9.4	200
11	Phosphodiesterase 5 inhibition improves synaptic function, memory, and amyloid-beta load in an Alzheimer's disease mouse model. <i>Journal of Neuroscience</i> , 2009 , 29, 8075-86	6.6	242
10	A role for cGMP-dependent protein kinase II in AMPA receptor trafficking and synaptic plasticity. <i>BMC Pharmacology</i> , 2009 , 9, S44		1
9	Picomolar amyloid-beta positively modulates synaptic plasticity and memory in hippocampus. <i>Journal of Neuroscience</i> , 2008 , 28, 14537-45	6.6	533
8	Role of phosphodiesterase 5 in synaptic plasticity and memory. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 371-87	3.1	68
7	A GluR1-cGKII interaction regulates AMPA receptor trafficking. <i>Neuron</i> , 2007 , 56, 670-88	13.9	151
6	Fibrillar beta-amyloid impairs the late phase of long term potentiation. <i>Current Alzheimer Research</i> , 2006 , 3, 179-83	3	22
5	Involvement of the nitric oxide pathway in synaptic dysfunction following amyloid elevation in Alzheimer's disease. <i>Reviews in the Neurosciences</i> , 2006 , 17, 497-523	4.7	42
4	Amyloid-beta peptide inhibits activation of the nitric oxide/cGMP/cAMP-responsive element-binding protein pathway during hippocampal synaptic plasticity. <i>Journal of Neuroscience</i> , 2005 , 25, 6887-97	6.6	196
3	RAGE potentiates A β -induced perturbation of neuronal function in transgenic mice. <i>EMBO Journal</i> , 2004 , 23, 4096-105	13	274
2	Cell cultures from animal models of Alzheimer's disease as a tool for faster screening and testing of drug efficacy. <i>Journal of Molecular Neuroscience</i> , 2004 , 24, 15-21	3.3	13

1 Cortical silent period prolongation in spinocerebellar ataxia type 2 (SCA2). *Functional Neurology*, **2004**, 19, 37-41 2.2 14