

Wenhua Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6961451/wenhua-chen-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|---------------|----------------|
| 141 papers | 1,914 citations | 24 h-index | 39 g-index |
| 179 ext. papers | 2,506 ext. citations | 3 avg, IF | 5.1 L-index |

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 141 | A Reconfigurable S-/X-Band GaN MMIC Power Amplifier. <i>IEEE Microwave and Wireless Components Letters</i> , 2022 , 1-4 | 2.6 | 2 |
| 140 | A Low Complexity Moving Average Nested GMP Model for Digital Predistortion of Broadband Power Amplifiers. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2022 , 1-14 | 3.9 | 2 |
| 139 | High-Efficiency Dual-Band Filtering Doherty Power Amplifier Based on Multi-Function Circuit. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 1-1 | 4.1 | 1 |
| 138 | Broadband Three-Stage Pseudoload Modulated Balanced Amplifier With Power Back-Off Efficiency Enhancement. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 1-1 | 4.1 | 2 |
| 137 | Highly Efficient Terahertz Beam-Steerable Integrated Radiator Based on Tunable Boundary Conditions. <i>IEEE Journal of Solid-State Circuits</i> , 2022 , 57, 1314-1331 | 5.5 | |
| 136 | Novel Design Space of Broadband High-Efficiency Parallel-Circuit Class-EF Power Amplifiers. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2022 , 1-11 | 3.9 | 1 |
| 135 | Artificial Intelligence based Power-Temperature Inclusive Digital Pre-Distortion. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 1-1 | 8.9 | 2 |
| 134 | A Highly Linear GaN MMIC Doherty Power Amplifier Based on Phase Mismatch Induced AM-PM Compensation. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 1-1 | 4.1 | 3 |
| 133 | Linearization of Radio-Over-Fiber Cloud-RAN Transmitters Using Pre- and Post-Distortion Techniques. <i>IEEE Photonics Technology Letters</i> , 2021 , 33, 339-342 | 2.2 | 1 |
| 132 | A Complexity-Reduced Harmonic-Cancellation Digital Predistortion for HF Transmitters. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 31, 529-532 | 2.6 | 1 |
| 131 | . <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 3132-3145 | 4.1 | 5 |
| 130 | 300-335 GHz Highly Efficient Beam-Steerable Radiator Based on Tunable Boundary Conditions 2021 , | | 1 |
| 129 | Theory and Design Methodology for Reverse-Modulated Dual-Branch Power Amplifiers Applied to a 4G/5G Broadband GaN MMIC PA Design. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 3120-3131 | 4.1 | 3 |
| 128 | Hybrid Harmonic Cancellation Digital Predistortion With a Feedback Loop Compensation. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 68, 2222-2226 | 3.5 | 3 |
| 127 | A High-Efficiency 142-182-GHz SiGe BiCMOS Power Amplifier With Broadband Slotline-Based Power Combining Technique. <i>IEEE Journal of Solid-State Circuits</i> , 2021 , 1-1 | 5.5 | 4 |
| 126 | Convolutional Neural Network for Behavioral Modeling and Predistortion of Wideband Power Amplifiers. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2021 , PP, | 10.3 | 17 |
| 125 | A Fully Integrated 3.5-/4.9-GHz Dual-Band GaN MMIC Doherty Power Amplifier Based on Multi-Resonant Circuits. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 1-1 | 4.1 | 0 |

| | | | |
|-----|---|-----|----|
| 124 | A 24-44 GHz Broadband Transmit/Receive Front End in 0.13- μ m SiGe BiCMOS for Multistandard 5G Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 3463-3474 | 4.1 | 3 |
| 123 | Multi-Stream Spatial Digital Predistortion for Fully-Connected Hybrid Beamforming Massive MIMO Transmitters. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2021 , 68, 2998-3011 | 3.9 | 5 |
| 122 | . <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 4142-4156 | 4.1 | 7 |
| 121 | 2-D Magnitude-Selective Affine Function-Based Digital Predistortion for Concurrent Dual-Band Terminal Power Amplifiers. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 4209-4222 | 4.1 | 3 |
| 120 | A 160 GHz High Output Power and High DC-to-RF Efficiency Fundamental Oscillator in a 130-nm SiGe BiCMOS Process 2021 , | | 2 |
| 119 | A 24-29.5 GHz Voltage-Combined Doherty Power Amplifier Based on Compact Low-Loss Combiner. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 1-1 | 3.5 | 4 |
| 118 | A 250-310 GHz Power Amplifier with 15-dB Peak Gain in 130-nm SiGe BiCMOS Process for Terahertz Wireless System. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2021 , 1-1 | 3.4 | 2 |
| 117 | An 18-50-GHz π -Modulated Quasi-Continuous Digital Vector-Modulation Phase Shifter With Variable Gain Control. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 1-4 | 2.6 | |
| 116 | A 160 GHz High Output Power and High Efficiency Power Amplifier in a 130-nm SiGe BiCMOS Technology 2020 , | | 4 |
| 115 | A Broadband Millimeter-Wave Continuous-Mode Class-F Power Amplifier Based on the Deembedded Transistor Model. <i>IEEE Microwave and Wireless Components Letters</i> , 2020 , 30, 609-612 | 2.6 | 5 |
| 114 | A 210-GHz Magnetless Nonreciprocal Isolator in 130-nm SiGe BiCMOS Based on Resistor-Free Unidirectional Ring Resonators. <i>IEEE Microwave and Wireless Components Letters</i> , 2020 , 30, 524-527 | 2.6 | 3 |
| 113 | Doherty PAs for 5G Massive MIMO: Energy-Efficient Integrated DPA MMICs for Sub-6-GHz and mm-Wave 5G Massive MIMO Systems. <i>IEEE Microwave Magazine</i> , 2020 , 21, 78-93 | 1.2 | 12 |
| 112 | A Robust and Scalable Harmonic Cancellation Digital Predistortion Technique for HF Transmitters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 2796-2807 | 4.1 | 3 |
| 111 | 180 π GHz high-gain cascode power amplifier in a 130 π nm SiGe process. <i>Electronics Letters</i> , 2020 , 56, 498-501 | 3.1 | 3 |
| 110 | A robust multi-sampling rate digital predistortion for ultra-broadband power amplifiers. <i>Microwave and Optical Technology Letters</i> , 2020 , 62, 1041-1048 | 1.2 | 1 |
| 109 | A Methodology and a Metric for the Assessment of the Linearizability of Broadband Nonlinear Doherty Power Amplifiers. <i>IEEE Microwave and Wireless Components Letters</i> , 2020 , 30, 764-767 | 2.6 | 1 |
| 108 | Power Scalable Beam-Oriented Digital Predistortion for Compact Hybrid Massive MIMO Transmitters. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2020 , 67, 4994-5006 | 3.9 | 10 |
| 107 | An Efficient Directional Modulation Transmitter With Novel Crest Factor Reduction Technique. <i>IEEE Microwave and Wireless Components Letters</i> , 2019 , 29, 554-556 | 2.6 | 3 |

| | | | |
|-----|--|-----|----|
| 106 | Beam-Oriented Digital Predistortion for Hybrid Beamforming Array Utilizing Over-the-Air Diversity Feedbacks 2019 , | | 6 |
| 105 | A 10-3100 MHz Nested-mode Highly Efficient Power Amplifier for Multi-Octave Applications 2019 , | | 2 |
| 104 | A Fully Integrated C-band GaN MMIC Doherty Power Amplifier with High Gain and High Efficiency for 5G Application 2019 , | | 2 |
| 103 | A Ka-Band Highly Linear Power Amplifier with a Linearization Bias Circuit 2019 , | | 4 |
| 102 | A Dual-Band GaN MMIC Power Amplifier With Hybrid Operating Modes for 5G Application. <i>IEEE Microwave and Wireless Components Letters</i> , 2019 , 29, 228-230 | 2.6 | 25 |
| 101 | A Fully Integrated C-Band GaN MMIC Doherty Power Amplifier With High Efficiency and Compact Size for 5G Application. <i>IEEE Access</i> , 2019 , 7, 71665-71674 | 3.5 | 25 |
| 100 | Analytical Design Solution for Optimal Matching of Hybrid Continuous Mode Power Amplifiers Suitable for a High-Efficiency Envelope Tracking Operation. <i>Electronics (Switzerland)</i> , 2019 , 8, 621 | 2.6 | 1 |
| 99 | A Compact Ka/Q Dual-Band GaAs MMIC Doherty Power Amplifier With Simplified Offset Lines for 5G Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 3110-3121 | 4.1 | 13 |
| 98 | Linearization of a Directional Modulation Transmitter Using Low-Complexity Cascaded Digital Predistortion. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 4467-4478 | 4.1 | 4 |
| 97 | Linearization for Hybrid Beamforming Array Utilizing Embedded Over-the-Air Diversity Feedbacks. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 5235-5248 | 4.1 | 29 |
| 96 | Highly Linear and Magnetless Isolator Based on Weakly Coupled Nonreciprocal Metamaterials. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 4322-4331 | 4.1 | 6 |
| 95 | The Nested-Mode Power Amplifiers for Highly Efficient Multi-Octave Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 5114-5126 | 4.1 | 3 |
| 94 | Improved Three-Stage Doherty Amplifier Design With Impedance Compensation in Load Combiner for Broadband Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 778-786 | 4.1 | 45 |
| 93 | Multiband and Multimode Concurrent PA With Novel Intermodulation Tuning Network for Linearity Improvement. <i>IEEE Microwave and Wireless Components Letters</i> , 2018 , 28, 248-250 | 2.6 | 9 |
| 92 | A design methodology of envelope tracking power amplifier based on harmonic impedance tuning. <i>Microwave and Optical Technology Letters</i> , 2018 , 60, 639-642 | 1.2 | 3 |
| 91 | Reduced Cost Digital Predistortion Only With In-Phase Feedback Signal. <i>IEEE Microwave and Wireless Components Letters</i> , 2018 , 28, 257-259 | 2.6 | 5 |
| 90 | A robust and broadband digital predistortion utilizing negative feedback iteration 2018 , | | 9 |
| 89 | 3.5-0Hz High-Efficiency Broadband Asymmetric Doherty Power Amplifier for 5G Applications 2018 , | | 2 |

| | | | |
|----|---|------|----|
| 88 | A C-band GaAs Doherty Power Amplifier MMIC with Compact Size and 1-GHz Bandwidth 2018 , | | 1 |
| 87 | A Compact and Broadband Ka-band Asymmetrical GaAs Doherty Power Amplifier MMIC for 5G Communications 2018 , | | 12 |
| 86 | . <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018 , 66, 3419-3432 | 4.1 | 89 |
| 85 | An Energy-Efficient \$Ka\$ / \$Q\$ Dual-Band Power Amplifier MMIC in 0.1- \$\mu\$ m GaAs Process. <i>IEEE Microwave and Wireless Components Letters</i> , 2018 , 28, 530-532 | 2.6 | 15 |
| 84 | Low Computational Complexity Digital Predistortion Based on Direct Learning With Covariance Matrix. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 4274-4284 | 4.1 | 16 |
| 83 | Novel Planar Compact Coupled-Line Single-Ended-to-Balanced Power Divider. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 2953-2963 | 4.1 | 28 |
| 82 | Concurrent dual-band digital predistortion implemented with reduced look-up-tables. <i>Electronics Letters</i> , 2017 , 53, 802-804 | 1.1 | 2 |
| 81 | Digital predistortion for 5G wideband power amplifiers using multiple band-limited feedback signals 2017 , | | 5 |
| 80 | Systematic Crest Factor Reduction and Efficiency Enhancement of Dual-Band Power Amplifier Based Transmitters. <i>IEEE Transactions on Broadcasting</i> , 2017 , 63, 111-122 | 4.7 | 11 |
| 79 | A Novel Design Method of RF Lens for Long-Range Wireless Power Transmission. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017 , 16, 3159-3162 | 3.8 | 1 |
| 78 | A 200 watt broadband continuous-mode doherty power amplifier for base-station applications 2017 , | | 10 |
| 77 | Digital predistortion for concurrent multi-band PAs with inter-band IMD compensation 2016 , | | 3 |
| 76 | A Broadband Doherty Power Amplifier Based on Continuous-Mode Technology. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016 , 64, 4505-4517 | 4.1 | 83 |
| 75 | A single feedback architecture for dual-band digital predistortion with under-sampling technique 2016 , | | 4 |
| 74 | Low Feedback Sampling Rate Digital Predistortion for Wideband Wireless Transmitters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016 , 64, 3528-3539 | 4.1 | 29 |
| 73 | mmWave mobile communication under hypercellular architecture. <i>Journal of Communications and Information Networks</i> , 2016 , 1, 62-76 | | 3 |
| 72 | A Quad-Band Doherty Power Amplifier Based on T-Section Coupled Lines. <i>IEEE Microwave and Wireless Components Letters</i> , 2016 , 26, 437-439 | 2.6 | 17 |
| 71 | Recognizing a limitation of the TBLC-activated peroxide system on low-temperature cotton bleaching. <i>Carbohydrate Polymers</i> , 2016 , 140, 1-5 | 10.3 | 12 |

70 Digital Techniques for Multiband RF Transmitters **2016**, 203-242

69 Multiband Power Amplifier Design **2016**, 157-201

68 Multiband RF Transmitters **2016**, 59-79

67 Switched-beam antenna array based on butler matrix for 5G wireless communication **2016**, 6

66 Broadband doherty power amplifier and linearization **2016**, 1

65 Single-PA-feedback digital predistortion for beamforming MIMO transmitter **2016**, 28

64 A Novel Doherty Transmitter Based on Antenna Active Load Modulation. *IEEE Microwave and Wireless Components Letters*, **2015**, 25, 271-273 2.6 10

63 A Band-Divided Memory Polynomial for Wideband Digital Predistortion With Limited Bandwidth Feedback. *IEEE Transactions on Circuits and Systems II: Express Briefs*, **2015**, 62, 922-926 3.5 14

62 Compact coupled-line balun with complex impedances transformation and high isolation. *IET Microwaves, Antennas and Propagation*, **2015**, 9, 1587-1594 1.6 12

61 MIMO Antenna Design and Channel Modeling 2014. *International Journal of Antennas and Propagation*, **2015**, 2015, 1-1 1.2

60 Low computational complexity digital pre-distortion for broadband power amplifiers **2015**, 3

59 A Concurrent Dual-Band Uneven Doherty Power Amplifier with Frequency-Dependent Input Power Division. *IEEE Transactions on Circuits and Systems I: Regular Papers*, **2014**, 61, 552-561 3.9 72

58 Efficient Pruning Technique of Memory Polynomial Models Suitable for PA Behavioral Modeling and Digital Predistortion. *IEEE Transactions on Microwave Theory and Techniques*, **2014**, 62, 2290-2299 4.1 19

57 A Robust Augmented Complexity-Reduced Generalized Memory Polynomial for Wideband RF Power Amplifiers. *IEEE Transactions on Industrial Electronics*, **2014**, 61, 2389-2401 8.9 45

56 Extraction of wideband behavioral model of power amplifier with multi groups of narrow band signals **2014**, 3

55 Advanced power amplifier technologies for multistandard and broadband wireless communications **2014**, 1

54 A robust and low sampling rate digital predistortion algorithm for broadband PA modeling and predistortion **2014**, 5

53 New Solutions of Class-E power amplifier with finite dc feed inductor at any duty ratio. *IET Circuits, Devices and Systems*, **2014**, 8, 311-321 1.1 12

| | | | |
|----|--|-----|----|
| 52 | A Novel Harmonics-Suppression Coupled-Line Gysel Power Divider for Complex Terminated Impedances. <i>Electromagnetics</i> , 2014 , 34, 633-658 | 0.8 | 4 |
| 51 | Concurrent Multi-Band Envelope Modulated Power Amplifier Linearized Using Extended Phase-Aligned DPD. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2014 , 62, 3298-3308 | 4.1 | 12 |
| 50 | A concurrent dual-band 1.9-2.6-GHz Doherty power amplifier with Intermodulation impedance tuning 2014 , | | 1 |
| 49 | Dual-band predistortion linearization of an envelope modulated power amplifier operated in concurrent multi-standard mode 2014 , | | 8 |
| 48 | Transmitter Architecture for CA: Carrier Aggregation in LTE-Advanced Systems. <i>IEEE Microwave Magazine</i> , 2013 , 14, 78-86 | 1.2 | 46 |
| 47 | A Time Misalignment Tolerant 2D-Memory Polynomials Predistorter for Concurrent Dual-Band Power Amplifiers. <i>IEEE Microwave and Wireless Components Letters</i> , 2013 , 23, 501-503 | 2.6 | 10 |
| 46 | An iterative pruning of 2-D digital predistortion model based on normalized polynomial terms 2013 , | | 10 |
| 45 | Behavioral modeling for concurrent dual-band power amplifiers using 2D hammerstein/wiener models. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2013 , 23, 646-654 | 1.5 | 6 |
| 44 | Enhanced Analysis and Design Method of Concurrent Dual-Band Power Amplifiers With Intermodulation Impedance Tuning. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2013 , 61, 4544-4558 | 4.1 | 43 |
| 43 | Digital Predistortion for Concurrent Dual-Band Transmitters Using 2-D Modified Memory Polynomials. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2013 , 61, 281-290 | 4.1 | 99 |
| 42 | Design of Compact Dual-Band Power Dividers With Frequency-Dependent Division Ratios Based on Multisection Coupled Line. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2013 , 3, 467-475 | 1.7 | 25 |
| 41 | Two-dimensional crest factor reduction for performance improvement of concurrent dual-band power amplifiers. <i>Electronics Letters</i> , 2013 , 49, 1163-1165 | 1.1 | 8 |
| 40 | Resistive Second-Harmonic Impedance Continuous Class-F Power Amplifier With Over One Octave Bandwidth for Cognitive Radios. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2013 , 3, 489-497 | 5.2 | 29 |
| 39 | A novel design method of concurrent dual-band power amplifiers including impedance tuning at inter-band modulation frequencies 2013 , | | 3 |
| 38 | MIMO Antenna Design and Channel Modeling 2013. <i>International Journal of Antennas and Propagation</i> , 2013 , 2013, 1-2 | 1.2 | |
| 37 | Subsampling Feedback Loop Applicable to Concurrent Dual-Band Linearization Architecture. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2012 , 60, 1990-1999 | 4.1 | 30 |
| 36 | A new envelope tracking technique for concurrent dual-band PAs 2012 , | | 2 |
| 35 | Low sampling rate digital predistortion of power amplifier assisted by bandpass RF filter 2012 , | | 1 |

| | | | |
|----|--|-----|-----|
| 34 | Modified Least Squares Extraction for Volterra-Series Digital Predistorter in the Presence of Feedback Measurement Errors. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2012 , 60, 3559-3570 | 4.1 | 14 |
| 33 | Design of Compact Dual-Polarized Antennas for MIMO Handsets. <i>International Journal of Antennas and Propagation</i> , 2012 , 2012, 1-8 | 1.2 | 1 |
| 32 | MIMO Antenna Design and Channel Modeling. <i>International Journal of Antennas and Propagation</i> , 2012 , 2012, 1-2 | 1.2 | 0 |
| 31 | A novel broadband Doherty power amplifier with post-matching structure 2012 , | | 13 |
| 30 | High efficiency and wide band CLASS-J power amplifier using 2nd harmonic microstrip stub matching 2012 , | | 1 |
| 29 | Forward behavioral modeling of concurrent dual-band power amplifiers using extended real valued time delay neural networks 2012 , | | 3 |
| 28 | Joint predistortion of IQ impairments and PA nonlinearity in concurrent dual-band transmitters 2012 , | | 2 |
| 27 | Linearization of Concurrent Dual-Band Power Amplifier Based on 2D-DPD Technique. <i>IEEE Microwave and Wireless Components Letters</i> , 2011 , 21, 685-687 | 2.6 | 81 |
| 26 | Design and Linearization of Concurrent Dual-Band Doherty Power Amplifier With Frequency-Dependent Power Ranges. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2011 , 59, 2537-2546 | 4.1 | 117 |
| 25 | DEVELOPMENT OF LOW COST MEASUREMENT SYSTEM FOR RADIATED EMISSION EVALUATION. <i>Progress in Electromagnetics Research Letters</i> , 2011 , 20, 55-68 | 0.5 | 1 |
| 24 | A novel concurrent dual-mode class-e PA using dual-band stub tapped transformer. <i>Microwave and Optical Technology Letters</i> , 2011 , 53, 171-174 | 1.2 | 3 |
| 23 | A compact CPW-FED circular patch antenna with pattern and polarization diversities. <i>Microwave and Optical Technology Letters</i> , 2011 , 53, 968-972 | 1.2 | 7 |
| 22 | Development of low cost radiated emission measurement system 2010 , | | 1 |
| 21 | An Endfire Beam-Switchable Antenna Array Used in Vehicular Environment. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2010 , 9, 195-198 | 3.8 | 22 |
| 20 | . <i>IEEE Transactions on Antennas and Propagation</i> , 2010 , 58, 3450-3457 | 4.9 | 28 |
| 19 | . <i>IEEE Antennas and Wireless Propagation Letters</i> , 2010 , 9, 850-853 | 3.8 | 21 |
| 18 | Polarization Reconfigurable Slot Antenna With a Novel Compact CPW-to-Slotline Transition for WLAN Application. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2010 , 9, 252-255 | 3.8 | 79 |
| 17 | A Dual-Polarization Slot Antenna Using a Compact CPW Feeding Structure. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2010 , 9, 191-194 | 3.8 | 118 |

| | | | |
|----|--|-----|----|
| 16 | . <i>IEEE Antennas and Wireless Propagation Letters</i> , 2010 , 9, 562-565 | 3.8 | 65 |
| 15 | A novel broadband VHF SiC MESFET class-E high power amplifier. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 272-276 | 1.2 | 2 |
| 14 | Design of asymmetrical spurline filter for a high power sic MESFET class-E power amplifier. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 1650-1652 | 1.2 | 5 |
| 13 | A compact DVB-H antenna with varactor-tuned matching circuit. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 1786-1789 | 1.2 | 12 |
| 12 | Hexagonal patch antenna with T-shaped slot for frequency switching and conical radiation. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 2585-2588 | 1.2 | |
| 11 | Compact dual-polarized antenna combining printed monopole and half-slot antenna for MIMO applications. <i>Digest / IEEE Antennas and Propagation Society International Symposium</i> , 2009 , | | 5 |
| 10 | Analysis and design of tapered slot antenna for ultra-wideband applications. <i>Tsinghua Science and Technology</i> , 2009 , 14, 1-6 | 3.4 | 4 |
| 9 | A Quadband Antenna With Reconfigurable Feedings. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2009 , 8, 1069-1071 | 3.8 | 16 |
| 8 | A Tripolarization Antenna Fed by Proximity Coupling and Probe. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2009 , 8, 465-467 | 3.8 | 31 |
| 7 | A reconfigurable compact antenna for DVBH application 2008 , | | 2 |
| 6 | Integrated Dual-Band Antenna System Design Incorporating Cell Phone Bezel. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2008 , 7, 585-587 | 3.8 | 5 |
| 5 | An endfire phased array used in Wireless Access for Vehicular Environments (WAVE) 2008 , | | 2 |
| 4 | Novel planar tapered-slot-fed UWB antenna. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 2280-2283 | 1.2 | 3 |
| 3 | A novel compact reconfigurable polarization and pattern antenna. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 2802-2805 | 1.2 | 7 |
| 2 | Design of Planar ESPAR Antenna by Using Sidelobe Reduction Algorithm 2007 , | | 8 |
| 1 | A novel switched-sector planar antenna using parasitic elements 2004 , | | 3 |