

Chen-Guang Fu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6962618/chen-guang-fu-publications-by-year.pdf>

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87 papers	5,572 citations	34 h-index	74 g-index
91 ext. papers	6,952 ext. citations	11.5 avg, IF	5.97 L-index

#	Paper	IF	Citations
87	Thermoelectric transport effects beyond single parabolic band and acoustic phonon scattering. <i>Materials Advances</i> , 2022 , 3, 734-755	3.3	4
86	Low Interfacial Resistivity in CoSi ₂ /ZrCoSb Thermoelectric Junctions. <i>Materials Today Energy</i> , 2022 , 100960	10.9	1
85	Enhancing the room temperature thermoelectric performance of n-type Bismuth-telluride-based polycrystalline materials by low-angle grain boundaries. <i>Materials Today Physics</i> , 2022 , 22, 100573	8	8
84	Grain boundary in NbCo(Pt)Sn half-Heusler compounds: Segregation and solute drag on grain boundary migration. <i>Acta Materialia</i> , 2022 , 226, 117604	8.4	1
83	Ag rearrangement induced metal-insulator phase transition in thermoelectric MgAgSb. <i>Materials Today Physics</i> , 2022 , 25, 100702	8	
82	Artificial intelligence: A powerful paradigm for scientific research. <i>Innovation(China)</i> , 2021 , 2, 100179	17.8	21
81	Large anomalous Hall effect in the kagome ferromagnet LiMn ₆ Sn ₆ . <i>Physical Review B</i> , 2021 , 103,	3.3	5
80	Half-Heusler thermoelectric materials. <i>Applied Physics Letters</i> , 2021 , 118, 140503	3.4	13
79	Large Anomalous Hall and Nernst Effects in High Curie-Temperature Iron-Based Heusler Compounds. <i>Advanced Science</i> , 2021 , 8, e2100782	13.6	8
78	Thermoelectric Properties of Novel Semimetals: A Case Study of YbMnSb. <i>Advanced Materials</i> , 2021 , 33, e2003168	24	15
77	Tunable eg Orbital Occupancy in Heusler Compounds for Oxygen Evolution Reaction**. <i>Angewandte Chemie</i> , 2021 , 133, 5864-5869	3.6	7
76	Tunable e Orbital Occupancy in Heusler Compounds for Oxygen Evolution Reaction*. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 5800-5805	16.4	11
75	Mo-Fe/NbFeSb Thermoelectric Junctions: Anti-Thermal Aging Interface and Low Contact Resistivity. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 7317-7323	9.5	7
74	Thermoelectric Materials: Thermoelectric Properties of Novel Semimetals: A Case Study of YbMnSb ₂ (Adv. Mater. 7/2021). <i>Advanced Materials</i> , 2021 , 33, 2170051	24	0
73	Dopant-segregation to grain boundaries controls electrical conductivity of n-type NbCo(Pt)Sn half-Heusler alloy mediating thermoelectric performance. <i>Acta Materialia</i> , 2021 , 217, 117147	8.4	6
72	Demonstration of valley anisotropy utilized to enhance the thermoelectric power factor. <i>Nature Communications</i> , 2021 , 12, 5408	17.4	17
71	Fast synthesis and improved electrical stability in n-type Ag ₂ Te thermoelectric materials. <i>Journal of Materials Science and Technology</i> , 2021 , 91, 241-250	9.1	6

70	Visualizing the Mg atoms in Mg ₃ Sb ₂ thermoelectrics using advanced iDPC-STEM technique. <i>Materials Today Physics</i> , 2021 , 21, 100524	8	5
69	Realizing n-type gete through suppressing the formation of cation vacancies and bi-doping*. <i>Chinese Physics Letters</i> , 2021 , 38, 127201	1.8	1
68	Mg ₃ (Bi,Sb) ₂ single crystals towards high thermoelectric performance. <i>Energy and Environmental Science</i> , 2020 , 13, 1717-1724	35.4	41
67	Establishing the carrier scattering phase diagram for ZrNiSn-based half-Heusler thermoelectric materials. <i>Nature Communications</i> , 2020 , 11, 3142	17.4	37
66	Anisotropic electrical and thermal magnetotransport in the magnetic semimetal GdPtBi. <i>Physical Review B</i> , 2020 , 101,	3.3	7
65	Influence of ElectronPhonon Interaction on the Lattice Thermal Conductivity in Single-Crystal Si. <i>Annalen Der Physik</i> , 2020 , 532, 1900435	2.6	1
64	Metallic n-Type Mg Sb Single Crystals Demonstrate the Absence of Ionized Impurity Scattering and Enhanced Thermoelectric Performance. <i>Advanced Materials</i> , 2020 , 32, e1908218	24	62
63	In Situ Induction of Strain in Iron Phosphide (FeP ₂) Catalyst for Enhanced Hydroxide Adsorption and Water Oxidation. <i>Advanced Functional Materials</i> , 2020 , 30, 1907791	15.6	30
62	High-Performance MgSb Bi Thermoelectrics: Progress and Perspective. <i>Research</i> , 2020 , 2020, 1934848	7.8	30
61	Violation of the Relationship in the Lattice Thermal Conductivity of MgSb with Locally Asymmetric Vibrations. <i>Research</i> , 2020 , 2020, 4589786	7.8	9
60	Largely Suppressed Magneto-Thermal Conductivity and Enhanced Magneto-Thermoelectric Properties in PtSn. <i>Research</i> , 2020 , 2020, 4643507	7.8	11
59	Spin Nernst effect in a p-band semimetal InBi. <i>New Journal of Physics</i> , 2020 , 22, 093003	2.9	3
58	Revealing the Intrinsic Electronic Structure of 3D Half-Heusler Thermoelectric Materials by Angle-Resolved Photoemission Spectroscopy. <i>Advanced Science</i> , 2020 , 7, 1902409	13.6	31
57	A New Highly Anisotropic Rh-Based Heusler Compound for Magnetic Recording. <i>Advanced Materials</i> , 2020 , 32, e2004331	24	1
56	Thermoelectric properties of n-type half-Heusler NbCoSn with heavy-element Pt substitution. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 14822-14828	13	24
55	Large topological Hall effect in an easy-cone ferromagnet (Cr _{0.9} B _{0.1})Te. <i>Applied Physics Letters</i> , 2020 , 117, 052409	3.4	6
54	Topological thermoelectrics. <i>APL Materials</i> , 2020 , 8, 040913	5.7	34
53	Optimization of catalytic active sites in non-collinear antiferromagnetic Mn ₃ Pt bulk single-crystal. <i>Materials Today Physics</i> , 2019 , 10, 100137	8	4

52	Synergistic modulation of mobility and thermal conductivity in (Bi,Sb) ₂ Te ₃ towards high thermoelectric performance. <i>Energy and Environmental Science</i> , 2019 , 12, 624-630	35.4	82
51	Synergistically creating sulfur vacancies in semimetal-supported amorphous MoS ₂ for efficient hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2019 , 254, 1-6	21.8	42
50	Zero-Field Nernst Effect in a Ferromagnetic Kagome-Lattice Weyl-Semimetal Co Sn S. <i>Advanced Materials</i> , 2019 , 31, e1806622	24	84
49	Anomalous Nernst effect beyond the magnetization scaling relation in the ferromagnetic Heusler compound Co ₂ MnGa. <i>NPG Asia Materials</i> , 2019 , 11,	10.3	93
48	In Situ Modification of a Delafossite-Type PdCoO Bulk Single Crystal for Reversible Hydrogen Sorption and Fast Hydrogen Evolution. <i>ACS Energy Letters</i> , 2019 , 4, 2185-2191	20.1	19
47	Surface states in bulk single crystal of topological semimetal CoSnS toward water oxidation. <i>Science Advances</i> , 2019 , 5, eaaw9867	14.3	63
46	Pressure tuning of thermoelectric performance in FeNbSb. <i>Journal of Alloys and Compounds</i> , 2019 , 805, 1224-1230	5.7	3
45	Dirac Nodal Arc Semimetal PtSn : An Ideal Platform for Understanding Surface Properties and Catalysis for Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 13107-13112	16.4	27
44	Dirac Nodal Arc Semimetal PtSn ₄ : An Ideal Platform for Understanding Surface Properties and Catalysis for Hydrogen Evolution. <i>Angewandte Chemie</i> , 2019 , 131, 13241-13246	3.6	7
43	Synthesis and thermoelectric properties of Rashba semiconductor BiTeBr with intensive texture. <i>Rare Metals</i> , 2018 , 37, 274-281	5.5	13
42	Enhancing thermoelectric performance of FeNbSb half-Heusler compound by Hf-Ti dual-doping. <i>Energy Storage Materials</i> , 2018 , 10, 69-74	19.4	29
41	Unique Role of Refractory Ta Alloying in Enhancing the Figure of Merit of NbFeSb Thermoelectric Materials. <i>Advanced Energy Materials</i> , 2018 , 8, 1701313	21.8	128
40	Origin of efficient thermoelectric performance in half-Heusler FeNb _{0.8} Ti _{0.2} Sb. <i>Journal of Applied Physics</i> , 2018 , 123, 235106	2.5	5
39	Large Nernst power factor over a broad temperature range in polycrystalline Weyl semimetal NbP. <i>Energy and Environmental Science</i> , 2018 , 11, 2813-2820	35.4	34
38	Departure from the Wiedemann-Franz law in WP ₂ driven by mismatch in T-square resistivity prefactors. <i>Npj Quantum Materials</i> , 2018 , 3,	5	33
37	Mode Grüneisen parameters of an efficient thermoelectric half-Heusler. <i>Journal of Applied Physics</i> , 2018 , 124, 195107	2.5	8
36	Growth and transport properties of Mg ₃ X ₂ (X = Sb, Bi) single crystals. <i>Materials Today Physics</i> , 2018 , 7, 61-68	8	38
35	Carbon-Tailored Semimetal MoP as an Efficient Hydrogen Evolution Electrocatalyst in Both Alkaline and Acid Media. <i>Advanced Energy Materials</i> , 2018 , 8, 1801258	21.8	80

34	Lanthanide Contraction as a Design Factor for High-Performance Half-Heusler Thermoelectric Materials. <i>Advanced Materials</i> , 2018 , 30, e1800881	24	66
33	Compromise and Synergy in High-Efficiency Thermoelectric Materials. <i>Advanced Materials</i> , 2017 , 29, 1605884	14	742
32	Enhancing Thermoelectric Performance of TiNiSn Half-Heusler Compounds via Modulation Doping. <i>Chemistry of Materials</i> , 2017 , 29, 7042-7048	9.6	50
31	Improved thermoelectric properties of TiNiSn through enhancing strain field fluctuation. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 425502	3	3
30	Hierarchical Chemical Bonds Contributing to the Intrinsically Low Thermal Conductivity in BiMgAgSb Thermoelectric Materials. <i>Advanced Functional Materials</i> , 2017 , 27, 1604145	15.6	154
29	Are Solid Solutions Better in FeNbSb-Based Thermoelectrics?. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600394	6.4	22
28	The Role of Electron-Phonon Interaction in Heavily Doped Fine-Grained Bulk Silicons as Thermoelectric Materials. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600171	6.4	28
27	Enhanced thermoelectric performance of PbTe bulk materials with figure of merit $zT > 2$ by multi-functional alloying. <i>Journal of Materiomics</i> , 2016 , 2, 141-149	6.7	89
26	Attaining high mid-temperature performance in $(\text{Bi,Sb})_2\text{Te}_3$ thermoelectric materials via synergistic optimization. <i>NPG Asia Materials</i> , 2016 , 8, e302-e302	10.3	96
25	Enhancing the Figure of Merit of Heavy-Band Thermoelectric Materials Through Hierarchical Phonon Scattering. <i>Advanced Science</i> , 2016 , 3, 1600035	13.6	106
24	Demonstration of a phonon-glass electron-crystal strategy in $(\text{Hf,Zr})\text{NiSn}$ half-Heusler thermoelectric materials by alloying. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 22716-22722	13	101
23	Realizing high figure of merit in heavy-band p-type half-Heusler thermoelectric materials. <i>Nature Communications</i> , 2015 , 6, 8144	17.4	658
22	Band engineering of high performance p-type FeNbSb based half-Heusler thermoelectric materials for figure of merit $zT > 1$. <i>Energy and Environmental Science</i> , 2015 , 8, 216-220	35.4	368
21	Reliable measurements of the Seebeck coefficient on a commercial system. <i>Journal of Materials Research</i> , 2015 , 30, 2670-2677	2.5	6
20	High Efficiency Half-Heusler Thermoelectric Materials for Energy Harvesting. <i>Advanced Energy Materials</i> , 2015 , 5, 1500588	21.8	279
19	Tuning Multiscale Microstructures to Enhance Thermoelectric Performance of n-Type Bismuth-Telluride-Based Solid Solutions. <i>Advanced Energy Materials</i> , 2015 , 5, 1500411	21.8	287
18	High Performance BiMgAgSb Thermoelectric Materials for Low Temperature Power Generation. <i>Chemistry of Materials</i> , 2015 , 27, 909-913	9.6	98
17	The intrinsic disorder related alloy scattering in ZrNiSn half-Heusler thermoelectric materials. <i>Scientific Reports</i> , 2014 , 4, 6888	4.9	161

16	High Performance Mg ₂ (Si,Sn) Solid Solutions: a Point Defect Chemistry Approach to Enhancing Thermoelectric Properties. <i>Advanced Functional Materials</i> , 2014 , 24, 3776-3781	15.6	117
15	High Band Degeneracy Contributes to High Thermoelectric Performance in p-Type Half-Heusler Compounds. <i>Advanced Energy Materials</i> , 2014 , 4, 1400600	21.8	198
14	Thermoelectric properties of FeVSb half-Heusler compounds by levitation melting and spark plasma sintering. <i>Intermetallics</i> , 2013 , 32, 39-43	3.5	49
13	Beneficial Contribution of Alloy Disorder to Electron and Phonon Transport in Half-Heusler Thermoelectric Materials. <i>Advanced Functional Materials</i> , 2013 , 23, 5123-5130	15.6	290
12	THERMOELECTRIC PROPERTIES OF p-TYPE SKUTTERUDITES (Pr _{0.25} Nd _{0.75}) _x Fe ₃ CoSb ₁₂ BY LEVITATION MELTING AND SPARK PLASMA SINTERING. <i>Functional Materials Letters</i> , 2013 , 06, 1340006	1.2	2
11	Electron and phonon transport in Co-doped FeV _{0.6} Nb _{0.4} Sb half-Heusler thermoelectric materials. <i>Journal of Applied Physics</i> , 2013 , 114, 134905	2.5	42
10	Hot deformation induced defects and performance enhancement in FeSb ₂ thermoelectric materials. <i>Journal of Applied Physics</i> , 2013 , 114, 184904	2.5	6
9	Lattice thermal conductivity and spectral phonon scattering in FeVSb-based half-Heusler compounds. <i>Europhysics Letters</i> , 2013 , 104, 46003	1.6	44
8	Improved Thermoelectric Properties in Lu-doped Yb ₁₄ MnSb ₁₁ Zintl Compounds. <i>Applied Physics Express</i> , 2012 , 5, 031801	2.4	28
7	Interrelation between atomic switching disorder and thermoelectric properties of ZrNiSn half-Heusler compounds. <i>CrystEngComm</i> , 2012 , 14, 4467	3.3	74
6	High performance half-Heusler thermoelectric materials with refined grains and nanoscale precipitates. <i>Journal of Materials Research</i> , 2012 , 27, 2457-2465	2.5	28
5	Enhanced phonon scattering by mass and strain field fluctuations in Nb substituted FeVSb half-Heusler thermoelectric materials. <i>Journal of Applied Physics</i> , 2012 , 112, 124915	2.5	69
4	Increased electrical conductivity in fine-grained (Zr,Hf)NiSn based thermoelectric materials with nanoscale precipitates. <i>Applied Physics Letters</i> , 2012 , 100, 254104	3.4	31
3	Synthesis and Transport Properties of In ₄ (Se _{1-x} Te _x) ₃ . <i>Journal of Electronic Materials</i> , 2011 , 40, 1202-1205	2.5	6
2	Carrier Grain Boundary Scattering in Thermoelectric Materials. <i>Energy and Environmental Science</i> , 2011 , 4, 2259-2267	35.4	10
1	Magnetocatalysis: The Interplay between the Magnetic Field and Electrocatalysis. <i>CCS Chemistry</i> , 2011 , 3, 2259-2267	2.5	0