Erlend BÃ,en

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6963086/publications.pdf Version: 2024-02-01



FRIEND RÃ EN

#	Article	lF	CITATIONS
1	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness. Psychological Medicine, 2023, 53, 1479-1488.	4.5	6
2	In vivo hippocampal subfield volumes in bipolar disorder—A megaâ€analysis from The Enhancing Neuro Imaging Genetics through <scp>Metaâ€Analysis</scp> Bipolar Disorder Working Group. Human Brain Mapping, 2022, 43, 385-398.	3.6	41
3	What we learn about bipolar disorder from largeâ€scale neuroimaging: Findings and future directions from the <scp>ENIGMA</scp> Bipolar Disorder Working Group. Human Brain Mapping, 2022, 43, 56-82.	3.6	67
4	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. Schizophrenia Bulletin, 2022, 48, 37-46.	4.3	10
5	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. Biological Psychiatry, 2022, 91, 582-592.	1.3	29
6	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. Brain, Behavior, and Immunity, 2022, 99, 299-306.	4.1	33
7	Genetic variants associated with longitudinal changes in brain structure across the lifespan. Nature Neuroscience, 2022, 25, 421-432.	14.8	75
8	Diagnosis of bipolar disorders and body mass index predict clustering based on similarities in cortical thickness—ENIGMA study in 2436 individuals. Bipolar Disorders, 2022, 24, 509-520.	1.9	5
9	Evidence for widespread alterations in cortical microstructure after 32 h of sleep deprivation. Translational Psychiatry, 2022, 12, 161.	4.8	1
10	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. Molecular Psychiatry, 2021, 26, 5124-5139.	7.9	136
11	Impulsivity in Parkinson's disease patients treated with subthalamic nucleus deep brain stimulation—An exploratory study. PLoS ONE, 2021, 16, e0248568.	2.5	2
12	Association between body mass index and subcortical brain volumes in bipolar disorders–ENIGMA study in 2735 individuals. Molecular Psychiatry, 2021, 26, 6806-6819.	7.9	24
13	Using structural MRI to identify bipolar disorders – 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. Molecular Psychiatry, 2020, 25, 2130-2143.	7.9	127
14	The genetic architecture of human brainstem structures and their involvement in common brain disorders. Nature Communications, 2020, 11, 4016.	12.8	26
15	Differences in course of illness between patients with bipolar II disorder with and without epileptiform discharges or other sharp activity on electroencephalograms: a cross-sectional study. BMC Psychiatry, 2020, 20, 582.	2.6	3
16	Borderline patients have difficulties describing feelings; bipolar II patients describe difficult feelings. An alexithymia study. Acta Psychiatrica Scandinavica, 2020, 142, 203-214.	4.5	4
17	Common brain disorders are associated with heritable patterns of apparent aging of the brain. Nature Neuroscience, 2019, 22, 1617-1623.	14.8	358
18	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	21.4	1,191

Erlend BÃ,en

#	Article	IF	CITATIONS
19	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. Molecular Psychiatry, 2018, 23, 932-942.	7.9	558
20	Patterns of altered regional brain glucose metabolism in borderline personality disorder and bipolar Il disorder. Acta Psychiatrica Scandinavica, 2018, 139, 256-268.	4.5	21
21	Subcortical volumetric abnormalities in bipolar disorder. Molecular Psychiatry, 2016, 21, 1710-1716.	7.9	400
22	Erratum to "Somatic and cognitive symptoms as indicators of potential endophenotypes in bipolar spectrum disorders: An exploratory and proof-of-concept study comparing bipolar II disorder with recurrent brief depression and healthy controls―[J. Affect. Disord. 166 (2014) 59–70]. Journal of Affective Disorders, 2015, 175, 217.	4.1	0
23	Different impulsivity profiles in borderline personality disorder and bipolar II disorder. Journal of Affective Disorders, 2015, 170, 104-111.	4.1	43
24	Smaller stress-sensitive hippocampal subfields in women with borderline personality disorder without posttraumatic stress disorder. Journal of Psychiatry and Neuroscience, 2014, 39, 127-34.	2.4	16
25	Regional cortical thinning may be a biological marker for borderline personality disorder. Acta Psychiatrica Scandinavica, 2014, 130, 193-204.	4.5	21
26	Somatic and cognitive symptoms as indicators of potential endophenotypes in bipolar spectrum disorders: An exploratory and proof-of-concept study comparing bipolar II disorder with recurrent brief demonstration and backhur particle laws of Affective Disorders 2014, 166, 50, 70	4.1	13

brief depression and healthy controls. Journal of Affective Disorders, 2014, 166, 59-70.