

Manuel Rubio-Rivas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6963973/publications.pdf>

Version: 2024-02-01

65
papers

1,642
citations

393982

19
h-index

329751

37
g-index

75
all docs

75
docs citations

75
times ranked

2470
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Mortality and survival in systemic sclerosis: Systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2014, 44, 208-219. | 1.6 | 261 |
| 2 | The identification and management of interstitial lung disease in systemic sclerosis: evidence-based European consensus statements. <i>Lancet Rheumatology</i> , The, 2020, 2, e71-e83. | 2.2 | 182 |
| 3 | Multidisciplinary approach and long-term follow-up in a series of 640 consecutive patients with sarcoidosis. <i>Medicine (United States)</i> , 2017, 96, e7595. | 0.4 | 82 |
| 4 | Occupational and environmental scleroderma. Systematic review and meta-analysis. <i>Clinical Rheumatology</i> , 2017, 36, 569-582. | 1.0 | 81 |
| 5 | Mortality and other adverse outcomes in patients with type 2 diabetes mellitus admitted for COVID-19 in association with glucose-lowering drugs: a nationwide cohort study. <i>BMC Medicine</i> , 2020, 18, 359. | 2.3 | 81 |
| 6 | Inappropriate antibiotic use in the COVID-19 era: Factors associated with inappropriate prescribing and secondary complications. Analysis of the registry SEMI-COVID. <i>PLoS ONE</i> , 2021, 16, e0251340. | 1.1 | 72 |
| 7 | Predicting Clinical Outcome with Phenotypic Clusters in COVID-19 Pneumonia: An Analysis of 12,066 Hospitalized Patients from the Spanish Registry SEMI-COVID-19. <i>Journal of Clinical Medicine</i> , 2020, 9, 3488. | 1.0 | 59 |
| 8 | Interstitial lung disease in systemic sclerosis: data from the spanish scleroderma study group. <i>Rheumatology International</i> , 2018, 38, 363-374. | 1.5 | 48 |
| 9 | Inadequate use of antibiotics in the covid-19 era: effectiveness of antibiotic therapy. <i>BMC Infectious Diseases</i> , 2021, 21, 1144. | 1.3 | 45 |
| 10 | Impact of Arterial Stiffness on All-Cause Mortality in Patients Hospitalized With COVID-19 in Spain. <i>Hypertension</i> , 2021, 77, 856-867. | 1.3 | 44 |
| 11 | Predictors of long-term survival in nonagenarians: the NonaSantfeliu study. <i>Age and Ageing</i> , 2011, 40, 111-116. | 0.7 | 39 |
| 12 | Digital ulcers and cutaneous subsets of systemic sclerosis: Clinical, immunological, nailfold capillaroscopy, and survival differences in the Spanish RESCLE Registry. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 46, 200-208. | 1.6 | 34 |
| 13 | Beneficial effect of corticosteroids in preventing mortality in patients receiving tocilizumab to treat severe COVID-19 illness. <i>International Journal of Infectious Diseases</i> , 2020, 101, 290-297. | 1.5 | 33 |
| 14 | First clinical symptom as a prognostic factor in systemic sclerosis: results of a retrospective nationwide cohort study. <i>Clinical Rheumatology</i> , 2018, 37, 999-1009. | 1.0 | 27 |
| 15 | Frequency, risk factors, and outcomes of hospital readmissions of COVID-19 patients. <i>Scientific Reports</i> , 2021, 11, 13733. | 1.6 | 27 |
| 16 | Beneficial and harmful outcomes of tocilizumab in severe COVID-19: A systematic review and meta-analysis. <i>Pharmacotherapy</i> , 2021, 41, 884-906. | 1.2 | 27 |
| 17 | WHO Ordinal Scale and Inflammation Risk Categories in COVID-19. Comparative Study of the Severity Scales. <i>Journal of General Internal Medicine</i> , 2022, 37, 1980-1987. | 1.3 | 27 |
| 18 | Sarcoidosis presenting with and without Löfgren's syndrome: Clinical, radiological and behavioral differences observed in a group of 691 patients. <i>Joint Bone Spine</i> , 2020, 87, 141-147. | 0.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The prevalence and incidence rate of pulmonary arterial hypertension in systemic sclerosis: Systematic review and meta-analysis. <i>Autoimmunity Reviews</i> , 2021, 20, 102713. | 2.5 | 23 |
| 20 | Sarcoidosis related to checkpoint and BRAF/MEK inhibitors in melanoma. <i>Autoimmunity Reviews</i> , 2020, 19, 102587. | 2.5 | 20 |
| 21 | Lymphopenia as prognostic factor for mortality and hospital length of stay for elderly hospitalized patients. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 721-727. | 1.4 | 19 |
| 22 | Clinical phenotypes and prediction of chronicity in sarcoidosis using cluster analysis in a prospective cohort of 694 patients. <i>European Journal of Internal Medicine</i> , 2020, 77, 59-65. | 1.0 | 18 |
| 23 | Influence of chronic use of corticosteroids and calcineurin inhibitors on COVID-19 clinical outcomes: analysis of a nationwide registry. <i>International Journal of Infectious Diseases</i> , 2022, 116, 51-58. | 1.5 | 17 |
| 24 | Very early and early systemic sclerosis in the Spanish scleroderma Registry (RESCLE) cohort. <i>Autoimmunity Reviews</i> , 2017, 16, 796-802. | 2.5 | 16 |
| 25 | Hepatobiliary involvement in systemic sclerosis and the cutaneous subsets: Characteristics and survival of patients from the Spanish RESCLE Registry. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 849-857. | 1.6 | 16 |
| 26 | Predicting critical illness on initial diagnosis of COVID-19 based on easily obtained clinical variables: development and validation of the PRIORITY model. <i>Clinical Microbiology and Infection</i> , 2021, 27, 1838-1844. | 2.8 | 16 |
| 27 | Estimation of Admission D-dimer Cut-off Value to Predict Venous Thrombotic Events in Hospitalized COVID-19 Patients: Analysis of the SEMI-COVID-19 Registry. <i>Journal of General Internal Medicine</i> , 2021, 36, 3478-3486. | 1.3 | 16 |
| 28 | Risk Categories in COVID-19 Based on Degrees of Inflammation: Data on More Than 17,000 Patients from the Spanish SEMI-COVID-19 Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 2214. | 1.0 | 15 |
| 29 | Applying the ACR/EULAR Systemic Sclerosis Classification Criteria to the Spanish Scleroderma Registry Cohort. <i>Journal of Rheumatology</i> , 2015, 42, 2327-2331. | 1.0 | 13 |
| 30 | Spanish scleroderma risk score (RESCLESCORE) to predict 15-year all-cause mortality in scleroderma patients at the time of diagnosis based on the RESCLE cohort: Derivation and internal validation. <i>Autoimmunity Reviews</i> , 2020, 19, 102507. | 2.5 | 13 |
| 31 | Elderly sarcoidosis: A comparative study from a 42-year single-centre experience. <i>Respiratory Medicine</i> , 2019, 152, 1-6. | 1.3 | 12 |
| 32 | Autoimmune Diseases and COVID-19 as Risk Factors for Poor Outcomes: Data on 13,940 Hospitalized Patients from the Spanish Nationwide SEMI-COVID-19 Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 1844. | 1.0 | 12 |
| 33 | Longterm Efficacy and Safety of Monotherapy versus Combination Therapy in Systemic Sclerosis-associated Pulmonary Arterial Hypertension: A Retrospective RESCLE Registry Study. <i>Journal of Rheumatology</i> , 2020, 47, 89-98. | 1.0 | 11 |
| 34 | Gender-Based Differences by Age Range in Patients Hospitalized with COVID-19: A Spanish Observational Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 899. | 1.0 | 10 |
| 35 | Remdesivir in Very Old Patients (≥80 Years) Hospitalized with COVID-19: Real World Data from the SEMI-COVID-19 Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 3769. | 1.0 | 10 |
| 36 | Analysis of <i>ATP8B4</i> F436L Missense Variant in a Large Systemic Sclerosis Cohort. <i>Arthritis and Rheumatology</i> , 2017, 69, 1337-1338. | 2.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers Withdrawal Is Associated with Higher Mortality in Hospitalized Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2021, 10, 2642. | 1.0 | 9 |
| 38 | LAUDES Study: impact of digital ulcers on hand functional limitation, work productivity and daily activities, in systemic sclerosis patients. <i>Rheumatology International</i> , 2019, 39, 1875-1882. | 1.5 | 8 |
| 39 | Influence of antibody profile in clinical features and prognosis in a cohort of Spanish patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 106, 98-105. | 0.4 | 8 |
| 40 | Pulmonary hypertension in Spanish patients with systemic sclerosis. Data from the RESCLE registry. <i>Clinical Rheumatology</i> , 2019, 38, 1117-1124. | 1.0 | 7 |
| 41 | Clinical features and outcomes of asymptomatic pulmonary sarcoidosis. A comparative cohort study. <i>Respiratory Medicine</i> , 2020, 169, 105998. | 1.3 | 7 |
| 42 | Early Lopinavir/ritonavir does not reduce mortality in COVID-19 patients: Results of a large multicenter study. <i>Journal of Infection</i> , 2021, 82, 276-316. | 1.7 | 7 |
| 43 | Clinical Characteristics and Risk Factors of Respiratory Failure in a Cohort of Young Patients Requiring Hospital Admission with SARS-CoV2 Infection in Spain: Results of the Multicenter SEMI-COVID-19 Registry. <i>Journal of General Internal Medicine</i> , 2021, 36, 3080-3087. | 1.3 | 7 |
| 44 | High-Dose Methylprednisolone Pulses for 3 Days vs. Low-Dose Dexamethasone for 10 Days in Severe, Non-Critical COVID-19: A Retrospective Propensity Score Matched Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4465. | 1.0 | 7 |
| 45 | The Use of Corticosteroids or Tocilizumab in COVID-19 Based on Inflammatory Markers. <i>Journal of General Internal Medicine</i> , 2021, , 1. | 1.3 | 7 |
| 46 | Clinical Features and Risk Factors for Mortality Among Long-term Care Facility Residents Hospitalized Due to COVID-19 in Spain. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, e138-e147. | 1.7 | 7 |
| 47 | Influencia de la historia de tabaquismo en la evolución de la hospitalización en pacientes COVID-19 positivos: datos del registro SEMI-COVID-19. <i>Medicina Clínica</i> , 2022, 159, 214-223. | 0.3 | 7 |
| 48 | Anti-PM/Scl Antibodies in Systemic Sclerosis. <i>Journal of Clinical Rheumatology</i> , 2022, 28, e180-e188. | 0.5 | 6 |
| 49 | Does admission acetylsalicylic acid uptake in hospitalized COVID-19 patients have a protective role? Data from the Spanish SEMI-COVID-19 Registry. <i>Internal and Emergency Medicine</i> , 2021, , 1. | 1.0 | 6 |
| 50 | Changes in the pattern of death of 987 patients with systemic sclerosis from 1990 to 2009 from the nationwide Spanish Scleroderma Registry (RESCLE). <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 106, 40-47. | 0.4 | 6 |
| 51 | Impact of interstitial lung disease on the survival of systemic sclerosis with pulmonary arterial hypertension. <i>Scientific Reports</i> , 2022, 12, 5289. | 1.6 | 6 |
| 52 | C-Reactive Protein and Serum Albumin Ratio: A Feasible Prognostic Marker in Hospitalized Patients with COVID-19. <i>Biomedicines</i> , 2022, 10, 1393. | 1.4 | 6 |
| 53 | Prone Position in COVID-19 Patients With Severe Acute Respiratory Distress Syndrome Receiving Conventional Oxygen Therapy: A Retrospective Study. <i>Archivos De Bronconeumología</i> , 2021, 58, 277-277. | 0.4 | 5 |
| 54 | Systemic mastocytosis presenting as kounis syndrome. <i>Annals of Allergy, Asthma and Immunology</i> , 2013, 111, 570-571. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The incidence rate of pulmonary arterial hypertension and scleroderma renal crisis in systemic sclerosis patients with digital ulcers on endothelin antagonist receptors (ERAs) and phosphodiesterase-5 inhibitors (PDE5i). <i>Rheumatology</i> , 2021, 60, 872-880. | 0.9 | 4 |
| 56 | Coronavirus disease 2019 hospitalization outcomes in persons with and without HIV in Spain. <i>Aids</i> , 2022, 36, 683-690. | 1.0 | 4 |
| 57 | Evolution of the Use of Corticosteroids for the Treatment of Hospitalised COVID-19 Patients in Spain between March and November 2020: SEMI-COVID National Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 4610. | 1.0 | 4 |
| 58 | Clusters of inflammation in COVID-19: descriptive analysis and prognosis on more than 15,000 patients from the Spanish SEMI-COVID-19 Registry. <i>Internal and Emergency Medicine</i> , 2022, 17, 1115-1127. | 1.0 | 4 |
| 59 | Factores de riesgo de mortalidad en pacientes con infección por SARS-CoV-2 y fibrilación auricular: datos del registro SEMI-COVID-19. <i>Medicina Clínica</i> , 2022, 159, 457-464. | 0.3 | 4 |
| 60 | Ethnicity and Clinical Outcomes in Patients Hospitalized for COVID-19 in Spain: Results from the Multicenter SEMI-COVID-19 Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 1949. | 1.0 | 4 |
| 61 | Real-Life Impact of Glucocorticoid Treatment in COVID-19 Mortality: A Multicenter Retrospective Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 4678. | 1.0 | 3 |
| 62 | Survival, Mortality, Causes of Death and Risk Factors of Poor Outcome. , 0, , . | | 2 |
| 63 | Use of glucocorticoids megadoses in SARS-CoV-2 infection in a spanish registry: SEMI-COVID-19. <i>PLoS ONE</i> , 2022, 17, e0261711. | 1.1 | 1 |
| 64 | Comment to: Cluster analysis for clinical sarcoidosis' phenotyping. <i>European Journal of Internal Medicine</i> , 2020, 78, 142. | 1.0 | 0 |
| 65 | Recurrence of Lofgren's syndrome 32 years later. A case report and review of the literature. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2018, 35, 289-291. | 0.2 | 0 |