
## Ritei Uehara

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/696483/publications.pdf Version: 2024-02-01



<u> Ριτει Πεμαρα</u>

#	Article	IF	CITATIONS
1	Pharmacologic interventions for Kawasaki disease in children: A network meta-analysis of 56 randomized controlled trials. EBioMedicine, 2022, 78, 103946.	6.1	14
2	Association Between Cerebral Microbleeds and Circulating Levels of Mid-Regional Pro-Adrenomedullin. Journal of Alzheimer's Disease, 2022, , 1-11.	2.6	1
3	Evaluation of myostatin as a possible regulator and marker of skeletal muscle–cortical bone interaction in adults. Journal of Bone and Mineral Metabolism, 2021, 39, 404-415.	2.7	8
4	Substantially Increased Plasma Coproporphyrinâ€l Concentrations Associated With <i>OATP1B1*15</i> Allele in Japanese General Population. Clinical and Translational Science, 2021, 14, 382-388.	3.1	17
5	Assessing the Relationship between Helicobacter pylori and Chronic Kidney Disease. Healthcare (Switzerland), 2021, 9, 162.	2.0	2
6	Relationship of hemoglobin level and plasma coproporphyrinâ€l concentrations as an endogenous probe for phenotyping OATP1B. Clinical and Translational Science, 2021, 14, 1403-1411.	3.1	5
7	The period from prodromal fever onset to rash onset in laboratory-confirmed rubella cases: a cross-sectional study. BMC Infectious Diseases, 2021, 21, 442.	2.9	0
8	Prevalence of patients with lysosomal storage disorders and peroxisomal disorders: A nationwide survey in Japan. Molecular Genetics and Metabolism, 2021, 133, 277-288.	1.1	22
9	Plasmalogen Deficiency and Overactive Fatty Acid Elongation Biomarkers in Serum of Breast Cancer Patients Pre- and Post-Surgery—New Insights on Diagnosis, Risk Assessment, and Disease Mechanisms. Cancers, 2021, 13, 4170.	3.7	9
10	368Evaluation of myostatin as a possible regulator of the skeletal muscle-cortical bone interaction in adults. International Journal of Epidemiology, 2021, 50, .	1.9	0
11	Mid-regional pro-adrenomedullin is a novel biomarker for arterial stiffness as the criterion for vascular failure in a cross-sectional study. Scientific Reports, 2021, 11, 305.	3.3	16
12	Pain catastrophizing hinders Disease Activity Score 28 – erythrocyte sedimentation rate remission of rheumatoid arthritis in patients with normal Câ€reactive protein levels. International Journal of Rheumatic Diseases, 2021, 24, 1520-1529.	1.9	5
13	Daily Consumption of Coffee and Eating Bread at Breakfast Time Is Associated with Lower Visceral Adipose Tissue and with Lower Prevalence of Both Visceral Obesity and Metabolic Syndrome in Japanese Populations: A Cross-Sectional Study. Nutrients, 2020, 12, 3090.	4.1	12
14	The Association of Daily Physical Activity Behaviors with Visceral Fat. Obesity Research and Clinical Practice, 2020, 14, 531-535.	1.8	11
15	Midregional Proadrenomedullin Can Reflect the Accumulation of Visceral Adipose Tissue—A Key to Explaining the Obesity Paradox. International Journal of Environmental Research and Public Health, 2020, 17, 3968.	2.6	4
16	Validity of stress assessment using heartâ€rate variability in newborns. Pediatrics International, 2020, 62, 694-700.	0.5	9
17	Estimating nationwide cases of sexually transmitted diseases in 2015 from sentinel surveillance data in Japan. BMC Infectious Diseases, 2020, 20, 77.	2.9	14
18	Sedentary Time is Associated with Cardiometabolic Diseases in A Large Japanese Population: A Cross-Sectional Study. Journal of Atherosclerosis and Thrombosis, 2020, 27, 1097-1107.	2.0	14

Ritei Uehara

#	Article	IF	CITATIONS
19	Association of Low Sputum Smear Positivity among Tuberculosis Patients with Interferon-Gamma Release Assay Outcomes of Close Contacts in Japan. International Journal of Environmental Research and Public Health, 2019, 16, 3713.	2.6	1
20	Assessment of anthropometric indices other than BMI to evaluate arterial stiffness. Hypertension Research, 2019, 42, 1599-1605.	2.7	31
21	Association between Helicobacter pylori infection and dental pulp reservoirs in Japanese adults. BMC Oral Health, 2019, 19, 267.	2.3	17
22	Results of a nationwide epidemiologic survey of autosomal recessive congenital ichthyosis and ichthyosis syndromes in Japan. Journal of the American Academy of Dermatology, 2019, 81, 1086-1092.e1.	1.2	4
23	Awareness of cardiopulmonary resuscitation among parents of 3â€yearâ€old children. Pediatrics International, 2018, 60, 869-874.	0.5	4
24	Suicidal patients presenting to secondary and tertiary emergency departments and referral to a psychiatrist: a population-based descriptive study from Japan. BMC Psychiatry, 2018, 18, 112.	2.6	18
25	Kawasaki disease and ENSOâ€driven wind circulation. Geophysical Research Letters, 2013, 40, 2284-2289.	4.0	19
26	Can Screening Invitations from Primary Care Physicians Increase Participation in Cancer Screenings on Remote Islands?. General Medicine, 2013, 14, 40-47.	0.1	3
27	Epidemiology of Kawasaki Disease in Asia, Europe, and the United States. Journal of Epidemiology, 2012, 22, 79-85.	2.4	447
28	Distribution of Birth Weight for Gestational Age in Japanese Infants Delivered by Cesarean Section. Journal of Epidemiology, 2011, 21, 217-222.	2.4	33
29	Parents with a history of Kawasaki disease whose child also had the same disease. Pediatrics International, 2011, 53, 511-514.	0.5	29
30	Kawasaki Disease Patients With Redness or Crust Formation at the Bacille Calmette-Guérin Inoculation Site. Pediatric Infectious Disease Journal, 2010, 29, 430-433.	2.0	84
31	Re-treatment regimens for acute stage of Kawasaki disease patients who failed to respond to initial intravenous immunoglobulin therapy: Analysis from the 17th nationwide survey. Pediatrics International, 2007, 49, 427-430.	0.5	11
32	Clinical Features of Patients With Kawasaki Disease Whose Parents Had the Same Disease. JAMA Pediatrics, 2004, 158, 1166.	3.0	53
33	Factors associated with practice of procedures in pediatric-related areas among certified pediatricians. Pediatrics International, 2003, 45, 80-85.	0.5	0
34	Serum alanine aminotransferase concentrations in patients with Kawasaki disease. Pediatric Infectious Disease Journal, 2003, 22, 839-842.	2.0	21