

Jack Kit-Chung Ng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6964874/publications.pdf>

Version: 2024-02-01

44
papers

672
citations

687335

13
h-index

642715

23
g-index

49
all docs

49
docs citations

49
times ranked

790
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictors and prognostic significance of persistent fluid overload: A longitudinal study in Chinese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2023, 43, 252-262.	2.3	4
2	Adipose expression of miR-130b and miR-17-5p with wasting, cardiovascular event and mortality in advanced chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1935-1943.	0.7	8
3	Risk of peritonitis after gastroscopy in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2022, 42, 162-170.	2.3	4
4	The change in the prevalence of obesity and new-onset diabetes in Chinese peritoneal dialysis patients over 25 years. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 70-78.	2.9	10
5	Urinary mi-106a for the diagnosis of IgA nephropathy: Liquid biopsy for kidney disease. <i>Clinica Chimica Acta</i> , 2022, 530, 81-86.	1.1	4
6	Adipose and serum zinc alpha-2-glycoprotein (ZAG) expressions predict longitudinal change of adiposity, wasting and predict survival in dialysis patients. <i>Scientific Reports</i> , 2022, 12, .	3.3	4
7	Icodextrin in Peritoneal Dialysis: Implications on Clinical Practice and Survival Outcome. <i>Kidney360</i> , 2022, 3, 793-795.	2.1	0
8	Excessive risk and poor outcome of hospital-acquired peritoneal dialysis-related peritonitis. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 2107-2115.	2.9	3
9	Polymerase chain reaction/electrospray ionization mass spectrometry (PCR/ESI-MS) is not suitable for rapid bacterial identification in peritoneal dialysis effluent. <i>Peritoneal Dialysis International</i> , 2021, 41, 96-100.	2.3	3
10	Extended antibiotic therapy for the prevention of relapsing and recurrent peritonitis in peritoneal dialysis patients: a randomized controlled trial. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 991-997.	2.9	9
11	Progression in Physical Frailty in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 342-351.	2.0	10
12	Prognostic significance of peritoneal dialysis effluent mitochondrial DNA level. <i>Clinica Chimica Acta</i> , 2021, 519, 1-9.	1.1	1
13	Impact of frailty and its inter-relationship with lean tissue wasting and malnutrition on kidney transplant waitlist candidacy and delisting. <i>Clinical Nutrition</i> , 2021, 40, 5620-5629.	5.0	11
14	Kidney microRNA-21 Expression and Kidney Function in IgA Nephropathy. <i>Kidney Medicine</i> , 2021, 3, 76-82.e1.	2.0	4
15	Relationship between measured and prescribed dialysate sodium in haemodialysis: a systematic review and meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 695-703.	0.7	7
16	The role of obesity on chronic kidney disease development, progression, and cardiovascular complications. <i>Advances in Biomarker Sciences and Technology</i> , 2020, 2, 24-34.	1.8	15
17	Depression does not predict clinical outcome of Chinese peritoneal Dialysis patients after adjusting for the degree of frailty. <i>BMC Nephrology</i> , 2020, 21, 329.	1.8	9
18	Helper-assisted continuous ambulatory peritoneal dialysis: Does the choice of helper matter?. <i>Peritoneal Dialysis International</i> , 2020, 40, 34-40.	2.3	13

#	ARTICLE	IF	CITATIONS
19	Longitudinal Changes of NF- κ B Downstream Mediators and Peritoneal Transport Characteristics in Incident Peritoneal Dialysis Patients. <i>Scientific Reports</i> , 2020, 10, 6440.	3.3	8
20	Metabolomic Changes of Human Proximal Tubular Cell Line in High Glucose Environment. <i>Scientific Reports</i> , 2019, 9, 16617.	3.3	14
21	Relationship between Plasma Endocan Level and Clinical Outcome of Chinese Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1259-1270.	2.0	18
22	Urinary miRNA profile for the diagnosis of IgA nephropathy. <i>BMC Nephrology</i> , 2019, 20, 77.	1.8	26
23	Effect of Erythropoiesis-Stimulating Agent Therapy in Patients Receiving Palliative Care of Chronic Kidney Disease. <i>American Journal of Hospice and Palliative Medicine</i> , 2019, 36, 718-721.	1.4	2
24	The efficacy of managing fluid overload in chronic peritoneal dialysis patients by a structured nurse-led intervention protocol. <i>BMC Nephrology</i> , 2019, 20, 454.	1.8	4
25	Fluid management and bioimpedance study in peritoneal dialysis. <i>Current Opinion in Nephrology and Hypertension</i> , 2019, 28, 58-64.	2.0	18
26	Peritoneal Dialysis Catheter Revision and Replacement by Nephrologist for Peritoneal Dialysis Catheter Malfunction. <i>Nephron</i> , 2018, 138, 214-219.	1.8	103
27	Causes of nephrotic syndrome and nephrotic-range proteinuria are different in adult Chinese patients: A single centre study over 33 years. <i>Nephrology</i> , 2018, 23, 565-572.	1.6	14
28	The choice of comorbidity scoring system in Chinese peritoneal dialysis patients. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 159-166.	1.6	7
29	Chronic kidney disease epidemic: How do we deal with it?. <i>Nephrology</i> , 2018, 23, 116-120.	1.6	67
30	Asymptomatic fluid overload predicts survival and cardiovascular event in incident Chinese peritoneal dialysis patients. <i>PLoS ONE</i> , 2018, 13, e0202203.	2.5	38
31	Depression and Physical Frailty Have Additive Effect on the Nutritional Status and Clinical Outcome of Chinese Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 914-923.	2.0	25
32	Inflammation and Peritoneal Dialysis. <i>Seminars in Nephrology</i> , 2017, 37, 54-65.	1.6	58
33	Peritoneal dialysis effluent miR-21 and miR-589 levels correlate with longitudinal change in peritoneal transport characteristics. <i>Clinica Chimica Acta</i> , 2017, 464, 106-112.	1.1	11
34	Treatment of Enterococcal Peritonitis in Peritoneal Dialysis Patients by Oral Amoxicillin or Intra-Peritoneal Vancomycin: a Retrospective Study. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 837-843.	2.0	11
35	Urinary Mitochondrial DNA Level as a Biomarker of Acute Kidney Injury Severity. <i>Kidney Diseases (Basel)</i> , 2017, 10, 784-791.	2.5	17
36	Addressing the burden of dialysis around the world: summary of the roundtable discussion on dialysis economics at the international congress of Chinese nephrologists 2015. <i>Nephrology</i> , 2017, 22, 3-8.	1.6	10

#	ARTICLE	IF	CITATIONS
37	Relatives in silent kidney disease screening (<scp>RISKS</scp>) study: <scp>A C</scp>hinese cohort study. <i>Nephrology</i> , 2017, 22, 35-42.	1.6	25
38	Frailty in Chinese Peritoneal Dialysis Patients: Prevalence and Prognostic Significance. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 736-745.	2.0	30
39	Urinary sediment mRNA level of extracellular matrix molecules in adult nephrotic syndrome. <i>Clinica Chimica Acta</i> , 2016, 456, 157-162.	1.1	7
40	Menstrual loss of renal function: a case of mefenamic acid induced renal cortical necrosis. <i>Clinical Nephrology</i> , 2016, 86, 162-164.	0.7	1
41	Circulating Bacterial-Derived DNA Fragment Level Is a Strong Predictor of Cardiovascular Disease in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2015, 10, e0125162.	2.5	31
42	An exotic cause of encephalopathy in a patient with chronic kidney disease. <i>Neurology: Clinical Practice</i> , 2014, 4, 490-492.	1.6	0
43	Case Report: A 70-Year-Old Man with Undiagnosed Factor VII [∆] Deficiency Presented with Acute Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, e664-e666.	1.6	3
44	Obesity, Weight Gain, and Fluid Overload in Peritoneal Dialysis. , 0, 2, .		3