

Jack Kit-Chung Ng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6964874/publications.pdf>

Version: 2024-02-01

44
papers

672
citations

687363

13
h-index

642732

23
g-index

49
all docs

49
docs citations

49
times ranked

790
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictors and prognostic significance of persistent fluid overload: A longitudinal study in Chinese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2023, 43, 252-262.	2.3	4
2	Adipose expression of miR-130b and miR-17-5p with wasting, cardiovascular event and mortality in advanced chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1935-1943.	0.7	8
3	Risk of peritonitis after gastroscopy in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2022, 42, 162-170.	2.3	4
4	The change in the prevalence of obesity and new-onset diabetes in Chinese peritoneal dialysis patients over 25 years. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 70-78.	2.9	10
5	Urinary mi-106a for the diagnosis of IgA nephropathy: Liquid biopsy for kidney disease. <i>Clinica Chimica Acta</i> , 2022, 530, 81-86.	1.1	4
6	Adipose and serum zinc alpha-2-glycoprotein (ZAG) expressions predict longitudinal change of adiposity, wasting and predict survival in dialysis patients. <i>Scientific Reports</i> , 2022, 12, .	3.3	4
7	Icodextrin in Peritoneal Dialysis: Implications on Clinical Practice and Survival Outcome. <i>Kidney360</i> , 2022, 3, 793-795.	2.1	0
8	Excessive risk and poor outcome of hospital-acquired peritoneal dialysis-related peritonitis. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 2107-2115.	2.9	3
9	Polymerase chain reaction/electrospray ionization-mass spectrometry (PCR/ESI-MS) is not suitable for rapid bacterial identification in peritoneal dialysis effluent. <i>Peritoneal Dialysis International</i> , 2021, 41, 96-100.	2.3	3
10	Extended antibiotic therapy for the prevention of relapsing and recurrent peritonitis in peritoneal dialysis patients: a randomized controlled trial. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 991-997.	2.9	9
11	Progression in Physical Frailty in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 342-351.	2.0	10
12	Prognostic significance of peritoneal dialysis effluent mitochondrial DNA level. <i>Clinica Chimica Acta</i> , 2021, 519, 1-9.	1.1	1
13	Impact of frailty and its inter-relationship with lean tissue wasting and malnutrition on kidney transplant waitlist candidacy and delisting. <i>Clinical Nutrition</i> , 2021, 40, 5620-5629.	5.0	11
14	Kidney microRNA-21 Expression and Kidney Function in IgA Nephropathy. <i>Kidney Medicine</i> , 2021, 3, 76-82.e1.	2.0	4
15	Relationship between measured and prescribed dialysate sodium in haemodialysis: a systematic review and meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 695-703.	0.7	7
16	The role of obesity on chronic kidney disease development, progression, and cardiovascular complications. <i>Advances in Biomarker Sciences and Technology</i> , 2020, 2, 24-34.	1.8	15
17	Depression does not predict clinical outcome of Chinese peritoneal Dialysis patients after adjusting for the degree of frailty. <i>BMC Nephrology</i> , 2020, 21, 329.	1.8	9
18	Helper-assisted continuous ambulatory peritoneal dialysis: Does the choice of helper matter?. <i>Peritoneal Dialysis International</i> , 2020, 40, 34-40.	2.3	13

#	ARTICLE	IF	CITATIONS
19	Longitudinal Changes of NF- κ B Downstream Mediators and Peritoneal Transport Characteristics in Incident Peritoneal Dialysis Patients. Scientific Reports, 2020, 10, 6440.	3.3	8
20	Metabolomic Changes of Human Proximal Tubular Cell Line in High Glucose Environment. Scientific Reports, 2019, 9, 16617.	3.3	14
21	Relationship between Plasma Endocan Level and Clinical Outcome of Chinese Peritoneal Dialysis Patients. Kidney and Blood Pressure Research, 2019, 44, 1259-1270.	2.0	18
22	Urinary miRNA profile for the diagnosis of IgA nephropathy. BMC Nephrology, 2019, 20, 77.	1.8	26
23	Effect of Erythropoiesis-Stimulating Agent Therapy in Patients Receiving Palliative Care of Chronic Kidney Disease. American Journal of Hospice and Palliative Medicine, 2019, 36, 718-721.	1.4	2
24	The efficacy of managing fluid overload in chronic peritoneal dialysis patients by a structured nurse-led intervention protocol. BMC Nephrology, 2019, 20, 454.	1.8	4
25	Fluid management and bioimpedance study in peritoneal dialysis. Current Opinion in Nephrology and Hypertension, 2019, 28, 58-64.	2.0	18
26	Peritoneal Dialysis Catheter Revision and Replacement by Nephrologist for Peritoneal Dialysis Catheter Malfunction. Nephron, 2018, 138, 214-219.	1.8	103
27	Causes of nephrotic syndrome and nephrotic-range proteinuria are different in adult Chinese patients: A single centre study over 33 years. Nephrology, 2018, 23, 565-572.	1.6	14
28	The choice of comorbidity scoring system in Chinese peritoneal dialysis patients. Clinical and Experimental Nephrology, 2018, 22, 159-166.	1.6	7
29	Chronic kidney disease epidemic: How do we deal with it?. Nephrology, 2018, 23, 116-120.	1.6	67
30	Asymptomatic fluid overload predicts survival and cardiovascular event in incident Chinese peritoneal dialysis patients. PLoS ONE, 2018, 13, e0202203.	2.5	38
31	Depression and Physical Frailty Have Additive Effect on the Nutritional Status and Clinical Outcome of Chinese Peritoneal Dialysis. Kidney and Blood Pressure Research, 2018, 43, 914-923.	2.0	25
32	Inflammation and Peritoneal Dialysis. Seminars in Nephrology, 2017, 37, 54-65.	1.6	58
33	Peritoneal dialysis effluent miR-21 and miR-589 levels correlate with longitudinal change in peritoneal transport characteristics. Clinica Chimica Acta, 2017, 464, 106-112.	1.1	11
34	Treatment of Enterococcal Peritonitis in Peritoneal Dialysis Patients by Oral Amoxicillin or Intra-Peritoneal Vancomycin: a Retrospective Study. Kidney and Blood Pressure Research, 2017, 42, 837-843.	2.0	11
35	Urinary Mitochondrial DNA Level as a Biomarker of Acute Kidney Injury Severity. Kidney Diseases (Basel), 2017, 1, 107-114.	2.5	17
36	Addressing the burden of dialysis around the world: summary of the roundtable discussion on dialysis economics at the first international congress of Chinese nephrologists 2015. Nephrology, 2017, 22, 3-8.	1.6	10

#	ARTICLE	IF	CITATIONS
37	Relatives in silent kidney disease screening (<scp>RISKS</scp>) study: <scp>A C</scp>hinese cohort study. Nephrology, 2017, 22, 35-42.	1.6	25
38	Frailty in Chinese Peritoneal Dialysis Patients: Prevalence and Prognostic Significance. Kidney and Blood Pressure Research, 2016, 41, 736-745.	2.0	30
39	Urinary sediment mRNA level of extracellular matrix molecules in adult nephrotic syndrome. Clinica Chimica Acta, 2016, 456, 157-162.	1.1	7
40	Menstrual loss of renal function: a case of mefenamic acid induced renal cortical necrosis. Clinical Nephrology, 2016, 86, 162-164.	0.7	1
41	Circulating Bacterial-Derived DNA Fragment Level Is a Strong Predictor of Cardiovascular Disease in Peritoneal Dialysis Patients. PLoS ONE, 2015, 10, e0125162.	2.5	31
42	An exotic cause of encephalopathy in a patient with chronic kidney disease. Neurology: Clinical Practice, 2014, 4, 490-492.	1.6	0
43	Case Report: A 70-Year-Old Man with Undiagnosed Factor VIIA Deficiency Presented with Acute Ischemic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2013, 22, e664-e666.	1.6	3
44	Obesity, Weight Gain, and Fluid Overload in Peritoneal Dialysis. , 0, 2, .		3