

Hitoshi Harada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6965437/publications.pdf>

Version: 2024-02-01

21
papers

199
citations

1477746

6
h-index

1058022

14
g-index

22
all docs

22
docs citations

22
times ranked

224
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of laparoscopic gastrectomy with 3-D/HD and 2-D/4K camera system for gastric cancer: a prospective randomized control study. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 105-112.	0.8	5
2	Albumin-Derived NLR Score is a Novel Prognostic Marker for Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 2663-2671.	0.7	10
3	ASO Visual Abstract: Albumin-Derived NLR Score is a Novel Prognostic Marker for Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 2672-2672.	0.7	0
4	Proposed modification of the eighth edition of the AJCC-ypTNM staging system of esophageal squamous cell cancer treated with neoadjuvant chemotherapy: Unification of the AJCC staging system and the Japanese classification. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1760-1767.	0.5	4
5	Actual Sarcopenia Reflects Poor Prognosis in Patients with Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2022, 29, 3670-3681.	0.7	8
6	Comprehensive complication index as a prognostic factor in minimally invasive esophagectomy for esophageal squamous cell carcinoma. <i>Esophagus</i> , 2022, 19, 410-416.	1.0	4
7	ASO Visual Abstract: Actual Sarcopenia Reflects Poor Prognosis in Patients with Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2022, , 1.	0.7	1
8	Thoracic cavity-to-cage ratio is a predictor of technical difficulties in minimally invasive esophagectomy. <i>Surgery</i> , 2022, , .	1.0	0
9	Volume 2(2); Pages: 210-215, 2022 DOI: 10.21873/cdp.10096 Perioperative Safety of Gastrectomy for Patients Receiving Antithrombotic Treatment. <i>Cancer Diagnosis & Prognosis</i> , 2022, 2, 210-215.	0.3	1
10	Simple and reliable transhiatal reconstruction after laparoscopic proximal gastrectomy with lower esophagectomy for Siewert type II tumors: y-shaped overlap esophagogastric tube reconstruction. <i>Langenbeck's Archives of Surgery</i> , 2022, , .	0.8	0
11	Impact of the Platelet-to-Lymphocyte Ratio as a Biomarker for Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2022, 42, 2775-2782.	0.5	3
12	Short- and long-term outcomes of thoracoscopic esophagectomy in the prone position for esophageal squamous cell carcinoma in patients with obstructive ventilatory disorder: a propensity score-matched study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, , .	1.3	1
13	Albumin and Derived Neutrophil-to-Lymphocyte Ratio is a Novel Prognostic Factor for Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 6860-6866.	0.7	3
14	Safety of laparoscopic local resection for gastrointestinal stromal tumors near the esophagogastric junction. <i>Surgery Today</i> , 2021, , 1.	0.7	0
15	Three-dimensional laparoscopic vision improves forceps motion more in the depth direction than in the horizontal direction: An analysis of data from prospective randomized controlled trials. <i>Asian Journal of Endoscopic Surgery</i> , 2020, 13, 265-271.	0.4	0
16	The effect on surgical skills of expert surgeons using 3D/HD and 2D/4K resolution monitors in laparoscopic phantom tasks. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 4228-4234.	1.3	61
17	The learning effect of using stereoscopic vision in the early phase of laparoscopic surgical training for novices. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 582-588.	1.3	18
18	Quantitative comparison of operative skill using 2- and 3-dimensional monitors during laparoscopic phantom tasks. <i>Surgery</i> , 2017, 161, 1334-1340.	1.0	10

#	ARTICLE	IF	CITATIONS
19	Comparison of two- and three-dimensional display for performance of laparoscopic total gastrectomy for gastric cancer. <i>Langenbeck's Archives of Surgery</i> , 2017, 402, 493-500.	0.8	21
20	A new method (the "Bascule method") for lymphadenectomy along the left recurrent laryngeal nerve during prone esophagectomy for esophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015, 29, 2442-2450.	1.3	49
21	ASO Author Reflections: Decrease of Albumin and Derived Neutrophil-to-Lymphocyte Ratio During Neoadjuvant Chemotherapy Reflect the Worse Prognosis in Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 0, , .	0.7	0