Luke Y C Chen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6965513/luke-y-c-chen-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72	1,294	18	34
papers	citations	h-index	g-index
82 ext. papers	1,829 ext. citations	8.1 avg, IF	5.27 L-index

#	Paper	IF	Citations
72	Reduced fixed dose tocilizumab 400 mg IV compared to weight-based dosing in critically ill patients with COVID-19: A before-after cohort study <i>The Lancet Regional Health Americas</i> , 2022 , 100228		
71	IgG4-related prostatitis manifesting as urinary obstruction in a 28-year-old male <i>BMC Urology</i> , 2022 , 22, 35	2.2	0
70	Innovations in genomics for undiagnosed diseases: vacuoles, E1 enzyme, X-linked, autoinflammatory, somatic (VEXAS) syndrome <i>Cmaj</i> , 2022 , 194, E524-E527	3.5	1
69	Monoclonal gammopathy of clinical significance: what the rheumatologist needs to know. <i>Lancet Rheumatology, The</i> , 2022 , 4, e362-e373	14.2	0
68	Hidden IgG4-Related Coronary Disease. American Journal of Clinical Pathology, 2021 , 156, 471-477	1.9	Ο
67	Adrenalitis and anasarca in idiopathic multicentric Castleman's disease. <i>Lancet, The</i> , 2021 , 397, 1749	40	2
66	Sarilumab in patients admitted to hospital with severe or critical COVID-19: a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Respiratory Medicine,the</i> , 2021 , 9, 522-532	35.1	112
65	IgG4-Related Disease as Mimicker of Malignancy. SN Comprehensive Clinical Medicine, 2021 , 3, 1904-19 ²	132.7	1
64	Polyclonal hypergammaglobulinaemia: assessment, clinical interpretation, and management. <i>Lancet Haematology,the</i> , 2021 , 8, e365-e375	14.6	11
63	Treatment of lymphocyte-variant hypereosinophilic syndrome (L-HES): what to consider after confirming the elusive diagnosis. <i>British Journal of Haematology</i> , 2021 , 195, 669-680	4.5	3
62	Combining immunomodulators and antivirals for COVID-19. Lancet Microbe, The, 2021, 2, e233	22.2	O
61	Weathering the COVID-19 storm: Lessons from hematologic cytokine syndromes. <i>Blood Reviews</i> , 2021 , 45, 100707	11.1	92
60	Method Limitations in LC-MS/MS and Immunonephelometric Measurement of IgG Subclasses. <i>Clinical Chemistry</i> , 2021 , 67, 440-441	5.5	2
59	Assessing the importance of interleukin-6 in COVID-19. Lancet Respiratory Medicine, the, 2021, 9, e13	35.1	20
58	Ruxolitinib as adjunctive therapy for secondary hemophagocytic lymphohistiocytosis: A case series. <i>European Journal of Haematology</i> , 2021 , 106, 654-661	3.8	9
57	Kimura Disease Presenting With New Raynaud Phenomenon: A Common Symptom Caused by an Uncommon Disease <i>Journal of Clinical Rheumatology</i> , 2021 , 27, S622-S624	1.1	
56	COVID-19 cytokine storm syndrome: a threshold concept. <i>Lancet Microbe, The</i> , 2021 , 2, e49-e50	22.2	27

55	Tocilizumab for hospitalized patients with COVID-19. <i>Cmaj</i> , 2021 , 193, E521	3.5	1
54	Vacuoles, E1 enzyme, X-linked, autoinflammatory, somatic (VEXAS) syndrome: fevers, myalgia, arthralgia, auricular chondritis, and erythema nodosum. <i>Lancet, The</i> , 2021 , 398, 621	40	4
53	IgG4-related disease and Rosai-Dorfman-Destombes disease. <i>Lancet, The</i> , 2021 , 398, 1213-1214	40	2
52	VEXAS syndrome in a female patient with constitutional 45,X (Turner syndrome) <i>Haematologica</i> , 2021 ,	6.6	4
51	Causes of hypereosinophilia in 100 consecutive patients. <i>European Journal of Haematology</i> , 2020 , 105, 292-301	3.8	7
50	Double Counting of Patients in Meta-analyses of Observational Studies. <i>JAMA Oncology</i> , 2020 , 6, 786-7	7873.4	
49	Amelioration of COVID-19-related cytokine storm syndrome: parallels to chimeric antigen receptor-T cell cytokine release syndrome. <i>British Journal of Haematology</i> , 2020 , 190, e150-e154	4.5	26
48	Clinical utility of serum IgG4 measurement. Clinica Chimica Acta, 2020 , 506, 228-235	6.2	9
47	Pegylated interferon alpha 2a is an effective and well-tolerated treatment option for lymphocyte-variant hypereosinophilic syndrome. <i>British Journal of Haematology</i> , 2020 , 188, e68-e72	4.5	6
46	The Association of Inflammatory Cytokines in the Pulmonary Pathophysiology of Respiratory Failure in Critically Ill Patients With Coronavirus Disease 2019 2020 , 2, e0203		16
45	The association of ABO blood group with indices of disease severity and multiorgan dysfunction in COVID-19. <i>Blood Advances</i> , 2020 , 4, 4981-4989	7.8	68
44	Use of rituximab in idiopathic retroperitoneal fibrosis. <i>BMC Rheumatology</i> , 2020 , 4, 40	2.9	1
43			
	Led Astray. New England Journal of Medicine, 2020 , 383, 578-583	59.2	4
42	Etoposide-based treatment of adult HLH is associated with high biochemical response but poor survival outcomes. <i>EJHaem</i> , 2020 , 1, 277-280	59.2 0.9	3
42 41	Etoposide-based treatment of adult HLH is associated with high biochemical response but poor		
	Etoposide-based treatment of adult HLH is associated with high biochemical response but poor survival outcomes. <i>EJHaem</i> , 2020 , 1, 277-280 IgG4 plasma cell myeloma without clinical evidence of IgG4-related disease: a report of two cases.	0.9	3
41	Etoposide-based treatment of adult HLH is associated with high biochemical response but poor survival outcomes. <i>EJHaem</i> , 2020 , 1, 277-280 IgG4 plasma cell myeloma without clinical evidence of IgG4-related disease: a report of two cases. <i>Hematology</i> , 2020 , 25, 335-340 In IgG4 related disease, elevated IgG2 is an artifact not a biomarker. <i>Seminars in Arthritis and</i>	0.9	3

37	Confirmed Efficacy of Lenalidomide and Dexamethasone in Unresectable Cutaneous Facial Rosai-Dorfman-Destombes Disease. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2019 , 3, 94-96	3.1	3
36	Lymphocyte-variant hypereosinophilic syndrome presenting as chronic dermatitis and responding to mycophenolic acid. <i>JAAD Case Reports</i> , 2019 , 5, 660-662	1.4	4
35	Post-Transfusion Hemophagocytosis Without Hemophagocytic Lymphohistiocytosis. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2019 , 3, 517-522	3.1	3
34	Extreme hyperferritinaemia, soluble interleukin-2 receptor, and haemophagocytic lymphohistiocytosis. <i>British Journal of Haematology</i> , 2019 , 185, 605-606	4.5	11
33	Resolution of Spurious Immunonephelometric IgG Subclass Measurement Discrepancies by LC-MS/MS. <i>Clinical Chemistry</i> , 2018 , 64, 735-742	5.5	31
32	Simulation and Classroom-Based Learning in Obstetrics and Gynaecology Residency Training. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2018 , 40, 287	1.3	
31	Comment on: IgG4-related disease presenting with raised serum IgG2-real timeline of IgG4-RD?. <i>Rheumatology</i> , 2018 , 57, 1125-1126	3.9	3
30	Lymphocyte-Variant Hypereosinophilic Syndrome With Eosinophilic Myocarditis Treated With Steroids and Pegylated Interferon Alfa-2a. <i>American Journal of the Medical Sciences</i> , 2018 , 355, 201-202	2.2	3
29	Utility of Serum IgG4 Levels in a Multiethnic Population. <i>American Journal of the Medical Sciences</i> , 2018 , 355, 61-66	2.2	20
28	Grappling with troublesome knowledge. <i>Medical Education</i> , 2018 , 52, 584-586	3.7	3
27	Comparing Physical Examination With Sonographic Versions of the Same Examination Techniques for Splenomegaly. <i>Journal of Ultrasound in Medicine</i> , 2018 , 37, 1621-1629	2.9	5
26	A young woman with steroid-responsive, IgG4-positive plasma cell-enriched cystic lymphangioma and chylous ascites. <i>Clinical Case Reports (discontinued)</i> , 2018 , 6, 1098-1100	0.7	2
25	Eosinophilic Myocarditis. American Journal of the Medical Sciences, 2017, 354, 486-492	2.2	33
24	Exploring the role of classroom-based learning in professional identity formation of family practice residents using the experiences, trajectories, and reifications framework. <i>Medical Teacher</i> , 2017 , 39, 876	6 ³ 882	8
23	Clinical utility of soluble interleukin-2 receptor in hemophagocytic syndromes: a systematic scoping review. <i>Annals of Hematology</i> , 2017 , 96, 1241-1251	3	70
22	IgG4-related disease and lymphocyte-variant hypereosinophilic syndrome: A comparative case series. European Journal of Haematology, 2017 , 98, 378-387	3.8	24
21	Clinical Reasoning and Threshold Concepts. <i>Academic Medicine</i> , 2017 , 92, 426	3.9	O
20	Soluble interleukin-2 receptor is a sensitive diagnostic test in adult HLH. <i>Blood Advances</i> , 2017 , 1, 2529-	2 5 .84	91

19	Hemophagocytic syndromes (HPSs) including hemophagocytic lymphohistiocytosis (HLH) in adults: A systematic scoping review. <i>Blood Reviews</i> , 2016 , 30, 411-420	11.1	146
18	Recognizing IgG4-related tubulointerstitial nephritis. <i>Canadian Journal of Kidney Health and Disease</i> , 2016 , 3, 34	2.3	10
17	Conditions associated with extreme hyperferritinaemia (>3000 B/L) in adults. <i>Internal Medicine Journal</i> , 2015 , 45, 828-33	1.6	18
16	Abnormalities of the lymphocyte subsets and their immunophenotype, and their prognostic significance in adult patients with hemophagocytic lymphohistiocytosis. <i>Annals of Hematology</i> , 2015 , 94, 1111-7	3	15
15	Polyclonal hyperviscosity syndrome in IgG4-related disease and associated conditions. <i>Clinical Case Reports (discontinued)</i> , 2015 , 3, 217-26	0.7	16
14	ResidentsTviews of the role of classroom-based learning in graduate medical education through the lens of academic half days. <i>Academic Medicine</i> , 2015 , 90, 532-8	3.9	12
13	Accuracy of Spleen Measurement by Medical Residents Using Hand-Carried Ultrasound. <i>Journal of Ultrasound in Medicine</i> , 2015 , 34, 2203-7	2.9	5
12	Estimation of spleen size with hand-carried ultrasound. <i>Journal of Ultrasound in Medicine</i> , 2014 , 33, 122	.5 ₂ 39	8
11	IgG4-related disease with hypergammaglobulinemic hyperviscosity and retinopathy. <i>European Journal of Haematology</i> , 2013 , 90, 250-6	3.8	19
10	Twelve tips for teaching in a provincially distributed medical education program. <i>Medical Teacher</i> , 2012 , 34, 116-22	3	8
9	Diverse Immunophenotypic Abnormalities in Adult Patients with Hemophagocytic Lymphohistiocytosis. <i>Blood</i> , 2012 , 120, 3267-3267	2.2	1
8	A Retrospective Single-Centre Cohort Study Comparing Lower-Dose Intravenous Immune Globulin (IVIg) (1 g/kg) to Higher-Dose Ivig (2 g/kg) in Adult Immune Thrombocytopenia. <i>Blood</i> , 2012 , 120, 3324-	-3 32 4	
7	Atypical autoimmune hemolytic anemia. <i>Haematologica</i> , 2011 , 96, e43	6.6	1
6	Dysmetabolic hyperferritinemia is associated with normal transferrin saturation, mild hepatic iron overload, and elevated hepcidin. <i>Annals of Hematology</i> , 2011 , 90, 139-43	3	12
5	Hemophagocytic syndromes in adult intensive care units: response to Okabe et Al. <i>Journal of Intensive Care Medicine</i> , 2011 , 26, 343-4	3.3	1
4	A young woman with episodic angioedema, papilledema, and eosinophilia. <i>American Journal of Hematology</i> , 2010 , 85, 124-7	7.1	11
3	Identification, isolation, and characterization of cysteinate and thiolactate complexes of bismuth. <i>Inorganic Chemistry</i> , 2004 , 43, 6495-500	5.1	40
2	Rapid analysis of tetracycline antibiotics by combined solid phase microextraction/high performance liquid chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 1744-54	2.2	39

Eosinophilic Myocarditis. *Mayo Clinic Proceedings*, **1997**, 72, 996

6.4