
Peter Lindvall

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6966010/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Treatment of restless legs syndrome with a pump; efficacy and complications. Acta Neurologica Scandinavica, 2020, 141, 368-373.	2.1	1
2	Scandinavian Multicenter Acute Subdural Hematoma (SMASH) Study: Study Protocol for a Multinational Population-Based Consecutive Cohort. Neurosurgery, 2019, 84, 799-803.	1.1	3
3	Identifying Unmet Rehabilitation Needs in Patients After Stroke With a Graphic Rehab-CompassTM. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 3224-3235.	1.6	10
4	Hypofractionated stereotactic radiotherapy in medium-sized to large arteriovenous malformations. Journal of Clinical Neuroscience, 2015, 22, 955-958.	1.5	17
5	Blood Metabolomic Predictors of 1-Year Outcome in Subarachnoid Hemorrhage. Neurocritical Care, 2015, 23, 225-232.	2.4	8
6	ADMA Levels and Arginine/ADMA Ratios Reflect Severity of Disease and Extent of Inflammation After Subarachnoid Hemorrhage. Neurocritical Care, 2014, 21, 91-101.	2.4	17
7	Complications following cranioplasty using autologous bone or polymethylmethacrylate—Retrospective experience from a single center. Clinical Neurology and Neurosurgery, 2013, 115, 1788-1791.	1.4	102
8	Intracranial Hypertension due to Cerebral Venous Sinus Thrombosis following Head Trauma: A Report of Two Cases. Case Reports in Neurology, 2013, 5, 168-174.	0.7	7
9	Long-Term Follow-Up of Intracranial Aneurysms Treated With Endovascular Coiling. Vascular and Endovascular Surgery, 2012, 46, 325-328.	0.7	9
10	Cerebral oedema as a complication following treatment of a giant arachnoid cyst. Acta Neurochirurgica, 2012, 154, 1417-1418.	1.7	3
11	Reoperation After Failed Deep Brain Stimulation for Essential Tremor. World Neurosurgery, 2012, 78, 554.e1-554.e5.	1.3	24
12	Radiation Schedules in Relation to Obliteration and Complications in Hypofractionated Conformal Stereotactic Radiotherapy of Arteriovenous Malformations. Stereotactic and Functional Neurosurgery, 2010, 88, 24-28.	1.5	12
13	The Fisher grading correlated to outcome in patients with subarachnoid haemorrhage. British Journal of Neurosurgery, 2009, 23, 188-192.	0.8	43
14	A comparison between surgical resection in combination with WBRT or hypofractionated stereotactic irradiation in the treatment of solitary brain metastases. Acta Neurochirurgica, 2009, 151, 1053-1059.	1.7	16
15	Anticoagulants and antiplatelet agents and the risk of development and recurrence of chronic subdural haematomas. Journal of Clinical Neuroscience, 2009, 16, 1287-1290.	1.5	121
16	Reproducibility and geometric accuracy of the fixster system during hypofractionated stereotactic radiotherapy. Radiation Oncology, 2008, 3, 16.	2.7	4
17	Liquid ionization chamber calibrated gel dosimetry in conformal stereotactic radiotherapy of brain lesions. Acta Oncológica, 2008, 47, 1099-1109.	1.8	12
18	Cerebral Metabolism During Air Transport of Patients After Surgery for Malignant Glioma. Aviation, Space, and Environmental Medicine, 2008, 79, 700-703.	0.5	3

Peter Lindvall

#	Article	IF	CITATIONS
19	Hypofractionated conformal stereotactic radiotherapy alone or in combination with whole-brain radiotherapy in patients with cerebral metastases. International Journal of Radiation Oncology Biology Physics, 2005, 61, 1460-1466.	0.8	54
20	Reducing Intracranial Pressure May Increase Survival among Patients with Bacterial Meningitis. Clinical Infectious Diseases, 2004, 38, 384-390.	5.8	124
21	Hypofractionated Conformal Stereotactic Radiotherapy for Arteriovenous Malformations. Neurosurgery, 2003, 53, 1036-1043.	1.1	64
22	Air transport of patients with intracranial air: computer model of pressure effects. Aviation, Space, and Environmental Medicine, 2003, 74, 138-44.	0.5	15