

# Baijun Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6966366/publications.pdf>

Version: 2024-02-01

67  
papers

2,535  
citations

186265  
28  
h-index

197818  
49  
g-index

67  
all docs

67  
docs citations

67  
times ranked

1757  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lignin doped epoxy acrylate sandwich electromagnetic shielding material synergized with Fe <sub>3</sub> O <sub>4</sub> and CNT. Journal of Dispersion Science and Technology, 2022, 43, 2209-2217.	2.4	1
2	Single-Ion Gel Polymer Electrolyte Based on Poly(ether sulfone) for High-Performance Lithium-Ion Batteries. Macromolecular Materials and Engineering, 2022, 307, .	3.6	3
3	Construction of highly conductive PBI-based alloy membranes by incorporating PIMs with optimized molecular weights for high-temperature proton exchange membrane fuel cells. Journal of Membrane Science, 2022, 659, 120790.	8.2	19
4	Fabrication of PBI/SPOSS hybrid high-temperature proton exchange membranes using SPAEK as compatibilizer. Journal of Membrane Science, 2021, 620, 118855.	8.2	42
5	Lignin Based Flexible Electromagnetic Shielding PU Synergized with Graphite. Fibers and Polymers, 2021, 22, 1-8.	2.1	19
6	Sulfophenylated Poly (Ether Ether Ketone Ketone) Nanofiber Composite Separator with Excellent Electrochemical Performance and Dimensional Thermal Stability for Lithium-Ion Battery via Electrospinning. Macromolecular Materials and Engineering, 2021, 306, 2100118.	3.6	5
7	Synergism between lignin, functionalized carbon nanotubes and Fe <sub>3</sub> O <sub>4</sub> nanoparticles for electromagnetic shielding effectiveness of tough lignin-based polyurethane. Composites Communications, 2021, 24, 100616.	6.3	22
8	The Enhanced Performance of Polyethylene Composite Separators by the Modification of Lithium Salt@SiO <sub>2</sub> Nanoparticles. Macromolecular Materials and Engineering, 2021, 306, 2100257.	3.6	2
9	Synthesis of a Cyclophosphazene Derivative Containing Multiple Cyano Groups for Electron-Beam Irradiated Flame-Retardant Materials. Polymers, 2021, 13, 3460.	4.5	2
10	Poly(arylene ether sulfone) crosslinked networks with pillar[5]arene units grafted by multiple long-chain quaternary ammonium salts for anion exchange membranes. Chemical Communications, 2020, 56, 928-931.	4.1	24
11	Thermally Conductive Study of Polyethylene/Al <sub>2</sub> O <sub>3</sub> Composite Networks Cross-linked Pipes by Electron Beam Irradiation. Chemical Research in Chinese Universities, 2020, 36, 940-945.	2.6	4
12	Highly Conductive and Mechanically Stable Imidazole-Rich Cross-Linked Networks for High-Temperature Proton Exchange Membrane Fuel Cells. Chemistry of Materials, 2020, 32, 1182-1191.	6.7	131
13	Fabrication of Cross-Linked Anion Exchange Membranes Using a Pillar[5]arene Bearing Multiple Alkyl Bromide Head Groups as Cross-Linker. Macromolecular Materials and Engineering, 2020, 305, 2000158.	3.6	9
14	A novel phosphorus-containing lignin-based flame retardant and its application in polyurethane. Composites Communications, 2020, 21, 100382.	6.3	39
15	Novel Nanocomposite PEM Membranes with Continuous Proton Transportation Channel and Reinforcing Network Formed by Electrospinning Solution Casting Method. Macromolecular Materials and Engineering, 2020, 305, 1900388.	3.6	6
16	Highly conductive and stable anion-exchange membranes based on crosslinked poly(arylene ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	3.8	9
17	Construction of High-Performance, High-Temperature Proton Exchange Membranes through Incorporating SiO <sub>2</sub> Nanoparticles into Novel Cross-linked Polybenzimidazole Networks. ACS Applied Materials & Interfaces, 2019, 11, 30735-30746.	8.0	89
18	Property improvement of nanocellulose-reinforced proton exchange nanocomposite membrane coated with tetraethyl orthosilicate. Journal of Polymer Science Part A, 2019, 57, 2190-2200.	2.3	1

#	ARTICLE	IF	CITATIONS
19	Proton Conductivity Improvement Effect of Cellulose on SPEEK Based PEM. Chemical Research in Chinese Universities, 2019, 35, 916-923.	2.6	1
20	Preparation and Properties of Hybrid Silane-crosslinked Sulfonated Poly(aryl ether ketone)s as Proton Exchange Membranes. Chemical Research in Chinese Universities, 2019, 35, 937-944.	2.6	2
21	Toward enhanced conductivity of high-temperature proton exchange membranes: development of novel PIM-1 reinforced PBI alloy membranes. Chemical Communications, 2019, 55, 6491-6494.	4.1	62
22	Carboxyl-functionalized Nanocellulose Reinforced Nanocomposite Proton Exchange Membrane. Chemical Research in Chinese Universities, 2019, 35, 735-741.	2.6	1
23	Novel proton exchange membranes based on structure-optimized poly(ether ether ketone)s and nanocrystalline cellulose. Applied Surface Science, 2018, 434, 163-175.	6.1	52
24	Synthesis and properties of the novel polyimides containing cyano and biphenyl moieties. High Performance Polymers, 2018, 30, 1183-1192.	1.8	3
25	Crosslinking effect in nanocrystalline cellulose reinforced sulfonated poly(aryl ether ketone) proton exchange membranes. Solid State Ionics, 2018, 323, 5-15.	2.7	37
26	Arylether-type polybenzimidazoles bearing benzimidazolyl pendants for high-temperature proton exchange membrane fuel cells. Journal of Power Sources, 2018, 393, 99-107.	7.8	73
27	Modified nanocrystal cellulose/fluorene-containing sulfonated poly(ether ether ketone) composites for proton exchange membranes. Applied Surface Science, 2017, 416, 996-1006.	6.1	47
28	Novel iodo-containing poly(arylene ether ketone)s as intermediates for grafting perfluoroalkyl sulfonic acid groups. Reactive and Functional Polymers, 2017, 111, 7-13.	4.1	11
29	Proton conducting nanocomposite membranes of nanocellulose reinforced poly(arylene ether) Tj ETQq1 1 0.784314.rgBT /Overlock 10	2.7	27
30	Fuel cell performance of pendent methylphenyl sulfonated poly(ether ether ketone)s. Journal of Power Sources, 2017, 368, 30-37.	7.8	26
31	Graft fluorinated poly(arylene ether ketone)s containing highly dense sulfonic-acid-functionalized pendants for proton exchange membranes by C-N coupling. Polymer, 2017, 131, 84-94.	3.8	23
32	Moisture absorption and mechanical properties of chemically modified linen/polypropylene composites. Chemical Research in Chinese Universities, 2017, 33, 1000-1006.	2.6	0
33	Nanocrystalline cellulose reinforced sulfonated fluorenyl-containing polyaryletherketones for proton exchange membranes. Solid State Ionics, 2016, 297, 29-35.	2.7	34
34	Sulfonated nanocrystal cellulose/sulfophenylated poly(ether ether ketone) composites for proton exchange membranes. RSC Advances, 2016, 6, 65072-65080.	3.6	28
35	Dimensionally-stable phosphoric acid-doped polybenzimidazoles for high-temperature proton exchange membrane fuel cells. Journal of Power Sources, 2016, 336, 391-400.	7.8	71
36	Novel PA-doped polybenzimidazole membranes with high doping level, high proton conductivity and high stability for HT-PEMFCs. RSC Advances, 2015, 5, 53870-53873.	3.6	24

#	ARTICLE	IF	CITATIONS
37	Triple-layer sulfonated poly(ether ether ketone)/sulfonated polyimide membranes for fuel cell applications. <i>High Performance Polymers</i> , 2014, 26, 106-113.	1.8	8
38	Sulfonated polyimides and their polysilsesquioxane hybrid membranes for fuel cells. <i>Solid State Ionics</i> , 2014, 258, 92-100.	2.7	9
39	Synthesis of sulfonated fluorenyl-containing poly(ether ether ketone)s and their blends with an amino-functionalized poly(ether ether ketone) for fuel cell applications. <i>Macromolecular Research</i> , 2013, 21, 719-725.	2.4	9
40	Fluorinated/non-fluorinated sulfonated polynaphthalimides as proton exchange membranes. <i>Macromolecular Research</i> , 2013, 21, 484-492.	2.4	7
41	Naphthalene-based poly(arylene ether ketone) anion exchange membranes. <i>Journal of Materials Chemistry A</i> , 2013, 1, 6481.	10.3	67
42	Structure-property studies on fluorinated polyimide isomers containing biphenyl moieties. <i>High Performance Polymers</i> , 2012, 24, 488-494.	1.8	7
43	SPAEK-based binary blends and ternary composites as proton exchange membranes for DMFCs. <i>Journal of Membrane Science</i> , 2012, 415-416, 520-526.	8.2	16
44	Proton Conductivity of Aromatic Polymers. , 2012, , 331-369.		4
45	Poly(ether ketone azomethane)s and poly(ether ketone imide)s containing naphthylene moieties. <i>Polymer Bulletin</i> , 2011, 67, 1761-1771.	3.3	7
46	Novel postsulfonated poly(ether ether ketone)-block-poly(ether sulfone)s as proton exchange membranes for fuel cells: Design, preparation and properties. <i>Journal of Membrane Science</i> , 2011, 380, 171-180.	8.2	22
47	Sulfonated naphthalenic polyimides containing ether and ketone linkages as polymer electrolyte membranes. <i>Journal of Membrane Science</i> , 2011, 366, 73-81.	8.2	39
48	Preparation of sulfonated poly(ether ether ketone)s containing amino groups/epoxy resin composite membranes and their in situ crosslinking for application in fuel cells. <i>Journal of Power Sources</i> , 2010, 195, 11-20.	7.8	35
49	Enhanced thermo-oxidative stability of sulfophenylated poly(ether sulfone)s. <i>Polymer</i> , 2010, 51, 403-413.	3.8	51
50	High performance direct methanol fuel cells based on acid-base blend membranes containing benzotriazole. <i>Electrochemistry Communications</i> , 2010, 12, 607-610.	4.7	39
51	Preparation and DMFC performance of a sulfophenylated poly(arylene ether ketone) polymer electrolyte membrane. <i>Electrochimica Acta</i> , 2010, 55, 3817-3823.	5.2	22
52	Novel acid-base molecule-enhanced blends/copolymers for fuel cell applications. <i>Journal of Power Sources</i> , 2009, 189, 894-901.	7.8	49
53	Increases in the proton conductivity and selectivity of proton exchange membranes for direct methanol fuel cells by formation of nanocomposites having proton conducting channels. <i>Journal of Power Sources</i> , 2009, 194, 206-213.	7.8	52
54	Novel high performance poly(aryl ether ketone)s based on symmetrical naphthylene isomers. <i>Polymer Bulletin</i> , 2008, 61, 699-704.	3.3	4

#	ARTICLE	IF	CITATIONS
55	Homopolymer-like sulfonated phenyl- and diphenyl-poly(arylene ether ketone)s for fuel cell applications. <i>Journal of Power Sources</i> , 2008, 185, 899-903.	7.8	35
56	Poly(aryl ether ketone)s with carboxylic acid groups: synthesis, sulfonation and crosslinking. <i>Journal of Materials Chemistry</i> , 2008, 18, 4675.	6.7	73
57	Toward Improved Conductivity of Sulfonated Aromatic Proton Exchange Membranes at Low Relative Humidity. <i>Chemistry of Materials</i> , 2008, 20, 5636-5642.	6.7	214
58	Copoly(arylene ether nitrile)sâ€™High-Performance Polymer Electrolytes for Direct Methanol Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2008, 155, B21.	2.9	42
59	Aromatic Poly(ether ketone)s with Pendant Sulfonic Acid Phenyl Groups Prepared by a Mild Sulfonation Method for Proton Exchange Membranesâ€™. <i>Macromolecules</i> , 2007, 40, 1934-1944.	4.8	348
60	Fluorenyl-containing sulfonated poly(aryl ether ether ketone ketone)s (SPFEEKK) for fuel cell applications. <i>Journal of Membrane Science</i> , 2006, 280, 54-64.	8.2	61
61	Influence of silica content in sulfonated poly(arylene ether ether ketone ketone) (SPAEEKK) hybrid membranes on properties for fuel cell application. <i>Polymer</i> , 2006, 47, 7871-7880.	3.8	89
62	Synthesis and characterization of organosoluble ditrifluoromethylated aromatic polyimides. <i>Journal of Polymer Science Part A</i> , 2005, 43, 3018-3029.	2.3	46
63	Soluble aromatic poly(ether ketone)s with a pendant 3,5-ditrifluoromethylphenyl group. <i>Polymer</i> , 2004, 45, 3241-3247.	3.8	105
64	Synthesis and thermotropic liquid-crystalline behavior of novel main-chain poly(aryl ether ketones). <i>Journal of Applied Polymer Science</i> , 2003, 89, 1347-1350.	2.6	2
65	Synthesis and characterization of trifluoromethylated poly(aryl ether ketone)s. <i>Polymers for Advanced Technologies</i> , 2003, 14, 221-225.	3.2	18
66	Poly(aryl ether ketone)s with (3-methyl)phenyl and (3-trifluoromethyl)phenyl side groups. <i>Journal of Polymer Science Part A</i> , 2002, 40, 3392-3398.	2.3	106
67	Electronâ€™beam irradiated ceramizableâ€™siliconeâ€™rubberâ€™composites containing allylâ€™functionalized cyclophosphazene. <i>Journal of Applied Polymer Science</i> , 0, , .	2.6	0