

# Sys Stybe Johansen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6967524/sys-stybe-johansen-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65  
papers

1,364  
citations

22  
h-index

34  
g-index

66  
ext. papers

1,590  
ext. citations

2.9  
avg, IF

5.02  
L-index

#	Paper	IF	Citations
65	Concentrations of citalopram and escitalopram in postmortem hair segments. <i>Forensic Science International</i> , <b>2022</b> , 336, 111349	2.6	1
64	A Systematic Review of Metabolite-to-Drug Ratios of Pharmaceuticals in Hair for Forensic Investigations. <i>Metabolites</i> , <b>2021</b> , 11,	5.6	1
63	Hair cortisol concentrations in decedents with severe mental illness [An autopsy-based cohort study. <i>Forensic Science International: Reports</i> , <b>2021</b> , 3, 100173	1.9	
62	Postmortem Brain-Blood Ratios of Codeine, Fentanyl, Oxycodone and Tramadol. <i>Journal of Analytical Toxicology</i> , <b>2021</b> , 45, 53-59	2.9	2
61	Effects of a single dose of psilocybin on behaviour, brain 5-HT receptor occupancy and gene expression in the pig. <i>European Neuropsychopharmacology</i> , <b>2021</b> , 42, 1-11	1.2	7
60	Concentrations of aripiprazole and dehydroaripiprazole in hair segments from deceased individuals with mental disorders. <i>Forensic Science International</i> , <b>2020</b> , 317, 110523	2.6	2
59	Temporal patterns of tramadol in hair after a single dose. <i>Forensic Science International</i> , <b>2020</b> , 316, 110546	2.6	5
58	Ketamine analogues: Comparative toxicokinetic in vitro-in vivo extrapolation and quantification of 2-fluorodeschloroketamine in forensic blood and hair samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 180, 113049	3.5	11
57	Distribution of zopiclone and main metabolites in hair following a single dose. <i>Forensic Science International</i> , <b>2020</b> , 306, 110074	2.6	5
56	Segmental hair analysis of olanzapine and N-desmethyl-olanzapine in postmortem hair from mentally ill patients by LC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 190, 113510	3.5	4
55	Internal quality control samples for hair testing. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 188, 113459	3.5	7
54	In vitro and in vivo metabolism and detection of 3-HO-PCP, a synthetic phencyclidine, in human samples and pooled human hepatocytes using high resolution mass spectrometry. <i>Drug Testing and Analysis</i> , <b>2020</b> , 12, 987-993	3.5	0
53	Hair testing for cortisol by UPLC-MS/MS in a family: External cross-contamination from use of cortisol cream. <i>Forensic Science International</i> , <b>2019</b> , 305, 109968	2.6	7
52	Postmortem Brain-Blood Ratios of Amphetamine, Cocaine, Ephedrine, MDMA and Methylphenidate. <i>Journal of Analytical Toxicology</i> , <b>2019</b> , 43, 378-384	2.9	3
51	Brain-blood ratio of morphine in heroin and morphine autopsy cases. <i>Forensic Science International</i> , <b>2019</b> , 301, 388-393	2.6	4
50	Identification of phenobarbital and other barbiturates in forensic drug screening using positive electrospray ionization liquid chromatography-high resolution mass spectrometry. <i>Drug Testing and Analysis</i> , <b>2019</b> , 11, 1258-1263	3.5	2
49	Retrospective analysis for valproate screening targets with liquid chromatography-high resolution mass spectrometry with positive electrospray ionization: An omics-based approach. <i>Drug Testing and Analysis</i> , <b>2019</b> , 11, 730-738	3.5	12

48	Segmental Hair Analysis-Interpretation of the Time of Drug Intake in Two Patients Undergoing Drug Treatment. <i>Journal of Forensic Sciences</i> , <b>2019</b> , 64, 950-955	1.8	13
47	Post-mortem quetiapine concentrations in hair segments of psychiatric patients - Correlation between hair concentration, dose and concentration in blood. <i>Forensic Science International</i> , <b>2018</b> , 285, 58-64	2.6	17
46	Validation of a fully automated solid-phase extraction and ultra-high-performance liquid chromatography-tandem mass spectrometry method for quantification of 30 pharmaceuticals and metabolites in post-mortem blood and brain samples. <i>Drug Testing and Analysis</i> , <b>2018</b> , 10, 1147	3.5	13
45	Hair analysis in toxicological investigation of drug-facilitated crimes in Denmark over a 8-year period. <i>Forensic Science International</i> , <b>2018</b> , 285, e1-e12	2.6	30
44	Reference Brain/Blood Concentrations of Citalopram, Duloxetine, Mirtazapine and Sertraline. <i>Journal of Analytical Toxicology</i> , <b>2018</b> , 42, 149-156	2.9	22
43	Application of a screening method for fentanyl and its analogues using UHPLC-QTOF-MS with data-independent acquisition (DIA) in MS mode and retrospective analysis of authentic forensic blood samples. <i>Drug Testing and Analysis</i> , <b>2018</b> , 10, 651-662	3.5	40
42	Postmortem analysis of three methoxyacetylfentanyl-related deaths in Denmark and in vitro metabolite profiling in pooled human hepatocytes. <i>Forensic Science International</i> , <b>2018</b> , 290, 310-317	2.6	19
41	Fatal intoxications among non-drug addicts in Eastern Denmark over a 5-year period (2008&ndash;2012). <i>Research and Reports in Forensic Medical Science</i> , <b>2018</b> , Volume 8, 9-16	2	0
40	Segmental Analysis of Chlorprothixene and Desmethylchlorprothixene in Postmortem Hair. <i>Journal of Analytical Toxicology</i> , <b>2018</b> , 42, 642-649	2.9	11
39	Postmortem concentrations of gamma-hydroxybutyrate (GHB) in peripheral blood and brain tissue - Differentiating between postmortem formation and antemortem intake. <i>Forensic Science International</i> , <b>2017</b> , 272, 154-158	2.6	14
38	Enantioselective analysis of citalopram and demethylcitalopram in human whole blood by chiral LC-MS/MS and application in forensic cases. <i>Drug Testing and Analysis</i> , <b>2017</b> , 9, 1549-1554	3.5	8
37	Simultaneous determination of ethanol& four types of non-oxidative metabolites in human whole blood by liquid chromatography tandem mass spectrometry. <i>Analytica Chimica Acta</i> , <b>2017</b> , 963, 68-75	6.6	7
36	Detection of the antipsychotic drug quetiapine in the blood, urine and hair samples of the victim of a drug-facilitated sexual assault. <i>Forensic Science International</i> , <b>2017</b> , 270, e12-e15	2.6	15
35	In vitro studies on flubromazolam metabolism and detection of its metabolites in authentic forensic samples. <i>Drug Testing and Analysis</i> , <b>2017</b> , 9, 1182-1191	3.5	27
34	Determination of GHB and GHB-EO-glucuronide in hair of three narcoleptic patients-Comparison between single and chronic GHB exposure. <i>Forensic Science International</i> , <b>2017</b> , 278, e8-e13	2.6	16
33	Advantages of analyzing postmortem brain samples in routine forensic drug screening-Case series of three non-natural deaths tested positive for lysergic acid diethylamide (LSD). <i>Forensic Science International</i> , <b>2017</b> , 278, e14-e18	2.6	5
32	Targeted analysis of 116 drugs in hair by UHPLC-MS/MS and its application to forensic cases. <i>Drug Testing and Analysis</i> , <b>2017</b> , 9, 1137-1151	3.5	29
31	Deposition of diazepam and its metabolites in hair following a single dose of diazepam. <i>International Journal of Legal Medicine</i> , <b>2017</b> , 131, 131-141	3.1	15

30	Postmortem Brain and Blood Reference Concentrations of Alprazolam, Bromazepam, Chlordiazepoxide, Diazepam, and their Metabolites and a Review of the Literature. <i>Journal of Analytical Toxicology</i> , <b>2016</b> , 40, 529-36	2.9	16
29	Development of a UPLC <sup>MS</sup> /MS method for determining $\gamma$ -Hydroxybutyric acid (GHB) and GHB glucuronide concentrations in hair and application to forensic cases. <i>Forensic Toxicology</i> , <b>2016</b> , 34, 51-60 <sup>2.6</sup>	2.6	23
28	Drug facilitated sexual assault with lethal outcome: GHB intoxication in a six-year-old girl. <i>Forensic Science International</i> , <b>2016</b> , 259, e25-31	2.6	22
27	Sensitive, automatic method for the determination of diazepam and its five metabolites in human oral fluid by online solid-phase extraction and liquid chromatography with tandem mass spectrometry. <i>Journal of Separation Science</i> , <b>2016</b> , 39, 1873-83	3.4	10
26	Stability of $\gamma$ -Hydroxybutyrate in Blood Samples from Impaired Drivers after Storage at 4°C and Comparison of GC-FID-GBL and LC-MS-MS Methods of Analysis. <i>Journal of Analytical Toxicology</i> , <b>2015</b> , 39, 294-9	2.9	4
25	Postmortem Quetiapine Reference Concentrations in Brain and Blood. <i>Journal of Analytical Toxicology</i> , <b>2015</b> , 39, 557-61	2.9	23
24	Postmortem femoral blood reference concentrations of aripiprazole, chlorprothixene, and quetiapine. <i>Journal of Analytical Toxicology</i> , <b>2015</b> , 39, 41-4	2.9	14
23	Evaluation of poly-drug use in methadone-related fatalities using segmental hair analysis. <i>Forensic Science International</i> , <b>2015</b> , 248, 134-9	2.6	15
22	Pre-analytical and analytical variation of drug determination in segmented hair using ultra-performance liquid chromatography-tandem mass spectrometry. <i>Forensic Science International</i> , <b>2014</b> , 234, 16-21	2.6	20
21	Postmortem femoral blood concentrations of risperidone. <i>Journal of Analytical Toxicology</i> , <b>2014</b> , 38, 57-60	2.9	6
20	Validation of a method for the targeted analysis of 96 drugs in hair by UPLC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 88, 295-306	3.5	66
19	In vitro metabolism studies on mephedrone and analysis of forensic cases. <i>Drug Testing and Analysis</i> , <b>2013</b> , 5, 430-8	3.5	88
18	Screening for illicit and medicinal drugs in whole blood using fully automated SPE and ultra-high-performance liquid chromatography with TOF-MS with data-independent acquisition. <i>Journal of Separation Science</i> , <b>2013</b> , 36, 2081-9	3.4	63
17	Screening of Danish traffic cases for synthetic cannabinoids in whole blood by LC-MS/MS. <i>Scandinavian Journal of Forensic Science</i> , <b>2013</b> , 19, 45-51		10
16	Simultaneous determination of 25 common pharmaceuticals in whole blood using ultra-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , <b>2012</b> , 36, 497-506	2.9	28
15	Isomers of fluoroamphetamines detected in forensic cases in Denmark. <i>International Journal of Legal Medicine</i> , <b>2012</b> , 126, 541-7	3.1	33
14	Simultaneous determination of $\gamma$ -Hydroxybutyrate (GHB) and its analogues (GBL, 1.4-BD, GVL) in whole blood and urine by liquid chromatography coupled to tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , <b>2011</b> , 35, 8-14	2.9	39
13	Postmortem blood concentrations of R- and S-enantiomers of methadone and EDDP in drug users: influence of co-medication and p-glycoprotein genotype. <i>Journal of Forensic Sciences</i> , <b>2010</b> , 55, 457-63	1.8	24

12	Simultaneous screening and quantification of 52 common pharmaceuticals and drugs of abuse in hair using UPLC-TOF-MS. <i>Forensic Science International</i> , <b>2010</b> , 196, 85-92	2.6	132
11	Determination of olanzapine in whole blood using simple protein precipitation and liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , <b>2009</b> , 33, 212-7	2.9	37
10	Determination of amphetamine, methamphetamine, MDA and MDMA in human hair by GC-EI-MS after derivatization with perfluorooctanoyl chloride. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2009</b> , 69, 113-20	2	20
9	Chiral analysis of methadone and its main metabolite EDDP in postmortem blood by liquid chromatography-mass spectrometry. <i>Journal of Analytical Toxicology</i> , <b>2008</b> , 32, 499-504	2.9	17
8	Dominance of pre-analytical over analytical variation for measurement of methadone and its main metabolite in postmortem femoral blood. <i>Forensic Science International</i> , <b>2008</b> , 179, 78-82	2.6	24
7	Quantitative analysis of cocaine and its metabolites in whole blood and urine by high-performance liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2007</b> , 852, 338-44	3.2	64
6	Chiral separation and quantification of R/S-amphetamine, R/S-methamphetamine, R/S-MDA, R/S-MDMA, and R/S-MDEA in whole blood by GC-EI-MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2006</b> , 842, 136-41	3.2	67
5	Liquid chromatography-tandem mass spectrometry determination of LSD, ISO-LSD, and the main metabolite 2-oxo-3-hydroxy-LSD in forensic samples and application in a forensic case. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2005</b> , 825, 21-8	3.2	25
4	Liquid chromatography-tandem mass spectrometry determination of loperamide and its main metabolite desmethyloperamide in biological specimens and application to forensic cases. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2004</b> , 811, 31-6	3.2	5
3	A fatal case of amlodipine poisoning. <i>Journal of Clinical Forensic and Legal Medicine</i> , <b>2003</b> , 10, 169-72		19
2	Three fatal cases of PMA and PMMA poisoning in Denmark. <i>Journal of Analytical Toxicology</i> , <b>2003</b> , 27, 253-6	2.9	54
1	Method development for trace analysis of heteroaromatic compounds in contaminated groundwater. <i>Journal of Chromatography A</i> , <b>1996</b> , 738, 295-304	4.5	21