

Haoxiang Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6967586/publications.pdf>

Version: 2024-02-01

58
papers

2,321
citations

201385

27
h-index

214527

47
g-index

59
all docs

59
docs citations

59
times ranked

1631
citing authors

#	ARTICLE	IF	CITATIONS
1	Insight into the electrolyte strategies for aqueous zinc ion batteries. <i>Coordination Chemistry Reviews</i> , 2022, 452, 214297.	9.5	92
2	Interlayer gap widened TiS ₂ for highly efficient sodium-ion storage. <i>Journal of Materials Science and Technology</i> , 2022, 107, 64-69.	5.6	50
3	Nickel ferrocyanides for aqueous ammonium ion batteries. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2001-2010.	3.0	15
4	Synergistic dual conversion reactions assisting Pb-S electrochemistry for energy storage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2118675119.	3.3	28
5	Pre-intercalation chemistry of electrode materials in aqueous energy storage systems. <i>Coordination Chemistry Reviews</i> , 2022, 460, 214477.	9.5	31
6	Ti ₂ Nb ₁₀ O ₂₉ @C hollow submicron ribbons for superior lithium storage. <i>Ceramics International</i> , 2022, 48, 23334-23340.	2.3	7
7	Optimizing NH ₄ ⁺ Storage Capability of Nickel Ferrocyanide by Regulating Coordination Anion in Aqueous Electrolytes. <i>ChemElectroChem</i> , 2022, 9, .	1.7	5
8	Copper hexacyanoferrate as ultra-high rate host for aqueous ammonium ion storage. <i>Chemical Engineering Journal</i> , 2021, 421, 127767.	6.6	64
9	Cu ₂ Nb ₃₄ O ₈₇ nanowires as a superior lithium storage host in advanced rechargeable batteries. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 444-451.	3.0	31
10	Surface chemistry of LiFePO ₄ cathode material as unraveled by HRTEM and XPS. <i>Ionics</i> , 2021, 27, 31-37.	1.2	9
11	Copper niobate nanowires boosted by a N, S co-doped carbon coating for superior lithium storage. <i>Dalton Transactions</i> , 2021, 50, 11030-11038.	1.6	11
12	Cu ₃ (PO ₄) ₂ : Novel Anion Convertor for Aqueous Dual-Ion Battery. <i>Nano-Micro Letters</i> , 2021, 13, 41.	14.4	26
13	Thermodynamic analysis and perspective of aqueous metal-sulfur batteries. <i>Materials Today</i> , 2021, 49, 184-200.	8.3	31
14	Insight into the Synergistic Effect of N, S Co-Doping for Carbon Coating Layer on Niobium Oxide Anodes with Ultra-Long Life. <i>Advanced Functional Materials</i> , 2021, 31, 2100311.	7.8	82
15	Hydrogen Bond-Assisted Ultra-Stable and Fast Aqueous NH ₄ ⁺ Storage. <i>Nano-Micro Letters</i> , 2021, 13, 139.	14.4	77
16	A TiSe ₂ @Graphite Dual Ion Battery: Fast Na ⁺ Ion Insertion and Excellent Stability. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 18430-18437.	7.2	102
17	Hydrothermal synthesis of Î²-MnO ₂ nanorods for highly efficient zinc-ion storage. <i>Ionics</i> , 2021, 27, 3943-3950.	1.2	6
18	A TiSe ₂ @Graphite Dual Ion Battery: Fast Na ⁺ Ion Insertion and Excellent Stability. <i>Angewandte Chemie</i> , 2021, 133, 18578-18585.	1.6	10

#	ARTICLE	IF	CITATIONS
19	Frontispiece: A TiSe_2 -Graphite Dual Ion Battery: Fast Na^+ Ion Insertion and Excellent Stability. <i>Angewandte Chemie - International Edition</i> , 2021, 60, .	7.2	0
20	Prussian Blue Analogues in Aqueous Batteries and Desalination Batteries. <i>Nano-Micro Letters</i> , 2021, 13, 166.	14.4	73
21	Frontispiz: A TiSe_2 -Graphite Dual Ion Battery: Fast Na^+ Ion Insertion and Excellent Stability. <i>Angewandte Chemie</i> , 2021, 133, .	1.6	0
22	The Nature of the Ultrahigh Initial Coulombic Efficiency of $\text{Ni}_2\text{Fe}(\text{CN})_6$ in Aqueous Ammonium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 9594-9599.	2.5	22
23	Lithium storage behaviors of PbNb_2O_6 in rechargeable batteries. <i>Ceramics International</i> , 2021, 47, 26732-26737.	2.3	2
24	An anode-free aqueous dual-ion battery. <i>Sustainable Energy and Fuels</i> , 2021, 5, 3298-3302.	2.5	9
25	Common ion effect enhanced Prussian blue analogues for aqueous ammonium ion storage. <i>Dalton Transactions</i> , 2021, 50, 6520-6527.	1.6	24
26	The finding of nickel extraction material: How nickel ferrocyanide offer excess capacity. <i>Nano Today</i> , 2021, 41, 101327.	6.2	1
27	The journey of lithium ions in the lattice of $\text{PNb}_9\text{O}_{25}$. <i>Materials Chemistry Frontiers</i> , 2020, 4, 631-637.	3.2	15
28	Functional cation defects engineering in TiS_2 for high-stability anode. <i>Nano Energy</i> , 2020, 67, 104295.	8.2	83
29	Heteroatom-doped carbon-based materials for lithium and sodium ion batteries. <i>Energy Storage Materials</i> , 2020, 32, 65-90.	9.5	225
30	Polymorphism-Controlled Electrochemical Energy Storage Performance of LiNbWO_6 . <i>Chemistry of Materials</i> , 2020, 32, 3376-3384.	3.2	31
31	Electrochemical uptake/release of lithium in $\text{GaNb}_{11}\text{O}_{29}$ nanowires as anode material for rechargeable lithium ion battery. <i>Ceramics International</i> , 2020, 46, 20537-20544.	2.3	5
32	$\text{BaNb}_3.6\text{O}_{10}$ nanowires with superior electrochemical performance towards ultrafast and highly stable lithium storage. <i>Energy Storage Materials</i> , 2019, 16, 400-410.	9.5	43
33	Commercially available InSb as a high-performance anode for secondary batteries towards superior lithium storage. <i>Sustainable Energy and Fuels</i> , 2019, 3, 2668-2674.	2.5	13
34	Review on niobium-based chalcogenides for electrochemical energy storage devices: Application and progress. <i>Nano Energy</i> , 2019, 65, 104049.	8.2	46
35	$\text{FeNb}_{11}\text{O}_{29}$ nanotubes: Superior electrochemical energy storage performance and operating mechanism. <i>Nano Energy</i> , 2019, 58, 399-409.	8.2	83
36	Observation of $\text{ZrNb}_{14}\text{O}_{37}$ Nanowires as a Lithium Container via In Situ and Ex Situ Techniques for High-Performance Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 22429-22438.	4.0	23

#	ARTICLE	IF	CITATIONS
37	Preparation of TiNb ₆ O ₁₇ nanospheres as high-performance anode candidates for lithium-ion storage. <i>Chemical Engineering Journal</i> , 2019, 374, 937-946.	6.6	37
38	Lab-Scale In Situ X-Ray Diffraction Technique for Different Battery Systems: Designs, Applications, and Perspectives. <i>Small Methods</i> , 2019, 3, 1900119.	4.6	39
39	Constructing Hollow Nanofibers To Boost Electrochemical Performance: Insight into Kinetics and the Li Storage Mechanism for CrNb ₄₉ O ₁₂₄ . <i>ACS Applied Energy Materials</i> , 2019, 2, 2672-2679.	2.5	12
40	Compositing SrLi ₂ Ti ₆ O ₁₄ with chemical deposited silver for enhancing lithium ion storage. <i>Ceramics International</i> , 2019, 45, 6885-6890.	2.3	3
41	H _{0.92} K _{0.08} TiNbO ₅ Nanowires Enabling High-Performance Lithium-Ion Uptake. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 9136-9143.	4.0	13
42	Pretreated commercial TiSe ₂ as an insertion-type potassium container for constructing a Rocking-Chair-type potassium ion batteries. <i>Energy Storage Materials</i> , 2019, 22, 154-159.	9.5	71
43	LiY(MoO ₄) ₂ nanotubes: Novel zero-strain anode for electrochemical energy storage. <i>Energy Storage Materials</i> , 2019, 21, 297-307.	9.5	27
44	An overview and future perspectives of aqueous rechargeable polyvalent ion batteries. <i>Energy Storage Materials</i> , 2019, 18, 68-91.	9.5	113
45	K ₂ Nb ₈ O ₂₁ nanotubes with superior electrochemical performance for ultrastable lithium storage. <i>Journal of Materials Chemistry A</i> , 2018, 6, 8620-8632.	5.2	51
46	Sol-Gel Synthesis and in Situ X-ray Diffraction Study of Li ₃ Nd ₃ W ₂ O ₁₂ as a Lithium Container. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 12716-12721.	4.0	7
47	Deep insights into kinetics and structural evolution of nitrogen-doped carbon coated TiNb ₂₄ O ₆₂ nanowires as high-performance lithium container. <i>Nano Energy</i> , 2018, 54, 227-237.	8.2	96
48	Lithium, sodium and potassium storage behaviors of Pb ₃ Nb ₄ O ₁₃ nanowires for rechargeable batteries. <i>Ceramics International</i> , 2018, 44, 17094-17101.	2.3	16
49	Nano-structured GeNb ₁₈ O ₄₇ as novel anode host with superior lithium storage performance. <i>Electrochimica Acta</i> , 2018, 282, 634-641.	2.6	19
50	K ₆ Nb _{10.8} O ₃₀ groove nanobelts as high performance lithium-ion battery anode towards long-life energy storage. <i>Nano Energy</i> , 2018, 52, 192-202.	8.2	57
51	Rapid and durable electrochemical storage behavior enabled by V ₄ Nb ₁₈ O ₅₅ beaded nanofibers: a joint theoretical and experimental study. <i>Journal of Materials Chemistry A</i> , 2018, 6, 17389-17400.	5.2	24
52	Electrospun WNb ₁₂ O ₃₃ nanowires: superior lithium storage capability and their working mechanism. <i>Journal of Materials Chemistry A</i> , 2017, 5, 8972-8980.	5.2	74
53	TiNb ₂ O ₇ hollow nanofiber anode with superior electrochemical performance in rechargeable lithium ion batteries. <i>Nano Energy</i> , 2017, 38, 109-117.	8.2	160
54	Lithiation/Delithiation Behavior of Silver Nitrate as Lithium Storage Material for Lithium Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 5686-5693.	3.2	5

#	ARTICLE	IF	CITATIONS
55	Carbon-Enhanced Electrochemical Performance for Spinel $\text{Li}_5\text{Cr}_7\text{Ti}_6\text{O}_{25}$ as a Lithium Host Material. ACS Sustainable Chemistry and Engineering, 2017, 5, 957-964.	3.2	24
56	High-Rate Long-Life Pored Nanoribbon $\text{VNb}_9\text{O}_{25}$ Built by Interconnected Ultrafine Nanoparticles as Anode for Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2017, 9, 30608-30616.	4.0	54
57	Effect of Sodium-Site Doping on Enhancing the Lithium Storage Performance of Sodium Lithium Titanate. ACS Applied Materials & Interfaces, 2016, 8, 10302-10314.	4.0	23
58	Advanced $\text{BaLi}_2\text{Ti}_6\text{O}_{14}$ Anode Fabricated via Lithium Site Substitution by Magnesium. ACS Sustainable Chemistry and Engineering, 2016, 4, 4859-4867.	3.2	18