

Heon-Jeong Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6969789/heon-jeong-lee-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

209 papers	3,993 citations	37 h-index	52 g-index
221 ext. papers	4,841 ext. citations	3.6 avg, IF	5.27 L-index

#	Paper	IF	Citations
209	Health Problems With Using Smartphones Late at Night. <i>Chronobiology in Medicine</i> , 2022 , 4, 1-1	0.6	
208	Association Between CLOCK Gene Variants and Restless Legs Syndrome in Koreans. <i>Psychiatry Investigation</i> , 2021 , 18, 1125-1130	3.1	0
207	Neurobiological and behavioral mechanisms of circadian rhythm disruption in bipolar disorder: A critical multi-disciplinary literature review and agenda for future research from the ISBD task force on chronobiology. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
206	Applying Circadian Rhythm Concepts in Digital Healthcare. <i>Chronobiology in Medicine</i> , 2021 , 3, 1-3	0.6	2
205	Bipolar II disorder has the highest prevalence of seasonal affective disorder in early-onset mood disorders: Results from a prospective observational cohort study. <i>Depression and Anxiety</i> , 2021 , 38, 661-670	8.4	2
204	Virtual Reality-Based Psychotherapy in Social Anxiety Disorder: fMRI Study Using a Self-Referential Task. <i>JMIR Mental Health</i> , 2021 , 8, e25731	6	2
203	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
202	Is It Advantageous To Be a Morning Person?. <i>Chronobiology in Medicine</i> , 2021 , 3, 41-42	0.6	0
201	Validation of the 6-item Evening Chronotype Scale (ECS): a modified version of Composite Scale Morningness. <i>Chronobiology International</i> , 2021 , 38, 1640-1649	3.6	1
200	No Association Between the 5-HTTLPR Polymorphism and Diurnal Preference in Koreans. <i>Chronobiology in Medicine</i> , 2021 , 3, 107-111	0.6	0
199	A Study on the Relationship Between Mental Health Variables and Physical Activity Variables in the Clinical Group of North Korean Defectors: A Pilot Study. <i>Journal of Korean Neuropsychiatric Association</i> , 2021 , 60, 204	0.4	0
198	Can Humans Live According to the Sun, Not the Clock, Like Other Creatures on Earth?. <i>Chronobiology in Medicine</i> , 2021 , 3, 127-128	0.6	
197	Temporal association between zolpidem medication and the risk of suicide: A 12-year population-based, retrospective cohort study. <i>Scientific Reports</i> , 2020 , 10, 4875	4.9	7
196	Association between weekend catch-up sleep and high-sensitivity C-reactive protein levels in adults: a population-based study. <i>Sleep</i> , 2020 , 43,	1.1	3
195	Early Onset Depression Has Different Characteristics from Middle-Aged Depression in Terms of Circadian Rhythm. <i>Chronobiology in Medicine</i> , 2020 , 2, 41-44	0.6	
194	Association Study between Serotonin 1A Receptor Gene rs6295 Polymorphism and Tardive Dyskinesia in Patients with Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2020 , 23, 71-77	0.7	
193	Mild Obstructive Sleep Apnea Tends to Be Associated with Sleep State Misperception. <i>Chronobiology in Medicine</i> , 2020 , 2, 115-122	0.6	1

192	Circadian Rhythm of Heart Rate Assessed by Wearable Devices Tends to Correlate with the Circadian Rhythm of Salivary Cortisol Concentration in Healthy Young Adults. <i>Chronobiology in Medicine</i> , 2020 , 2, 109-114	0.6	4
191	Association of the Serotonin 2A Receptor rs6311 Polymorphism with Diurnal Preference in Koreans. <i>Psychiatry Investigation</i> , 2020 , 17, 1137-1142	3.1	2
190	Effectiveness of a Smartphone App With a Wearable Activity Tracker in Preventing the Recurrence of Mood Disorders: Prospective Case-Control Study. <i>JMIR Mental Health</i> , 2020 , 7, e21283	6	8
189	Effectiveness of a Participatory and Interactive Virtual Reality Intervention in Patients With Social Anxiety Disorder: Longitudinal Questionnaire Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e23024	7.6	10
188	Association between the IL10 rs1800896 Polymorphism and Tardive Dyskinesia in Schizophrenia. <i>Psychiatry Investigation</i> , 2020 , 17, 1031-1036	3.1	1
187	Human Circadian Rhythm and Social Distancing in the COVID-19 Crisis. <i>Chronobiology in Medicine</i> , 2020 , 2, 45-46	0.6	1
186	Impact of Exposure to Dim Artificial Light at Night during Sleep on Cognitive Function. <i>Chronobiology in Medicine</i> , 2020 , 2, 160-165	0.6	0
185	Why Do We Need a Simple and Practical Circadian Biomarker?. <i>Chronobiology in Medicine</i> , 2020 , 2, 135-136	3.6	0
184	Sleep and Circadian Rhythm Disturbances in Eating Disorders. <i>Chronobiology in Medicine</i> , 2020 , 2, 141-142	0.6	0
183	Localized surface plasmon resonance aptasensor for the highly sensitive direct detection of cortisol in human saliva. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 127424	8.5	36
182	Development of model based on clock gene expression of human hair follicle cells to estimate circadian time. <i>Chronobiology International</i> , 2020 , 37, 993-1001	3.6	1
181	Psychological characteristics and associations between living kidney transplantation recipients and biologically related or unrelated donors. <i>BMC Nephrology</i> , 2020 , 21, 355	2.7	0
180	Circadian disruption and increase of oxidative stress in male and female volunteers after bright light exposure before bed time. <i>Molecular and Cellular Toxicology</i> , 2019 , 15, 221-229	1.6	6
179	Mood Prediction of Patients With Mood Disorders by Machine Learning Using Passive Digital Phenotypes Based on the Circadian Rhythm: Prospective Observational Cohort Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e11029	7.6	53
178	Visuo-Haptic-Based Multimodal Feedback Virtual Reality Solution to Improve Anxiety Symptoms: A Proof-of-Concept Study. <i>Psychiatry Investigation</i> , 2019 , 16, 167-171	3.1	6
177	Could Digital Therapeutics be a Game Changer in Psychiatry?. <i>Psychiatry Investigation</i> , 2019 , 16, 97-98	3.1	17
176	Similarities of Aspects of Biological Rhythms between Major Depression and Bipolar II Disorder Compared to Bipolar I Disorder: A Finding from the Early-Onset Mood Disorder Cohort. <i>Psychiatry Investigation</i> , 2019 , 16, 829-835	3.1	2
175	Is Advancing Circadian Rhythm the Mechanism of Antidepressants?. <i>Psychiatry Investigation</i> , 2019 , 16, 479-483	3.1	4

174	Circadian Misalignment and Bipolar Disorder. <i>Chronobiology in Medicine</i> , 2019 , 1, 132-136	0.6	11
173	Maintaining Mental Illness Patients' Humanity while Respecting their Human Rights. <i>Psychiatry Investigation</i> , 2019 , 16, 175-176	3.1	1
172	How to Prevent Young People from Self-Harm. <i>Psychiatry Investigation</i> , 2019 , 16, 255	3.1	
171	Is It Possible to Have Neuromodulation Therapies to Treat Insomnia through Circadian Process Activation?. <i>Chronobiology in Medicine</i> , 2019 , 1, 49-50	0.6	
170	Circadian Gene Variations Are Associated with Obsessive-Compulsive Behaviors in a Young Healthy Korean Population. <i>Chronobiology in Medicine</i> , 2019 , 1, 115-120	0.6	2
169	Comorbid Sleep and Wake Problems in Treatment-Resistant Psychiatric Conditions 2019 , 261-270		
168	Liquid chromatography/mass spectrometry-based plasma metabolic profiling study of escitalopram in subjects with major depressive disorder. <i>Journal of Mass Spectrometry</i> , 2018 , 53, 385-399	2.2	7
167	Development of Submodules of the Korean Dysfunctional Depression Scale: A Preliminary Study. <i>Seuteureseu Yeon-gu</i> , 2018 , 26, 173-185	0.4	1
166	Association of G-Protein β Subunit C825T Polymorphism with Seasonal Variations in Mood and Behavior. <i>Psychiatry Investigation</i> , 2018 , 15, 200-204	3.1	4
165	Validation of the Korean Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry. <i>Psychiatry Investigation</i> , 2018 , 15, 1115-1120	3.1	8
164	Haplotype Association of the Gene with Antipsychotics-Induced Symptoms of Restless Legs Syndrome among Patients with Schizophrenia. <i>Psychiatry Investigation</i> , 2018 , 15, 84-89	3.1	5
163	Is It Unethical for Psychiatrists to Give an Opinion on a Public Figure's Mental State?. <i>Psychiatry Investigation</i> , 2018 , 15, 101	3.1	
162	Development and Validation of the Korean Dysfunctional Depression Scale. <i>Seuteureseu Yeon-gu</i> , 2018 , 26, 103-114	0.4	2
161	Taik-Won Kim, the First Korean Clinical Psychiatrist. <i>Psychiatry Investigation</i> , 2018 , 15, 551-552	3.1	
160	Is Advancing of Circadian Rhythm a Reason for the Rapid Treatment Effect of Electroconvulsive Therapy?. <i>Psychiatry Investigation</i> , 2018 , 15, 655	3.1	2
159	Development of a Modified Korean Version of the Epworth Sleepiness Scale Reflecting Korean Sociocultural Lifestyle. <i>Psychiatry Investigation</i> , 2018 , 15, 687-694	3.1	1
158	Do We Use Artificial Light Appropriately?. <i>Psychiatry Investigation</i> , 2018 , 15, 1099	3.1	
157	Impact of Exposure to Dim Light at Night on Sleep in Female and Comparison with Male Subjects. <i>Psychiatry Investigation</i> , 2018 , 15, 520-530	3.1	13

156	Looking for a New Paradigm on the Treatment of Depression. <i>Journal of Korean Neuropsychiatric Association</i> , 2018 , 57, 107	0.4	
155	Solving the Puzzles of Bipolar Disorders. <i>Journal of Korean Neuropsychiatric Association</i> , 2018 , 57, 275	0.4	
154	Treating Schizophrenia and Early Psychosis. <i>Journal of Korean Neuropsychiatric Association</i> , 2018 , 57, 209	0.4	
153	Why Do Mania and Suicide Occur Most Often in the Spring?. <i>Psychiatry Investigation</i> , 2018 , 15, 232-234	3.1	9
152	Journal of Korean Neuropsychiatric Association Dreaming of Re-Leap. <i>Journal of Korean Neuropsychiatric Association</i> , 2018 , 57, 1	0.4	
151	Is the Circadian Rhythm Dysregulation a Core Pathogenetic Mechanism of Bipolar Disorder?. <i>Journal of Korean Neuropsychiatric Association</i> , 2018 , 57, 276	0.4	2
150	Bright light exposure before bedtime impairs response inhibition the following morning: a non-randomized crossover study. <i>Chronobiology International</i> , 2018 , 35, 1035-1044	3.6	1
149	Association analysis of ANK3 variants with bipolar disorder in the Korean population. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 245-249	2.3	0
148	Solar radiation increases suicide rate after adjusting for other climate factors in South Korea. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 219-227	6.5	36
147	Cognitive Behavioral Therapy Using a Mobile Application Synchronizable With Wearable Devices for Insomnia Treatment: A Pilot Study. <i>Journal of Clinical Sleep Medicine</i> , 2017 , 13, 633-640	3.1	29
146	Correlation of occupational stress with depression, anxiety, and sleep in Korean dentists: cross-sectional study. <i>BMC Psychiatry</i> , 2017 , 17, 398	4.2	26
145	Design and Methods of the Mood Disorder Cohort Research Consortium (MDCRC) Study. <i>Psychiatry Investigation</i> , 2017 , 14, 100-106	3.1	10
144	The quality of life of suspected obstructive sleep apnea patients is related to their subjective sleep quality rather than the apnea-hypopnea index. <i>Sleep and Breathing</i> , 2017 , 21, 369-375	3.1	13
143	Individuals with Restless Legs Syndrome Tend to have Severe Depressive Symptoms: Findings from a Community-Based Cohort Study. <i>Psychiatry Investigation</i> , 2017 , 14, 887-893	3.1	18
142	Comparison of Wearable Activity Tracker with Actigraphy for Sleep Evaluation and Circadian Rest-Activity Rhythm Measurement in Healthy Young Adults. <i>Psychiatry Investigation</i> , 2017 , 14, 179-185	3.1	55
141	A Genome-Wide Association Study Identifies Gene Polymorphism for Restless Legs Syndrome in a Korean Population. <i>Psychiatry Investigation</i> , 2017 , 14, 830-838	3.1	3
140	Polymorphism Interacts with Childhood Maltreatment in Determining Anxiety Sensitivity by Sex: A Preliminary Study in Healthy Young Adults. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017 , 15, 402-406	3.1	6
139	Decrease in fMRI brain activation during working memory performed after sleeping under 10 lux light. <i>Scientific Reports</i> , 2016 , 6, 36731	4.9	6

138	Molecular circadian rhythm shift due to bright light exposure before bedtime is related to subthreshold bipolarity. <i>Scientific Reports</i> , 2016 , 6, 31846	4.9	24
137	Outdoor artificial light at night, obesity, and sleep health: Cross-sectional analysis in the KoGES study. <i>Chronobiology International</i> , 2016 , 33, 301-14	3.6	71
136	Exposure to dim artificial light at night increases REM sleep and awakenings in humans. <i>Chronobiology International</i> , 2016 , 33, 117-23	3.6	50
135	Impact of Dim Artificial Light at Night (dALAN) Exposure during Sleep on Human Fatigue. <i>Sleep Medicine and Psychophysiology</i> , 2016 , 23, 53-60		3
134	Sleep Irregularity in the Previous Week Influences the First-Night Effect in Polysomnographic Studies. <i>Psychiatry Investigation</i> , 2016 , 13, 203-9	3.1	6
133	Review of Cohort Studies for Mood Disorders. <i>Psychiatry Investigation</i> , 2016 , 13, 265-76	3.1	7
132	Association of CACNA1C Variants with Bipolar Disorder in the Korean Population. <i>Psychiatry Investigation</i> , 2016 , 13, 453-7	3.1	4
131	Association of the RORA Gene Polymorphism and Diurnal Preference in a Young Korean Population. <i>Sleep Medicine and Psychophysiology</i> , 2016 , 23, 25-28		2
130	The Impact of Celebrity Suicide on Subsequent Suicide Rates in the General Population of Korea from 1990 to 2010. <i>Journal of Korean Medical Science</i> , 2016 , 31, 598-603	4.7	8
129	Bipolar Disorder Associated microRNA, miR-1908-5p, Regulates the Expression of Genes Functioning in Neuronal Glutamatergic Synapses. <i>Experimental Neurobiology</i> , 2016 , 25, 296-306	4	25
128	Association of CLOCK, ARNTL, PER2, and GNB3 polymorphisms with diurnal preference in a Korean population. <i>Chronobiology International</i> , 2016 , 33, 1455-1463	3.6	18
127	Advanced Circadian Phase in Mania and Delayed Circadian Phase in Mixed Mania and Depression Returned to Normal after Treatment of Bipolar Disorder. <i>EBioMedicine</i> , 2016 , 11, 285-295	8.8	65
126	Association of CLOCK, ARNTL, and NPAS2 gene polymorphisms and seasonal variations in mood and behavior. <i>Chronobiology International</i> , 2015 , 32, 785-91	3.6	32
125	DRD2 genotypic and haplotype variation is associated with improvements in negative symptoms after 6 weeks' amisulpride treatment. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 158-62	1.7	18
124	Satisfaction of immediate or delayed switch to paliperidone palmitate in patients unsatisfied with current oral atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2015 , 30, 320-8	2.2	12
123	Association Study between Norepinephrine Transporter Gene Polymorphism and Schizophrenia in a Korean Population. <i>Psychiatry Investigation</i> , 2015 , 12, 551-8	3.1	4
122	CDH13 and HCRT2 May Be Associated with Hypersomnia Symptom of Bipolar Depression: A Genome-Wide Functional Enrichment Pathway Analysis. <i>Psychiatry Investigation</i> , 2015 , 12, 402-7	3.1	8
121	A Comparison of Personality Characteristics and Psychiatric Symptomatology between Upper Airway Resistance Syndrome and Obstructive Sleep Apnea Syndrome. <i>Psychiatry Investigation</i> , 2015 , 12, 183-9	3.1	10

120	Evidence for Association between the Brain-Derived Neurotrophic Factor Gene and Panic Disorder: A Novel Haplotype Analysis. <i>Psychiatry Investigation</i> , 2015 , 12, 112-7	3.1	16
119	Possible Association between Serotonin Transporter Gene Polymorphism and Suicide Behavior in Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2015 , 12, 136-41	3.1	11
118	MEIS1, a Promising Candidate Gene, Is Not Associated with the Core Symptoms of Antipsychotic-Induced Restless Legs Syndrome in Korean Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2015 , 12, 263-7	3.1	6
117	Association between norepinephrine transporter gene (SLC6A2) polymorphisms and suicide in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014 , 158, 127-32	6.6	15
116	Weekend catch-up sleep is independently associated with suicide attempts and self-injury in Korean adolescents. <i>Comprehensive Psychiatry</i> , 2014 , 55, 319-25	7.3	38
115	ThePTPRD(Protein Tyrosine Phosphatase Receptor Type Delta) Gene Polymorphism and Antipsychotic-Induced Restless Legs Syndrome in Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2014 , 17, 43	0.7	
114	Schizophrenia Spectrum Disorder in DSM-5 : Is this a New Change?. <i>Korean Journal of Schizophrenia Research</i> , 2014 , 17, 5	0.7	1
113	There is no association between the serotonin receptor gene and bipolar I disorder in the Korean population. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 488-93	2.3	3
112	Association between restless legs syndrome and CLOCK and NPAS2 gene polymorphisms in schizophrenia. <i>Chronobiology International</i> , 2014 , 31, 838-44	3.6	20
111	Gaba transporter SLC6A11 gene polymorphism associated with tardive dyskinesia. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 123-8	2.3	17
110	DRD3 gene rs6280 polymorphism may be associated with alcohol dependence overall and with Lesch type I alcohol dependence in Koreans. <i>Neuropsychobiology</i> , 2014 , 69, 140-6	4	17
109	Acute-withdrawal restless legs syndrome following abrupt cessation of short-term tramadol. <i>Psychiatry Investigation</i> , 2014 , 11, 204-6	3.1	5
108	Type-d personality can predict suicidality in patients with major depressive disorder. <i>Psychiatry Investigation</i> , 2014 , 11, 232-6	3.1	13
107	Circadian polymorphisms in night owls, in bipolars, and in non-24-hour sleep cycles. <i>Psychiatry Investigation</i> , 2014 , 11, 345-62	3.1	19
106	High altitude remains associated with elevated suicide rates after adjusting for socioeconomic status: a study from South Korea. <i>Psychiatry Investigation</i> , 2014 , 11, 492-4	3.1	16
105	Oxidative stress and tardive dyskinesia: pharmacogenetic evidence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 46, 207-13	5.5	43
104	High insulin-like growth factor-1 in patients with bipolar I disorder: a trait marker?. <i>Journal of Affective Disorders</i> , 2013 , 151, 738-743	6.6	27
103	Decreased gray matter volume of the medial orbitofrontal cortex in panic disorder with agoraphobia: a preliminary study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 45, 195-200	5.5	15

102	TNF-alpha -308G>A polymorphism is associated with suicide attempts in major depressive disorder. <i>Journal of Affective Disorders</i> , 2013 , 150, 668-72	6.6	28
101	Association between Antipsychotic-Related Restless Legs Syndrome and the RORA Gene Polymorphism in Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2013 , 16, 93	0.7	1
100	Association between Tardive Dyskinesia and Polymorphisms of TNF- α Gene in Korean Schizophrenia Patients. <i>Korean Journal of Schizophrenia Research</i> , 2013 , 16, 38	0.7	1
99	Apnea-related sleep fragmentation and poor vigilance in children with well-controlled asthma. <i>Journal of Sleep Research</i> , 2013 , 23, 189	5.8	5
98	FMR1, circadian genes and depression: suggestive associations or false discovery?. <i>Journal of Circadian Rhythms</i> , 2013 , 11, 3	2.5	11
97	A genome-wide association study of seasonal pattern mania identifies NF1A as a possible susceptibility gene for bipolar disorder. <i>Journal of Affective Disorders</i> , 2013 , 145, 200-7	6.6	33
96	The BTBD9 gene may be associated with antipsychotic-induced restless legs syndrome in schizophrenia. <i>Human Psychopharmacology</i> , 2013 , 28, 117-23	2.3	17
95	Gender-specific effects of brain-derived neurotrophic factor Val66Met polymorphism and childhood maltreatment on anxiety. <i>Neuropsychobiology</i> , 2013 , 67, 6-13	4	16
94	There is no evidence for an association between the serotonin receptor 3A gene C178T polymorphism and tardive dyskinesia in Korean schizophrenia patients. <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 214-8	2.3	6
93	Association between BDNF gene polymorphisms and serotonergic activity using loudness dependence of auditory evoked potentials in healthy subjects. <i>PLoS ONE</i> , 2013 , 8, e60340	3.7	11
92	Circadian rhythm hypotheses of mixed features, antidepressant treatment resistance, and manic switching in bipolar disorder. <i>Psychiatry Investigation</i> , 2013 , 10, 225-32	3.1	33
91	Plasma Levels of IL-23 and IL-17 before and after Antidepressant Treatment in Patients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2013 , 10, 294-9	3.1	39
90	Association of the RORA Gene Polymorphism and Seasonal Variations in Mood and Behavior. <i>Sleep Medicine and Psychophysiology</i> , 2013 , 20, 63-68		3
89	Impact of tryptophan hydroxylase 2 G-703T polymorphism on anger-related personality traits and orbitofrontal cortex. <i>Behavioural Brain Research</i> , 2012 , 231, 105-10	3.4	17
88	Poster #106 GABA TRANSPORTER SLC6A11 GENE POLYMORPHISM ASSOCIATED WITH TARDIVE DYSKINESIA. <i>Schizophrenia Research</i> , 2012 , 136, S318	3.6	2
87	Increased Corticomuscular Coherence in Idiopathic REM Sleep Behavior Disorder. <i>Frontiers in Neurology</i> , 2012 , 3, 60	4.1	17
86	Effects of Korean Red Ginseng on Cognitive and Motor Function: A Double-blind, Randomized, Placebo-controlled Trial. <i>Journal of Ginseng Research</i> , 2012 , 36, 190-7	5.8	27
85	Association Study between Tryptophan Hydroxylase 2 Gene -703G/T Polymorphism and Tardive Dyskinesia. <i>Korean Journal of Schizophrenia Research</i> , 2012 , 15, 34	0.7	

84	Hyperprolactinemia induced by low-dosage amisulpride in Korean psychiatric patients. <i>Psychiatry and Clinical Neurosciences</i> , 2012 , 66, 69-73	6.2	11
83	Role of cytokines in atypical depression. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 183-8	2.3	44
82	No association between PAWR gene polymorphisms and tardive dyskinesia in schizophrenia patients. <i>Psychiatry Investigation</i> , 2012 , 9, 191-4	3.1	8
81	Evaluation of two circadian rhythm questionnaires for screening for the delayed sleep phase disorder. <i>Psychiatry Investigation</i> , 2012 , 9, 236-44	3.1	22
80	Paliperidone in the treatment of delirium: results of a prospective open-label pilot trial. <i>Acta Neuropsychiatrica</i> , 2011 , 23, 179-83	3.9	8
79	Delayed sleep phase syndrome is related to seasonal affective disorder. <i>Journal of Affective Disorders</i> , 2011 , 133, 573-9	6.6	63
78	Decreased thyroid function in Korean women with bipolar disorder receiving valproic acid. <i>General Hospital Psychiatry</i> , 2011 , 33, 200.e13-5	5.6	4
77	PER2 variation is associated with diurnal preference in a Korean young population. <i>Behavior Genetics</i> , 2011 , 41, 273-7	3.2	38
76	Cannabinoid type 1 receptor gene polymorphisms are not associated with olanzapine-induced weight gain. <i>Human Psychopharmacology</i> , 2011 , 26, 332-7	2.3	7
75	Genetics of tardive dyskinesia. <i>International Review of Neurobiology</i> , 2011 , 98, 231-64	4.4	41
74	Atypical antipsychotic drugs perturb AMPK-dependent regulation of hepatic lipid metabolism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 300, E624-32	6	38
73	Influence of the interaction between the serotonin 1A receptor C-1019G polymorphism and negative life stressors on the development of depression. <i>Neuropsychobiology</i> , 2011 , 64, 1-8	4	9
72	No Evidence for an Association between Dopamine D2 Receptor Polymorphisms and Tardive Dyskinesia in Korean Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2011 , 8, 49-54	3.1	14
71	Duloxetine-induced liver injury in patients with major depressive disorder. <i>Psychiatry Investigation</i> , 2011 , 8, 269-71	3.1	6
70	G protein beta3 subunit, interleukin-10, and tumor necrosis factor-alpha gene polymorphisms in Koreans with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2010 , 22, 758-63	4	33
69	Interaction between brain-derived neurotrophic factor Val66Met polymorphism and recent negative stressor in harm avoidance. <i>Neuropsychobiology</i> , 2010 , 61, 19-26	4	25
68	Brain-derived neurotrophic factor gene polymorphisms and mirtazapine responses in Koreans with major depression. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1755-63	4.6	38
67	The withdrawal from TDF therapy could induce transient RLS. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 419-20	5.5	7

66	Prevalence of idiopathic and secondary restless legs syndrome in Korean Women. <i>General Hospital Psychiatry</i> , 2010 , 32, 164-8	5.6	23
65	Depressive mood and quality of life in functional gastrointestinal disorders: differences between functional dyspepsia, irritable bowel syndrome and overlap syndrome. <i>General Hospital Psychiatry</i> , 2010 , 32, 499-502	5.6	46
64	Association study between antipsychotic-induced restless legs syndrome and polymorphisms of monoamine oxidase genes in schizophrenia. <i>Human Psychopharmacology</i> , 2010 , 25, 397-403	2.3	20
63	Lack of Association between Glutathione S-Transferase-M1, -T1, and -P1 Polymorphisms and Olanzapine-Induced Weight Gain in Korean Schizophrenic Patients. <i>Psychiatry Investigation</i> , 2010 , 7, 147-52	3.1	6
62	Cholestatic jaundice induced by duloxetine in a patient with major depressive disorder. <i>Psychiatry Investigation</i> , 2010 , 7, 228-30	3.1	5
61	Restless legs syndrome and periodic limb movements during sleep probably associated with olanzapine. <i>Journal of Psychopharmacology</i> , 2009 , 23, 597-601	4.6	36
60	Comments on "Novelty seeking and the dopamine D4 receptor gene (DRD4) revisited in Asians: Haplotype characterization and relevance of the 2-repeat allele" by C. Reist et al. <i>Am J Med Genet B Neuropsychiatr Genet</i> 2007;144(4):453-457. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 151-2	3.5	3
59	Association study between glutathione S-transferase GST-M1, GST-T1, and GST-P1 polymorphisms and tardive dyskinesia. <i>Human Psychopharmacology</i> , 2009 , 24, 55-60	2.3	21
58	A tryptophan hydroxylase 2 gene polymorphism is associated with panic disorder. <i>Behavior Genetics</i> , 2009 , 39, 170-5	3.2	61
57	No association of serotonin transporter polymorphism (5-HTTVNTR and 5-HTTLPR) with characteristics and treatment response to atypical antipsychotic agents in schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 276-80	5.5	15
56	Tardive dyskinesia associated with long-term administration of escitalopram and itopride in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 380-1	5.5	5
55	G-protein beta3 Subunit Gene 825C/T Polymorphism Is Not Associated with Olanzapine-Induced Weight Gain in Korean Schizophrenic Patients. <i>Psychiatry Investigation</i> , 2009 , 6, 39-43	3.1	10
54	No Evidence for Association between Tyrosine Hydroxylase Gene Val81Met Polymorphism and Susceptibility to Tardive Dyskinesia in Schizophrenia. <i>Psychiatry Investigation</i> , 2009 , 6, 108-11	3.1	9
53	Association between Antipsychotics-Induced Restless Legs Syndrome and Tyrosine Hydroxylase Gene Polymorphism. <i>Psychiatry Investigation</i> , 2009 , 6, 211-5	3.1	13
52	Resolution of pregabalin and mirtazapine associated restless legs syndrome by bupropion in a patient with major depressive disorder. <i>Psychiatry Investigation</i> , 2009 , 6, 313-5	3.1	13
51	Lack of association between the -759C/T polymorphism of the 5-HT2C receptor gene and olanzapine-induced weight gain among Korean schizophrenic patients. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2008 , 33, 55-60	2.2	36
50	The association between serotonin-related gene polymorphisms and panic disorder. <i>Journal of Anxiety Disorders</i> , 2008 , 22, 1529-34	10.9	45
49	Possible association between the -2548A/G polymorphism of the leptin gene and olanzapine-induced weight gain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 160-3	5.5	43

48	No association between the brain-derived neurotrophic factor gene Val66Met polymorphism and tardive dyskinesia in schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1545-8	5.5	22
47	Increased levels of plasma brain-derived neurotrophic factor (BDNF) in children with attention deficit-hyperactivity disorder (ADHD). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1824-8	5.5	85
46	Manganese superoxide dismutase gene Ala-9Val polymorphism might be related to the severity of abnormal involuntary movements in Korean schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1844-7	5.5	26
45	Clinical and temperamental differences between early- and late-onset alcoholism in Korean men. <i>Comprehensive Psychiatry</i> , 2008 , 49, 94-7	7.3	7
44	Val158Met polymorphism in the catechol-O-methyltransferase (COMT) gene is not associated with tardive dyskinesia in schizophrenia. <i>Neuropsychobiology</i> , 2008 , 57, 22-5	4	16
43	Association study between antipsychotics- induced restless legs syndrome and polymorphisms of dopamine D1, D2, D3, and D4 receptor genes in schizophrenia. <i>Neuropsychobiology</i> , 2008 , 57, 49-54	4	21
42	Effect of rifampin, an inducer of CYP3A and P-glycoprotein, on the pharmacokinetics of risperidone. <i>Journal of Clinical Pharmacology</i> , 2008 , 48, 66-72	2.9	31
41	Ziprasidone-associated mania in Korean schizophrenic patient. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 711-3	1.7	1
40	No evidence for an association between G protein beta3 subunit gene C825T polymorphism and tardive dyskinesia in schizophrenia. <i>Human Psychopharmacology</i> , 2007 , 22, 501-4	2.3	18
39	CLOCK gene 3111C/T polymorphism is not associated with seasonal variations in mood and behavior in Korean college students. <i>Psychiatry and Clinical Neurosciences</i> , 2007 , 61, 124-6	6.2	11
38	Possible association between G-protein β subunit C825T polymorphism and antipsychotic-induced restless legs syndrome in schizophrenia. <i>Acta Neuropsychiatrica</i> , 2007 , 19, 351-6	3.9	12
37	No association between dopamine D4 receptor gene -521 C/T polymorphism and tardive dyskinesia in schizophrenia. <i>Neuropsychobiology</i> , 2007 , 55, 47-51	4	25
36	Characteristics and clinical correlates of restless legs syndrome in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 1078-83	5.5	50
35	Allelic variants interaction of CLOCK gene and G-protein beta3 subunit gene with diurnal preference. <i>Chronobiology International</i> , 2007 , 24, 589-97	3.6	27
34	Seasonality associated with the serotonin 2A receptor -1438 A/G polymorphism. <i>Journal of Affective Disorders</i> , 2006 , 95, 145-8	6.6	24
33	Association of the DAT1 polymorphism with attention deficit hyperactivity disorder (ADHD): a family-based approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 309-11	3.5	26
32	Weight gain associated with the alpha2a-adrenergic receptor -1,291 C/G polymorphism and olanzapine treatment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 394-7	3.5	62
31	Increased plasma nitric oxide metabolites in suicide attempters. <i>Neuropsychobiology</i> , 2006 , 53, 127-32	4	55

30	Atypical neuroleptic malignant syndrome associated with aripiprazole. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 534	1.7	6
29	No association between the brain-derived neurotrophic factor gene Val66Met polymorphism and post-traumatic stress disorder. <i>Stress and Health</i> , 2006 , 22, 115-119	3.7	30
28	Psychosocial and Genetic Susceptibility to Posttraumatic Stress Disorder 2006 , 155-167		
27	Reward dependence is related to norepinephrine transporter T-182C gene polymorphism in a Korean population. <i>Psychiatric Genetics</i> , 2005 , 15, 145-7	2.9	27
26	No association between the tryptophan hydroxylase gene polymorphism and major depressive disorders and antidepressant response in a Korean population. <i>Psychiatric Genetics</i> , 2005 , 15, 299-301	2.9	37
25	Association between the 5-HT ₆ receptor C267T polymorphism and response to antidepressant treatment in major depressive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2005 , 59, 140-5	6.2	54
24	Antipsychotics and dopamine transporter gene polymorphisms in delirium patients. <i>Psychiatry and Clinical Neurosciences</i> , 2005 , 59, 183-8	6.2	37
23	Latency of auditory P300 correlates with self-control as measured by the Sixteen Personality Factor Questionnaire. <i>Psychiatry and Clinical Neurosciences</i> , 2005 , 59, 418-24	6.2	1
22	Influence of the serotonin transporter promoter gene polymorphism on susceptibility to posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2005 , 21, 135-9	8.4	179
21	G-protein beta3 subunit C825T polymorphism tends to be associated with seasonal variation in young male college students. <i>Neuropsychobiology</i> , 2005 , 52, 135-9	4	17
20	Satisfaction of patients and caregivers with long-acting injectable risperidone and oral atypical antipsychotics. <i>Primary Care and Community Psychiatry</i> , 2005 , 10, 119-124		3
19	Association between norepinephrine transporter gene polymorphism and major depression. <i>Neuropsychobiology</i> , 2004 , 49, 174-7	4	56
18	Association between major depressive disorder and the -1438A/G polymorphism of the serotonin 2A receptor gene. <i>Neuropsychobiology</i> , 2004 , 49, 38-41	4	49
17	Auditory event-related potentials and psychological changes during sleep deprivation. <i>Neuropsychobiology</i> , 2004 , 50, 1-5	4	36
16	Association between a G-protein beta 3 subunit gene polymorphism and the symptomatology and treatment responses of major depressive disorders. <i>Pharmacogenomics Journal</i> , 2004 , 4, 29-33	3.5	95
15	Th1, Th2 and Th3 cytokine alteration in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004 , 28, 1129-34	5.5	136
14	Neurocognitive function and quality of life in relation to hematocrit levels in chronic hemodialysis patients. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 5-10	4.1	26
13	Persistent psychotic disorder in an adolescent with a past history of butane gas dependence. <i>European Psychiatry</i> , 2004 , 19, 519-20	6	5

12	Serotonin transporter promoter gene polymorphism and long-term outcome of antidepressant treatment. <i>Psychiatric Genetics</i> , 2004 , 14, 111-5	2.9	60
11	Allelic variants interaction of dopamine receptor D4 polymorphism correlate with personality traits in young Korean female population. <i>American Journal of Medical Genetics Part A</i> , 2003 , 118B, 76-80		30
10	D2 and D4 dopamine receptor gene polymorphisms and personality traits in a young Korean population. <i>American Journal of Medical Genetics Part A</i> , 2003 , 121B, 44-9		50
9	Serum lipid levels and suicide attempts. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 215-21	6.5	48
8	Borna disease virus and deficit schizophrenia. <i>Acta Neuropsychiatrica</i> , 2003 , 15, 262-5	3.9	4
7	Cognitive deterioration and changes of P300 during total sleep deprivation. <i>Psychiatry and Clinical Neurosciences</i> , 2003 , 57, 490-6	6.2	82
6	Gender-specific molecular heterosis of dopamine D2 receptor gene (DRD2) for smoking in schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 593-7		21
5	Low serum cholesterol is correlated to suicidality in a Korean sample. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 141-8	6.5	53
4	Effects of season and climate on the first manic episode of bipolar affective disorder in Korea. <i>Psychiatry Research</i> , 2002 , 113, 151-9	9.9	42
3	A case of risperidone-induced stuttering. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 115-6	1.7	13
2	A case of delayed NMS induced by risperidone. <i>Psychiatric Services</i> , 2000 , 51, 254-5	3.3	6
1	Mood Prediction of Patients With Mood Disorders by Machine Learning Using Passive Digital Phenotypes Based on the Circadian Rhythm: Prospective Observational Cohort Study (Preprint)		1